FORM PTO-1390 (Modified) (REV 11-2000) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

ATTORNEY'S DOCKET NUMBER: **PG3606USW**

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR): 09/857123

INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/EP99/09284	**30 November 1999**	**1 December 1998**

TITLE OF INVENTION

HUMAN VANILLOID RECEPTORS AND THEIR USES

APPLICANT(S) FOR DO/EO/US

DELANY, Natalie Samantha
TATE, Simon Nicholas
SANSEAU, Philippe

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include itens (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
   a. ☐ is attached hereto (required only if not communicated by the International Bureau).
   b. ☒ has been communicated by the International Bureau.
   c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
   a. ☐ is attached hereto.
   b. ☒ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
   a. ☐ are attached hereto (required only if not communicated by the International Bureau).
   b. ☐ have been communicated by the International Bureau.
   c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
   d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☒ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Copy of Request (PCT/RO/101)

Express Mail
EL395942597US

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR)	INTERNATIONAL APPLICATION NO.	ATTORNEY'S DOCKET NUMBER
09/857123	PCT/EP99/09284	PG3606USW

24. The following fees are submitted:.

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

		CALCULATIONS PTO USE ONLY
☐	Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO	**$1000.00**
☒	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO	**$860.00**
☐	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO	**$710.00**
☐	International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)	**$690.00**
☐	International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4)	**$100.00**

ENTER APPROPRIATE BASIC FEE AMOUNT =	**$860.00**	
Surcharge of **$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).	**$0.00**	

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	51 - 20 =	31	x $18.00	**$558.00**	
Independent claims	5 - 3 =	2	x $80.00	**$160.00**	
Multiple Dependent Claims **(check if applicable).**			☐	**$0.00**	

TOTAL OF ABOVE CALCULATIONS =	**$1,578.00**	
☐ Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.	**$0.00**	
SUBTOTAL =	**$1,578.00**	
Processing fee of **$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)). +	**$0.00**	
TOTAL NATIONAL FEE =	**$1,578.00**	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) **(check if applicable).** ☐	**$0.00**	
TOTAL FEES ENCLOSED =	**$1,578.00**	
	Amount to be: refunded	$
	charged	$

a. ☐ A check in the amount of _____ to cover the above fees is enclosed.

b. ☒ Please charge my Deposit Account No. **07-1392** in the amount of **$1,578.00** to cover the above fees. A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. **07-1392** A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

23347
PATENT TRADEMARK OFFICE

Frank Grassler
SIGNATURE

Frank Grassler
NAME

31,164
REGISTRATION NUMBER

June 1, 2001
DATE

Express Mail
EL395942597US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of: DELANY et al.
International Application No.: PCT/EP99/09284
International Filing Date: 30 November 1999
Title: HUMAN VANILLOID RECEPTORS AND THEIR USES

Honorable Commissioner of Patents
Washington, D.C. 20231

FIRST PRELIMINARY AMENDMENT

Dear Sir:

The above-identified application is being transmitted herewith for entry in the US National Phase under Chapter II of the PCT for the purpose of adding the priority information. Please amend the application as follows:

In the Abstract:

The Abstract has been placed on a separate sheet of paper according to US practice, as required under 37 CFR 1.72(b).

In the Specification:

On the first line of the specification, after the Title, please add:

--This application is filed pursuant to 35 U.S.C. §371 as a United States National Phase Application of International Application No. PCT/EP99/09284 filed 30 November 1999, which claims priority from Great Britain Application No. 9826359.3 filed 1 December 1998.--

In the Claims

14. (Amended) An expression vector comprising a nucleotide sequence according to claim 6, which is capable of expressing an hVR protein or a variant thereof.

23. (Amended) An antibody specific for a human vanilloid receptor (hVR) protein or a variant thereof as claimed in claim 1.

26. (Amended) A method for identification of a compound which exhibits hVR modulating activity comprising contacting a human vanilloid receptor (hVR) protein or a variant thereof according to claim 1 with a test compound and detecting modulating activity or inactivity.

45. (Amended) A method of producing an hVR protein or a variant thereof according to claim 1 comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVR protein or a variant

thereof, under conditions suitable for obtaining expression of the hVR protein or variant thereof.

50. (Amended) A human vanilloid receptor (hVR) protein according to claim 48, which is hVR1 or a variant thereof.

51. (Amended) A human vanilloid receptor (hVR) protein according to claim 48 which is hVR3 or a variant thereof.

REMARKS

Applicants have attached an abstract on a separate sheet of paper as required by US practice. Applicants have amended the specification for purposes of adding the priority information. Claims have been amended to eliminate multiple dependencies.

Attached hereto is a marked-up version of the changes made to the specification by the current amendment. The attached page is captioned **"Version with markings to show changes made."** Applicant respectfully requests the entry of the above preliminary amendments.

Examiner is invited and encouraged to contact the undersigned if such contact would facilitate prosecution of this application.

No fee is believed due in connection with this Amendment, however the Commissioner is hereby authorized to charge any under-payment to Deposit Account No. 07-1392.

Respectfully submitted,

Date: June 1, 2001

Frank P. Grassler
Attorney of Record, Reg. No. 31,164

GlaxoSmithKline
Corporate Intellectual Property Department
Five Moore Drive, PO Box 13398
Research Triangle Park, NC 27709-3398
Telephone: 919-483-3934
Facsimile: 919-483-7988

CERTIFICATE OF EXPRESS MAILING (37 CFR 1.10)
I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: Assistant Commissioner of Patents Washington, D.C. 20231 on 6/01/01

Marilyn Eldridge

Version with markings to show changes

14. An expression vector comprising a nucleotide sequence according to [any one of] claim[s] 6 [to 13].

23. An antibody specific for a human vanilloid receptor (hVR) protein or a variant thereof as claimed in [any one of] claim[s] 1 [to 5].

26. A method for identification of a compound with exhibits hVR modulating activity comprising contacting a human vanilloid receptor (hVR) protein or a variant thereof according to [any one of] claim[s] 1 [to 5] with a test compound and detecting modulating activity or inactivity.

45. A method of producing an hVR protein or a variant thereof according to [any one of] claim[s] 1[-5] comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVr protein or a variant thereof, under conditions suitable for obtaining expression of the hVR protein or variant thereof.

50. A human vanilloid receptor (hVR) protein according to claim 48 [or 49] which is hVR1 or a variant thereof.

51. A human vanilloid receptor (hVR) protein according to claim 48 [or 49] which is hVR3 or a variant thereof.

HUMAN VANILLOID RECEPTORS AND THEIR USES

Field of the Invention

The present invention relates to human vanilloid receptor (hVR) proteins and to related nucleotide sequences, expression vectors, cell lines, antibodies screening methods, compounds, methods of production and methods of treatment, as well as other related aspects.

Background of the Invention

Capsaicin, the irritant in hot peppers and a member of the vanilloid family activates a sub-group of sensory neurons: the nociceptors. These neurons transmit nociceptive and thermoceptive pain information back to pain-processing centres in the central nervous system such as the spinal cord and the brain. They are also sites for the release of pro-inflammatory mediators in the periphery (1). Nociceptors show heterogeneity in their sensitivity to capsaicin. Excitation and prolonged exposure of these neurons to capsaicin is followed by a refractory state known as desensitisation (2) when they become insensitive to capsaicin and other noxious stimuli (3). The long-term response to insensitivity could be explained by death of the nociceptors or destruction of its peripheral terminals (4). Because of the desensitisation phenomenon, capsaicin has been used therapeutically for decades as an analgesic agent for the treatment of pain in a range of disorders (5).

It has been speculated that the endogenous target for capsaicin plays an important function in the detection of painful stimuli. It has been shown by electrophysiological and biochemical studies that capsaicin induces a flux of cations in dorsal root ganglion (DRG) neurons (6,7). Because other vanilloid derivatives show responses in a dose dependent manner (8,9) a receptor is the most likely candidate to explain the mechanism. Therefore, based on indirect evidence it has been anticipated that these actions of capsaicin (excitation / desensitisation) are mediated by a specific membrane-bound receptor named vanilloid receptor (10).

Evidence for the existence of a vanilloid receptor came from binding experiments with resiniferatoxin (RTX), a capsaicin analog (11), and a competitive antagonist

of capsaicin, capsazepine (12). Vanilloid receptors have been visualised by using ([^{3}H]-RTX) autoradiography in dorsal root ganglia (DRG) and spinal cord of different species including man (13,14).

Recently, a rat vanilloid receptor termed VR1 has been identified using an expression-cloning strategy to isolate the complementary DNA (cDNA) encoding the corresponding protein from a rat DRG cDNA library (15). The cDNA clone was completely sequenced. The rat VR1 cDNA has an open reading frame of 2,514 nucleotides and encodes for a protein of 838 amino acids with a predicted relative molecular mass of 95,000. Analysis of the amino acid sequence identified 6 potential transmembrane regions with a short hydrophobic stretch between the transmembrane regions 5 and 6. The N-terminus (amino terminal) contains three ankyrin repeat domains. No motifs have been identified at the C-terminus (carboxy terminal).

It has been noted that rat VR1 transfected cells exhibit an increase in calcium levels after heat treatment and it has been suggested that *in vivo* VR1 and vanilloid receptors are involved in detection of noxious heat (but not innocuous heat). It has also been proposed that protons could act as modulators of the vanilloid receptors (16, 17, 18).

While it has been recognised that the rat capsaicin receptor, VR1, is a member of the family of non-selective ion channels that are gated by ligands and that it is involved in pain sensation, the natural ligand of VR1 remains unknown. It is therefore suggested that human vanilloid receptor sub-types may provide targets for the development of novel analgesic agents (agonists and antagonists) and agents which may interact with other disorders.

Accordingly, it is an object of the present invention to locate and characterise human vanilloid receptors. Other objects of the present invention will become apparent from the following detailed description thereof.

Summary of the Invention

According to one embodiment of the present invention there is provided an isolated human vanilloid receptor (hVR) protein or a variant thereof. Preferably

the hVR protein is an hVR1 or hVR3 protein or a variant thereof. In a particularly preferred aspect of the invention the hVR protein has an amino acid sequence as shown in figure 3 or in figure 18.

According to another aspect of the invention, there is provided a human vanilliod receptor (hVR) protein or a variant thereof, preferably hVR1 or hVR3 or a variant thereof, for use in a method of screening for agents useful in the treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity, preferably hVR1 or hVR3 activity, in a human patient. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder such as asthma or chronic obstructive pulmonary disease (COPD), a urological disorder such as diabetic neuropathy, incontinence and interstitial cystitis, or an inflammatory disorder.

According to another aspect of the invention there is provided a nucleotide sequence encoding a human vanilloid receptor (hVR) protein or a variant thereof as hereinbefore described, or a nucleotide sequence that is complementary thereto. Preferably the nucleotide sequence encodes an hVR1, hVR3 protein or variant thereof or a nucleotide sequence which is complementary thereto. Particularly preferably the nucleotide sequence is as shown in figure 2 and figure 17.

According to another aspect of the invention there is provided an expression vector comprising a nucleic acid sequence as referred to above which is capable of expressing an hVR protein as hereinbefore described or a variant thereof, preferably hVR1 or hVR3 or a variant thereof. Preferably the expression vector is as displayed in figure 6 or figure 20.

According to another aspect of the invention there is provided a stable cell line comprising an expression vector as referred to above which is capable of expressing an hVR protein as hereinbefore described or a variant thereof, preferably hVR1 or hVR3 or a variant thereof. The stable cell line is preferably a

modified mammalian cell line, preferably HEK293, CHO, COS, HeLa or BHK although transient expression may be preferred in *Xenopus* oocytes.

According to another aspect of the invention there is provided an antibody specific for an hVR protein as hereinbefore described or a variant thereof, preferably specific for hVR1 or hVR3 or a variant thereof.

According to another aspect of the invention there is provided a method for identification of a compound which exhibits hVR modulating activity, comprising contacting an hVR protein as hereinbefore described or a variant thereof, preferably hVR1 or hVR3 or a variant thereof, with a test compound and detecting modulating activity or inactivity.

According to another aspect of the invention there is provided a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above.

According to another aspect of the invention there is provided a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above, for use in therapy.

According to another aspect of the invention there is provided the use of a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above, in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity, preferably hVR1 activity or hVR3 activity, in a human patient. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder such as asthma or chronic obstructive pulmonary disease (COPD), a urological disorder such as neuropathy, incontinence or interstitial cystitis, or an inflammatory disorder.

According to another aspect of the invention there is provided a method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR,

preferably hVR1 or hVR3, activity in a human patient which comprises administering to said patient an effective amount of a compound identifiable by the method referred to above. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), respiratory disorders such as asthma and chronic obstructive pulmonary disease (COPD) and urological disorders including diabetic neuropathy, incontinence and interstitial cystitis and inflammatory disorders.

According to another aspect of the invention there is provided a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above, excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine.

According to another aspect of the invention there is provided a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above, excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine, for use in therapy.

According to another aspect of the invention there is provided the use of a compound which modulates hVR activity, preferably that of hVR1 or hVR3, identifiable by the method referred to above, excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine, in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity, preferably hVR1 activity or hVR3 activity, in a human patient. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic

pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder such as asthma or chronic obstructive pulmonary disease (COPD), a urological disorder such as neuropathy, incontinence or interstitial cystitis, or an inflammatory disorder.

According to another aspect of the invention there is provided a method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR, preferably hVR1 or hVR3, activity in a human patient which comprises administering to said patient an effective amount of a compound identifiable by the method referred to above, excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), respiratory disorders such as asthma and chronic obstructive pulmonary disease (COPD) and urological disorders including diabetic neuropathy, incontinence and interstitial cystitis and inflammatory disorders.

According to another aspect of the invention there is provided a compound identified by the method referred to above.

According to another aspect of the invention there is provided a compound identified by the method referred to above, for use in therapy.

According to another aspect of the invention there is provided the use of a compound identified by the method referred to above in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity, preferably hVR1 activity or hVR3 activity, in a human patient. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder such as asthma or chronic

obstructive pulmonary disease (COPD), a urological disorder such as neuropathy, incontinence or interstitial cystitis, or an inflammatory disorder.

According to another aspect of the invention there is provided a method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR, preferably hVR1 or hVR3, activity in a human patient which comprises administering to said patient an effective amount of a compound identified by the method referred to above. Preferably the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), respiratory disorders such as asthma and chronic obstructive pulmonary disease (COPD) and urological disorders including diabetic neuropathy, incontinence and interstitial cystitis and inflammatory disorders.

According to another aspect of the invention there is provided a method of producing an hVR protein as hereinbefore described or a variant thereof, preferably hVR1 or hVR3 or a variant thereof, comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVR protein or a variant thereof, preferably hVR1 or hVR3 or a variant thereof, under conditions suitable for obtaining expression of the hVR protein or a variant thereof, preferably hVR1 or hVR3 or a variant thereof.

Brief Description of the figures

Figure 1 is an alignment of hVR1 *in silico* derived clusters with rat VR1.

Figure 2 displays the human VR1 nucleotide sequence including the 5'UTR (nt – 773 to nt 0), coding region (nt 1 to 2517) and 3'UTR (nt 2518 to nt 3560).

Figure 3 illustrates the nucleotide and encoded amino acid sequence of the human VR1sequence.

Figure 4 depicts the amino acid sequence of the hVR1 gene, the shading denotes predicted trans-membrane regions (boxed) and the ankyrin binding domains (unboxed). The predicted phosphorylation sites are underlined.

Figure 5 is a comparison of the amino acid sequences of the rat (rVR1) and human (hVR1) vanilloid receptors.

Figure 6 illustrates constructs pBluescriptSK(+) (A) and pCIN5-new (B) with the full length hVR1 gene cloned via NotI and EcoRI restriction sites.

Figure 7 shows a Slot Blot hybridisation with hVR1 probe with positive labelling of both rat and human DRG mRNA.

Figure 8 displays a Western blot probed with anti-VR1 antibodies with the arrow indicating the VR1 specific protein.

Figure 9 shows localisation of VR1 in rat DRG tissue sections, the arrow points to VR1 expressing small diameter (<25μn) neurone cell bodies.

Figure 10 depicts the *in situ* localisation of VR1 in human DRG sections (A) and human skin (B).

Figure 11 illustrates the functional response to capsaicin and blockade by capsazepine (CPZ) (A) with the current voltage relationship plotted in (B) on human VR-1 channels, transiently expressed in HEK293T cells.

Figure 12 shows capsaicin-induced desensitisation of human VR-1 channels in the presence of 2mM external calcium (A), maximum current (65mV) against time (B) and current voltage relationship in the absense of Ca^{2+} (C).

Figure 13 shows the influx of calcium into transiently transfected HEK293T cells over a time course in the presence of agonist capsaicin, anandamide and resiniferatoxin in the absence (A, B, D and F) or presence (C, E, G) of the antagonist, capsezipine.

Figure 14 illustrates a graphical presentation the results shown in figure 13 examining the response of hVR1 transfected HEK293T cells over time before and after exposure to agonists: capsaicin, anandamide and resiniferatoxin in the absence (A, B, D and F) or presence (C, E, G) of the antagonist, capsezipine.

Figure 15 displays the proposed assay strategy to carry out drug screening.

Figure 16 displays an alignment of *in silico* derived hVR3 specific clusters with rat VR1.

Figure 17 depicts the hVR3 nucleotide sequence including the 5' UTR (nt –686 to nt 0) Coding region (nt1 to nt 2889), 3'UTR (nt 2890 to nt 3418).

Figure 18 shows the nucleotide and amino acid sequence of hVR3.

Figure 19 is of the amino acid sequence of hVR3, the shading denotes predicted trans-membrane regions (boxed) and the ankyrin binding domains (unboxed).

Figure 20 displays constructs pBluescriptSK(+) (A) and pCDNA3.1 (+) (B) with the full length hVR3 gene cloned via NotI and XhoI restriction sites.

Figure 21 illustrates a multiple comparison of the amino acid sequences of the rat VR1 and the human vanilloid receptors: hVR1, hVRL-1 and hVR3.
Figure 22 Northern Blot hybridisation with hVR3 probe with strong signals detected in trachea (A), prostate (B), placenta, kidney and pancreas (C).

Detailed Description of the Invention

Throughout the present specification and the accompanying claims the words "comprise" and "include" and variations such as "comprises", "comprising", "includes" and "including" are to be interpreted inclusively. That is, these words are intended to convey the possible inclusion of other elements or integers not specifically recited, where the context allows.

As referred to above, the present invention relates to isolated human vanilloid receptor (hVR) proteins, and in particular to the human vanilloid receptors which will be termed respectively human vanilloid receptors 1 and 3 (hVR1, and hVR3), sequence information for which is provided in figures 2 (hVR1) and 17 (hVR3). In the context of this invention the term "isolated" is intended to convey that the receptor protein is not in its native state, insofar as it has been purified at least to some extent or has been synthetically produced, for example by recombinant methods. The term "isolated" therefore includes the possibility of the receptor protein being in combination with other biological or non-biological material, such as cells, suspensions of cells or cell fragments, proteins, peptides, organic or inorganic solvents, or other materials where appropriate, but excludes the situation where the receptor protein is in a state as found in nature.

Routine methods, as further explained in the subsequent experimental section, can be employed to purify and/or synthesise the receptor proteins according to the invention. Such methods are well understood by persons skilled in the art, and include techniques such as those disclosed in Sambrook, J. *et al.* (28), the disclosure of which is included herein in its entirety by way of reference.

By the term "variant" what is meant throughout the specification and claims is that other peptides or proteins which retain the same essential character of the human vanilloid receptor proteins for which sequence information is provided, are also intended to be included within the scope of the invention. For example,

other peptides or proteins with greater than about 80%, preferably at least 90% and particularly preferably at least 95% homology with the sequences provided are considered as variants of the receptor proteins. Such variants may include the deletion, modification or addition of single amino acids or groups of amino acids within the protein sequence, as long as the peptide maintains the biological functionality of a human vanilloid receptor. This biological functionality can of course be assessed by conducting binding studies with known vanilloid modulators such as capsaicin, capsazepine (12) and resiniferatoxin (11).

Human VR1 is preferentially expressed in human dorsal root ganglia (DRG) and relative to hVR3 has the highest sequence homology with the rat VR1. Therefore, hVR1 is likely to be the human orthologue to rat VR1. hVR3 is less similar to rat VR1 and is expressed in a wider range of tissues. Nucleotide sequence analysis of hVR1 reveals a 2517bp open reading frame which encodes an 839 amino acid protein (see figures 2, 3 and 4). This deduced hVR1 protein sequence is 86 % identical to the rat VR1 (15) and shares many of its characteristics such as 6 transmembrane regions with an hydrophobic stretch between transmembrane 5 and 6 and an N-terminus which contains 3 ankyrin repeat domains. Similarly hVR3 has an open reading frame of 2889bp open reading frame which encodes a 963 amino acid protein (see figures 17, 18 and 19). The deduced hVR3 protein is 46 % identical to rat VR1 and 44 % identical to hVR1 sharing many of VR1's characteristics such as 6 transmembrane regions with an hydrophobic stretch between transmembrane 5 and 6 and an N-terminus which contains 3 ankyrin repeat domains.

The invention also includes nucleotide sequences which encode for human vanilloid receptor proteins or variants thereof as well as nucleotide sequences which are complementary thereto. Preferably the nucleotide sequence is a DNA sequence and most preferably, a cDNA sequence. Preferably the proteins are hVR1, hVR3 or variants thereof. Such nucleotides can be isolated or synthesised according to methods well know in the art. See reference 28, the disclosure of which is included herein in its entirety by way of reference.

The present invention also includes expression vectors which comprise nucleotide sequences encoding for the hVR, preferably hVR1 or hVR3, receptor

proteins or variants thereof. A further aspect of the invention relates to an expression vector comprising nucleotide sequences encoding for hVR1 or hVR3 receptor proteins or variants thereof. Such expression vectors are routinely constructed in the art of molecular biology and may for example involve the use of plasmid DNA and appropriate initiators, promoters, enhancers and other elements, such as for example polyadenylation signals which may be necessary, and which are positioned in the correct orientation, in order to allow for protein expression. Suitable vectors for use in practicing the present invention include pBluescript (Stratagene), pCR-Script (Stratagene), pCR2.1-TOPO (Invitrogen), pCRII-TOPO (Invitrogen), pCR-Blunt (Invitrogen), with vectors such as pCIN (32) (available from Clontech as pIRES-neo), pCDNA 3.1 (Invitrogen) or pCIneo (Promega) required for mammalian expression. Appropriate methods can be effected by following protocols described in many standard laboratory manuals (28, 29).

The invention also includes cell lines which have been modified to express the novel receptor. Such cell lines include transient, or preferably stable higher eukaryotic cell lines, such as mammalian cells or insect cells, lower eukaryotic cells, such as yeast or prokaryotic cells such as bacterial cells. Particular examples of cells which have been modified by insertion of vectors encoding for the receptor proteins according to the invention include HEK293T cells and *Xenopus* oocytes. Preferably the cell line selected will be one which is not only stable, but also allows for mature glycosylation and cell surface expression of the inventive receptor. Representive examples of appropriate hosts include animal cells such as HEK293, CHO, COS, HeLa and BHK.

It is also possible for the receptors of the invention to be transiently expressed in a cell line or on a membrane, such as for example in a baculovirus expression system. Such systems, which are adapted to express the receptors according to the invention, are also included within the scope of the present invention.

In particular, the functional hVR protein may include hVR receptor proteins selected from hVR1 and hVR3 and thereof or even other hVR protein subtypes or splice variants which have not yet been identified.

According to another aspect, the present invention also relates to antibodies, preferably monoclonal antibodies, which have been raised by standard techniques and are specific for the receptor proteins or variants thereof according to the invention. Such antibodies could for example be useful in purification; isolation or screening involving immuno precipitation techniques and may be used as tools to further ellucidate hVR, preferably hVR1 or hVR3, protein function, or indeed as therapeutic agents in their own right. Antibodies may also be raised against specific epitopes of the receptors according to the invention.

An important aspect of the present invention is the use of receptor proteins according to the invention in screening methods designed to identify compounds which act as receptor ligands and which may be useful to modulate receptor activity. In general terms, such screening methods will involve contacting the receptor protein concerned, preferably hVR1 or hVR3, with a test compound and then detecting modulation in the receptor activity, or indeed detecting receptor inactivity, which results. For further details on the screening strategy refer to figure 15. The present invention also includes within its scope those compounds which are identified as possessing useful hVR, preferably hVR1 or hVR3, modulation activity, by the screening methods referred to above. The screening methods comprehended by the invention are generally well known to persons skilled in the art. High throughput screens may include fluorescence based assays using the Fluorometric Imaging Plate Reader (FLIPR) with calcium sensitive dyes, and reporter gene assays using calcium sensitive photoproteins that emit light on the influx of calcium and can be detected using an Imaging system. Secondary screens may involve electrophysiological assays utilising patch clamp technology to identify small molecules, antibodies, peptides, proteins or other types of compounds that interact with hVR, preferably hVR1 or hVR3, to modulate activity. Tertiary screens may involve the study of modulators in well characterised rat and mouse models of pain. These models of pain include, but are not restricted to, intraplantar injection of inflammatory agents such as carageenan, formalin and complete freunds adjuvant (CFA). Models of neuropathic pain such as loose ligature of the sciatic nerve are also included. Other screens may involve the study of modulators in human volunteers subject to topically applied capsaicin.

Another aspect of the present invention is the use of compounds which have been identified by screening techniques referred to above in the treatment or prophylaxis of disorders which are responsive to modulation of hVR, preferably hVR1 or hVR3, receptor activity, in a human patient. By the term "modulation" what is meant is that there will be either agonism or antagonism at the receptor site which results from ligand binding of the compound at the receptor. By the term "modulation" what is meant is that there will be either agonism or antagonism at the receptor site which results from ligand binding of the compound at the receptor excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine. hVR , preferably hVR1 and hVR3, proteins have been implicated in disorders of the central nervous system (CNS), gastrointestinal (GI) tract, lungs and bladder and therefore modulation of hVR, preferably hVR1 or hVR3, receptor activity in these tissues will result in a positive therapeutic outcome in relation to such disorders. In particular, the compounds which will be identified using the screening techniques according to the invention will have utility for treatment and/or prophylaxis of disorders such as pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, IBS, respiratory disorders such as asthma and COPD, urological disorders including diabetic neuropathy, incontinence and interstitial cystitis, and inflammatory disorders. It is to be understood however, that the mention of such disorders is by way of example only, and is not intended to be limiting on the scope of the invention.

The compounds which are identified according to the screening methods outlined above may be formulated with standard pharmaceutically acceptable carriers and/or excipients as is routine in the pharmaceutical art, and as fully described in Remmington's Pharmaceutical Sciences, Mack Publishing Company, Eastern Pennsylvania, 17th Ed, 1985, the disclosure of which is included herein in its entirety by way of reference.

The compounds may be administered via enteral or parenteral routes such as via oral, buccal, anal, pulmonary, intravenous, intraarterial, intramuscular, intraperitoneal, topical or other appropriate administration routes.

The present invention will be further explained, by way of examples, in the appended experimental section. Reference examples are provided.

Experimental details

Reference Example A: Identification of related human ESTs (Expressed Sequence Tags) (19) to the rat VR1 sequence by *in silico* analysis

The full-length rat VR1 amino acid sequence (15) was used as a query sequence using the tBlastn (20) alignment program to identify related human genes in the dbEST (21) and Incyte (Incyte Pharmaceuticals, Inc., 3174 Porter Drive, Palo Alto, California 94304, USA) databases. Several human ESTs were identified and those with similarities greater than 50% selected for further analysis. One of these ESTs was T12251 previously shown to have 68% amino-acid identity and 84% similarity over a region of 70 amino acids (15). Full-length cloning and functional characterisation of the gene represented by this cluster has been completed (30). This gene was denoted hVRL-1 and encoded a protein of 764 amino acid protein that was 48 % identical to the rat VR1 protein. All human ESTs from both databases were clustered to identify overlapping identical ESTs belonging to the same transcript. The GCG package (Wisconsin Package Version 9.0, Genetics Computer Group (GCG), Madison, Wisconsin) and a program developed in house termed ESTBlast (22) were used to build up these clusters. In total, forty-three ESTs derived from different tissue sources and both EST databases were clustered into ten groups, one of these clusters represented hVRL-1. The remaining nine clusters have been named hVRa, hVRb, hVRc, hVRd, hVRe, hVRf, hVRg, hVRh and hVRi. For each EST the tissue source was assigned according to the annotations in the dbEST and Incyte databases. Since no obvious starting codon was present and the cluster sequences were shorter than the rat VR1 transcript none of these clusters were likely to represent a full-length vanilloid receptor transcript. Finally hVRg, hVRh and hVRi collapsed into a single contig. Sequence analysis has shown that

these cDNAs are likely to be chimeric. The 5' end has weak similarities with the rat VR1 gene but the 3' end is identical to a DNA binding protein. No more work was pursued with that transcript.

Reference Example B: Isolation of the human orthologue to the rat VR1 gene (reference examples B1-B4):

Reference Example B1: *In silico* assembly of human VR1

The consensus nucleotide sequences from the ten clusters were searched with the tBlastx program (20) against the rat VR1 sequences to identify the most likely open reading frames. Frame shifts were corrected when the sequence trace files were available. Each cluster was aligned against the rat VR1 amino-acid sequence according to the Blastx results. The Blastx alignment program (20) was used to compare the full-length rat VR1 protein with the amino-acid sequences of the ten clusters. The three clusters with the highest homology, displayed in figure 1, were aligned with the rat VR1 gene.

Cluster hVRa shared a high homology (70% identity and 75% similarity over a stretch of 107 amino acids) with the 5' of the rat VR1 sequence but did not seem to have a potential start codon. It contained two ESTs (EST1 and EST2) derived from the same tissue, bladder, and from the same patient. These two ESTs were selected for further investigation since this cluster was the most 5', had high homology with rat VR1 and the bladder tissue could be contaminated with sensory neurones. Both cDNA clones were ordered but only clone EST1 was received as EST2 failed the recovery procedure.

Cluster hVRb composed of two EST's (EST3 and EST4), with 89% identity and 92% similarity over 90 residues, showed the highest degree of homology to the rodent sequence. The overlap between both sequences was located towards the middle of the gene.

hVRc (EST5) also while having high homology (71% identity and 75% similarity over 65 residues) with rat VR1 was closely related to the C-terminus of the rat protein sequence.

Reference Example B2: Sequencing of clones

All DNA sequences were determined by automated DNA sequencing based on the dideoxy chain-termination method using the ABI 373A / 377 sequencers (Applied Biosystems). Sequence-specific primers were used with the 'Big-Dye' Terminator Cycle Sequencing kit (Applied Biosystems). The nucleotide sequence was analysed using programs from the University of Wisconsin Genetics Computer Group package.

More specifically when sequencing an EST clone, the following protocol was adopted. The EST1 clone was grown using standard procedures and DNA was isolated using Qiagen columns. SP6 (5' ATTTAGGTGACACTATAG) and T7 (5' TAATACGACTCACTATAGGG) primers flanking the cloning site were used to sequence both ends. Plasmid DNA (0.6 pmol) was used with 10.0 pmol of each primer for the dye terminator reaction. The SP6 end corresponded to the *in silico* derived EST sequence (identical to EST1). The T7 end did not have homologies with VR1 nor did it possess a long open reading frame or a polyadenylation motif. The size of the insert was determined by enzyme digestion of the DNA with the endonucleases NotI and EcoRI and calculated to be approximately 3kb.

Plasmid DNA (50ng) was used to amplify the insert by Polymerase Chain Reaction (PCR) with T7 and SP6 as primers. The PCR conditions included an initial hot-start at 94°C for 2 minutes, followed by 35 cycles at 94°C for 45 seconds, 50°C for 45 seconds and 72°C for 1 minute and terminated by 5 minutes at 72°C. The resulting PCR amplicon was separated on a 1.2% agarose gel and shown to be of ~3kb in size.

To fully sequence the PCR product the nuclease-Bal-31 technique was used where both strands of duplex DNA are degraded from both ends (23). After ethanol precipitation of the PCR product, the pellet was re-suspended in 30ml of 1X Bal-31 buffer (add buffer composition). A time-course digest with 2 units of Bal-31 enzyme (Roche Molecular Biochemicals) was carried out with 12 time points taken over 90 minutes (30 seconds, 1, 2, 3, 5, 7, 10, 15, 25, 45, 75 and 90 minutes). Three pools were made respectively from digests 1 to 4, 5 to 8 and 9

to 12. Each pool was blunt-ended and sub-cloned into the pCR-Script SK (+) plasmid from Stratagene at the SrfI site. After transformation, 16 colonies from each pool were screened by PCR with the flanking Reverse (5' GGAAACAGCTATGACCATG) and M13-20 (5' GTAAAACGACGGCCAGT) primers. The amplicons of 6 positive colonies per pool were subjected to direct sequencing (24) using the T3 (5' AATTAACCCTCACTAAAGGG) and T7 primers. The DNA sequences obtained were assembled using the GCG package, translated and aligned against the rat VR1 gene using the Blast tools. After analysis, the 3079bp amplicon was shown to have 2 introns of 603bp and 1221bp. The latter intron was located at the 3'end of the PCR product. The coding sequence covered 1255 bp and was separated by the former intron. Therefore the clone EST1 was likely to be a partially spliced and incomplete cDNA.

The clone belonging to cluster 1b (EST3) and derived from a kidney cDNA library was ordered and sequenced using the Bal-31 technique. After assembly of the sequences using the GCG package an identical overlap was identified with the DNA sequence of the cluster hVRc. Moreover a 3'end with a polyadenlyation signal and tail was identified. The complete sequence of the combined hVRb Bal-31 derived sequence and hVRc was 2063 bp (1020 bp of coding and 1043 bp of 3' untranslated sequence).

Reference Example B3: Amplification of the middle section of hVR1 using the Polymerase Chain Reaction

We formulated the hypothesis that both sequences (hVRa and hVRb/c) were part of a common transcript. If the human and rat VR1 were going to be similar, the 2 contigs should be separated by a gap of approximately 275bp. Primers were designed on both sides of the gap to amplify mRNA from brain tissues in order to clone the gap. A smear was obtained with the sense primer (5' TCTACTTCGGTGAACTGCCC) and antisense (5' ACGGCAGGGAGTCATTCTTC). For specificity 50ng of the PCR product were amplified with the nested sense (5' CTGCAGAACTCCTGGCAGA) and antisense (5' GTCACCACCGCTGTGGAAAA) primers. The 900bp nested amplicon was sequenced and shown to be identical to hVRa at one end and

hVRb/c at the other end. The middle part of the PCR product was homologous to the rat VR1 sequence. This region corresponded to 91 amino acids. When the sequences of hVRa, hVRb/hVRc and the internal amplicon are combined the total length of the Open Reading Frame (ORF) is 824 amino acids followed by a 3' untranslated sequence of 1043 bp. The human amino acid sequence is 87% identical to the rat sequence over that part of the coding region. This sequence was termed hVR1 because of its high degree of identity with the rat VR1 sequence.

Reference Example B4: Isolation of the 5' Terminus of hVR1 by PAC isolation

Since no start codon was identified at the 5' end an additional strategy was designed to identify the full-length sequence. Two primers, sense (5' TCCTCTGGCTTCCAACCCGTT) and antisense (5' GAACTGGGCAGAAAGTGCCT) were designed to amplify a 150bp product from the first intron mentioned in reference example B2. A P1 Artificial Chromosome (PAC) genomic clone (25) was isolated by PCR screening of a PAC library (Genome Systems, St Louis, Missouri). PAC DNA was recovered by using standard plasmid isolation protocol (26). An anti-sense primer was designed (5' CTGGAGTTAGGGTCTCCATCC) to sequence the genomic clone towards the potential 5' end of the gene. An open reading frame with a starting codon was identified. The gene structure was confirmed by using the GenScan software (27). The complete gene has a nucleotide sequence of 2517bp (figure 2) and encoded a 839 amino acid protein (Figures 3 and 4). The gene was named hVR1. Multiple alignment of the amino acid sequence of hVR1 and rat VR1 shows a remarkable degree of identity and similarities between both sequences (figure 5). The rVR1 and hVR1 amino acid sequences are 86% identical. Moreover after protein analysis 6 trans-membrane domains and 3 ankyrin binding domains were identified in hVR1 as in the rat VR1 gene.

Example 1: Full-length Amplification of hVR1 from human DRG and assembly into cloning vectors

HVR1 was PCR amplified in three sections from human DRG template. The 5' fragment was amplified using a sense primer encoding a NotI site and a strong

Kozak motif followed by gene specific sequence (5' GTCATAGCGGCCGCGCCGCCACCATGAAGAAATGGAGCAGCAC) and an antisense primer (5' AGGCCCACTCGGTGAACTTC). The thermo-cycling conditions used for this amplification included a hot start at 94°C for 4 mins, followed by 35 cycles of 94°C for 1 min, 54°C for 1 min and 72°C for 1 min. A final extension step of 72°C for 5 min completed the reaction. The resulting PCR products were separated on a 2% agarose gel and cloned into pCR®II-TOPO according to the manufacturers instructions supplied with the TOPO™ TA Cloning® kit (Invitrogen). The middle section of hVR1 was PCR amplified using the sense primer: 5' GACGAGCATGTACAATGAGA and antisense primer: 5' GTCACCACCGCTGTGGAAAA. The cycling conditions included a hot start at 94°C for 4 mins, followed by 35 cycles of 1 min at 94°C, 56°C and 72°C. A final extension step of 72°C for 5 min completed the reaction. A band of approximately 870 bp was excised from a 2 % agarose gel and cloned as detailed by the TOPO™ TA Cloning® kit into the vector pCR2.1®-TOPO. Finally the 3' end was PCR amplified with the sense primer: 5' TGTGGACAGCTACAGTGAGA and the antisense primer: 5'TGCACTGAATTCGAGCACTGGTGTTCCCTCAG which encoded an EcoRI site for cloning. The PCR conditions included a 90 sec hot start at 94°C followed by 35 cycles of 94°C for 50 sec, 50°C for 50 sec and 72°C for 50 sec. The cycling was completed with a 72°C step for 5 min. PCR products were separated on a 2% agarose gel and cloned into the vector pCR2.1®-TOPO.

Resulting clones for each of the three hVR1-fragments were taken for sequence analysis and separate clones coding a consensus sequence were used in the full length assembly of the gene. The NotI/DraIII (New England Biolabs) digested 5' end fragment ligated together with the middle DraIII/EcoRI fragment into a NotI/EcoRI restricted pBluescript SK (+) vector (Stratagene). Finally, the remaining 3' fragment was introduced into the resulting construct via MscI and EcoRI restriction sites, a map of the resulting construct is displayed in figure 6A.

Several clones were selected for sequence analysis to confirm that constructs still encoded the hVR1 consensus sequence. These were then digested with NotI/EcoRI and ligated into the mammalian expression vector pCIN5-new (a modified version of pCIN1 (32) having an IVS deletion as well as a 36 bp

deletion repositioning the start codon of neomycin phosphotransferase immediately after the upstream EMVC IRES) as illustrated in figure 6B.

Example 2: Chromosomal Localisation

The primers used to isolate the PAC clone (reference example B4) were selected for PCR on the G3 radiation hybrid panel from Stanford commercially available from Research Genetics (Huntsville, Alabama). The positive lanes and negative patterns were analysed using the public web server at Stanford University (http://www-sghc.stanford.edu). After analysis the hVR1 gene appears to be located on human chromosome 17 around marker SHGC-36073 (lod score=9.55).

Example 3: mRNA Distribution

The tissue distribution of hVR1 was established by slot-blot hybridisation. RNA was transferred onto a sheet of GeneScreen hybridisation transfer membrane (DUPONT) sandwiched in a slot blotter by suction via a vacuum pump. Once the membrane was rinsed in 2x SSC (3M sodium chloride and 0.3M sodium citrate pH7) for 2 min it was exposed to UV using an Ultraviolet crosslinker (Amersham Life Science) for 1min at 15000uW/cm^2 thus enabling cross-linkage of the RNA onto the membrane. The amounts of RNA on the blot are unknown. The probe was obtained by PCR amplification of a 260 bp product of the coding region of hVR1 with the following two primers: 5' TGTGGACAGCTACAGTGAGA and 5' GTGGAAAACCCGAACAAGA. Membranes were hybridised for 4 hr shaking at 60°C in a 10% dextran sulphate, 1% SDS (sodium dodecyl sulphate) and 1M NaCl solution. The probe was labelled with [α32P]dCTP (Amersham) using the Rediprime™DNA labelling system (Amersham), so as to obtain approximately 500,000cpm of the labelled probe per ml of prehybridisation solution. Briefly 100ng of probe was boiled for 3 minutes (denaturization) and then cooled on ice for 2 minutes in a total volume of 45μl. This was added to the labelling tube from the kit together with 3μl of 32P dCTP followed by an incubation at 37°C for 30 minutes. 400μl of Herring Sperm DNA (Sigma) at a concentration of 8μg/ml was added to the labelled probe and heated at 99°C for 3 minutes followed by rapid cooling on ice. The labelled probe was added and mixed well in pre-hybridisation solution. The membranes were hybridised overnight at 55°C.

The membranes were then washed, first at room temperature in 2xSSC and 1% SDS for 5 minutes, followed by 2x SSC and 1% SDS for 30 min at 50°C. If necessary further washes with 1x SSC and 0.5% SDS or 0.1xSSC and 0.1% for 30 mins at the same temperature were carried out. The membranes were then exposed to Scientific Imaging Film AR (Kodak) using intensifying screens at –70°C overnight and the film developed.

The results are shown on figure 7. Strong signals were observed with the positive controls (slots 4B and 5B). Signals are detected on the human DRG slots (1A and 1B). No signals were detected with the water control (slot 3B). Three multi-tissue northern blots (Clontech) with a wide range of tissues have also been hybridised with the same probe, however no signals were detected. RT-PCR was performed on various tissues with the primer combination used to amplify the probe. A strong band was detected in DRG RNA. Taken together these hybridisations suggest that hVR1 is specifically expressed in neuronal tissue and DRG in particular.

Example 4: Design and production of Anti-hVR1 Antibody

The peptides CHIFTTRSRTRLFGKGDSEEASC (peptide68) and CGSLKPEDAEVFKDSMVPGEK (peptide69) were synthesised by standard solid phase techniques and purified by gel filtration chromatography. These peptides were conjugated via their Cys residues to the carrier protein, Tuberculin PPD (purified protein derivative) using sulpho-SMCC (sulfosuccinimidyl 4-[N-maleimidomethyl]-cyclohexan-1-carboxylate). Rabbits, previously sensitised to Bacillus Calmette Guerin (BCG), were inoculated with the resulting conjugates emulsified in incomplete Freund's adjuvant at approx monthly intervals. Serum was prepared from blood samples taken 7 days after each immunisation. The specific antibody response was followed by indirect enzyme-linked immunosorbent assay (ELISA) using free peptide as antigen. Immunoglobulins were purified from high titre sera using immobilsed peptide affinity columns (sulpholink Pierce). Rabbits designated M143, 144 and 145 received peptide68 conjugate, rabbits M146, 147 and 148, peptide69 conjugate.

The antibodies have been validated by specific staining of the recombinant protein expressed in HEK293 cells. Whole cell lysates were prepared in Sample

Buffer (4 ml dH_2O, 1 ml 0.5 M Tris-HCl, pH 6.8, 0.8 ml glycerol, 1.6 ml 10 % w/v SDS, 0.4 ml 2-β mercaptoethanol and 0.2 ml of 0.05 % w/v bromophenol blue) and proteins separated by SDS-PAGE and transferred to a nitrocellulose filter by electroblotting. Following incubation with the antisera, bound immunoglobulins were revealed using HRP-conjugated secondary antibodies and enhanced chemiluminescence (ECL) detection. The antisera showed specific binding to a protein(s) of the appropriate molecular weight(s) in extracts of VR1 transfected cells, but not in control extracts, this is illustrated in figure 8.

Example 5: *Insitu* localisation of hVR1 using specific antibody

The purified immunoglobulins have been used for immunohistochemical staining of rat DRG tissue sections. Fixed cryosections of DRG were incubated with antibodies for 48h at 4°C at concentrations between 0.1 to 0.5μg/ml. Following a washing step, bound antibodies were detected by indirect immunofluorescence. The antibodies recognised exclusively small diameter cell bodies of the peripheral sensory neurones as displayed in figure 9. This observation has been extended to human DRG tissues for the anti-peptide68 peptide antibodies demonstrating cross-reactivity with the human sequence as expected. Figure 10A demonstrates labelling of DRG cell bodies with an arrow that points to small diameter neuronal cell body) and in figure 10B the arrow points to labelled neurones innervating human skin.

Example 6: Mammalian Cell Expression (examples 6a-6b)

Example 6a: Transient expression of hVR1 in mammalian cells

HEK293 cells were plated onto a 6 well plate, containing poly-l-lysine coated coverslips, at 5 x 10^4 cells per well. Next day, fresh media was added to the cells (50% confluent). CalPhos Mammalian Transfection Protocol (Clontech, K2051-1) was used for DNA transfection. For each well of cells, solution A was made up containing 8ug hVR1pCIN5, 2μg pEYFP-N1 reporter DNA, 12.4 μl calcium solution and water to 100μl. Solution B (hepes buffered saline) was slowly vortexed while solution A was added dropwise. The mixture was incubated at room temperature for 20 minutes, and then added to cells. The plate was slowly rocked to distribute the solution. The cells were incubated at 37°C for 5 hours, and then washed with phosphate buffered saline. Fresh culture

medium was added and the plate was incubated 24-48 hours for functional analysis.

Example 6b: Stable expression of hVR1 in mammalian cells

HEK293 cells were plated onto a 6 well plate at 1 x 10^5 cells per well. Next day, fresh media was added to the cells (50% confluent). CalPhos Mammalian Transfection Protocol (Clontech, K2051-1) was used for DNA transfection. For each well of cells, solution A was made up containing 2μg hVR1pCIN5, 12.4μl 2M calcium solution and water to 100μl. Solution B (hepes buffered saline) was slowly vortexed while solution A was added dropwise. The mixture was incubated at room temperature for 20 minutes, and then added to cells. The plate was slowly rocked to distribute the solution. The cells were incubated at 37°C for 5 hours, and then washed with phosphate buffered saline. Fresh culture medium was added and the plate was incubated 48 hours at 37°C, 5% CO_2. Cells were harvested into 100mm dishes in selection medium containing 800μg/ml geneticin. Cells were then incubated and fed at 4 day intervals. In total around 10 days selection is required for each single cell to multiply into a visible clone. Well-separated clones were each picked (with a gilson tip) into separate wells of a 96 well plate, containing maintenance medium (400μg/ml geneticin). Cells were expanded into flasks for freezing stocks and functional analysis. Stable cells may be plated at 1 x 10^5 cells onto poly-l-lysine coated coverslips in 6 well plate, for calcium imaging next day.

Example 7: Functional Analysis of hVR1(examples 7a-7c):

Example 7a: Electrophysiology using patch clamp methods

The activation of human VR-1 channels transiently expressed in HEK293T cells by capsaicin was investigated. Cells grown on poly-L-lysine-coated glass coverslips were placed in a recording chamber (0.5ml) and superfused with extracellular solution (2ml min^{-1}). The extracellular solution contained: NaCl (140mM), KCl (5mM), MgCl2 (2mM), CaCl2 (2mM), 4-(2-hydroxethyl)-1-piperazineethanesulphonic acid (HEPES, 10mM) and glucose (10mM). The pH was adjusted to 7.4 with NaOH and osmolarity ranged from 310-320mOsm l^{-1}. Patch pipettes (borosilicate glass) were pulled using a Sutter P-97 electrode puller. The pipettes were filled with an internal solution consisting of: CsCl

(140mM), ethylene glycol-bis(β-aminoethyl ether) *N,N,N',N'*-tetra acetic acid Cs salt (Cs-EGTA, 5mM) and HEPES (10mM). The pH was adjusted to 7.25 using CsOH and the osmolarity ranged from 275-290 mOsm. When filled with this internal solution, patch electrodes had resistances of 2-5 MΩ. Currents were recorded using standard whole-cell voltage clamp recording techniques (31) at room temperature (21-23°C) using an Axopatch 200A amplifier and signals were sampled at 2 or 0.1 kHz. The majority of series resistance errors (80-85%) were minimized with compensation circuitry. Membrane potentials were not corrected for junction potentials (<4 mV). Voltage pulses and data collection were performed on-line using pClamp8 software (Axon Instruments) interfaced with amplifiers. Membrane potentials were maintained at –60mV between protocols.

Capsaicin or capsazepine (CPZ) were applied, using a 'fast-flow sytem', directly onto the recording cell (<1s to equilibrate). The effects of capsaicin were measured either by application during constant recording while holding the membrane potential at –60mV to elicit an inward current, or applying voltage ramps (-100 to +60mV) in the absence and presence of capsaicin. Similarly both these methods of recording currents evoked by the application of capsaicin were used to demonstrate the blockade by the antagonist (CPZ).

Figure 11A reveals that application of capsaicin (1 μM), on human VR1 channels transiently expressed in HEK293T cells, produces an inward current when the membrane was held at a potential of -60mV. This response was abolished by 1μM CPZ and the blockade was partially reversible.

In the presence of 1 μM capsaicin, voltage ramps (-100 to +70mV) produced a current-voltage relationship demonstrating a substantial outward rectification. Addition of 1μM CPZ completely blocked the current (figure 11B). Again, only partial recovery was observed, especially for the inward currents evoked by negative potentials.

Capsaicin-induced desensitisation of human VR-1 channels in the presence of 2mM external calcium is illustrated in figure 12. Voltage ramps (-100 to +70) were applied and the addition of capsaicin (1μM) evoked an outwardly rectifying current. Repeated additions of capsaicin resulted in a progressive 'rundown' in

the size of the response (figure 12A). Figure 12B shows a plot of the current elicited at a potential of +65mV against time illustrating the 'rundown' in current amplitude. Voltage ramps were applied every 20s and capsaicin added at 2min intervals for approximately 40s. By the 6th addition the current had reduced about 4-fold.

When the external calcium was replaced with 5mM EGTA the size of the current increased dramatically (figure 12C). However, when calcium was re-applied to the external solution, the current evoked by capsaicin (1μM) was approximately equivalent to that of the 6th addition shown in (figure 12A).

Example 7b: Calcium Imaging with HEK293 expressing hVR1

HEK293 cells expressing hVR1 transiently or stably, were plated onto poly-l-lysine coated cover slips at 1 x 10^5 cells per well. They were analysed on the following day by calcium imaging (QuantiCell 700, Applied Imaging). On the day of experiment, WASH buffer was prepared by adding $CaCl_2$ to extracellular medium (ECM) to a final concentration of 2mM, (ECM contains 125mM NaCl, 5mM KCl, 2mM $MgCl_2$, 0.5mM NaH_2PO_4, 5mM $NaHCO_3$, 10mM Hepes, 10mM glucose, 0.1% BSA, pH7.4). The calcium sensitive dye solution was prepared by adding 50μl 5% pluronic F-127 in DMSO (Molecular Probes) to a vial of fura2-AM (Molecular Probes). After mixing, 20μl of the fura2-AM solution was added to 10ml WASH. 1.5 ml was then added to cells, which were then incubated at 37°C for 30 minutes. The plate was washed three times with WASH. 1ml WASH was added and stored in dark. Agonists and antagonists were prepared in WASH at 5x their required assay concentrations. The reagents and assay temperature was kept at 37°C. For the transiently transfected cells, the YFP reporter DNA fluorescence (490nm excitation) was used to identify the transfected cells. Cells were initially imaged in 400μl WASH (or 300μl WASH plus 100μl antagonist e.g. capsazepine). After approximately 1 min, 100μl agonist (e.g. capsaicin, anadamide or resiniferatoxin) at 5 x the desired concentration was added to give final 1x concentration. A sequence of images (340/380nm excitation) were taken to monitor calcium influx response in cells before (30-60 secs), and after the addition of agonist (2-5 mins). Figure 13 displays time courses taken for each of the tests set up to look at the affect of the different agonists mentioned above in the presence or absence of the rat VR1 antagonist, capsazepine. The Imager

also plots graphs of respective calcium concentration (nM) versus time (seconds) as shown in figure 14. After the addition of agonist (e.g. capsaicin, indicated by the vertical arrow on graph), the cells expressing hVR1 are stimulated to influx calcium. This is shown by the appearance of peak on the trace. The peak height correlates with hVR1 expression level. Varying levels of expression is some times seen depending on which cells are selected for the graph. Similar experiments may be accomplished to examine the response of protons and heat.

Example 7c: Use of a FLIPR assay with VR1

FLIPR (Fluorometric Imaging Plate Reader) is a high throughput fluorescence-based drug discovery tool for functional cell analysis. Intracellular calcium is monitored with the calcium sensitive dye, fluo3-AM. HEK293 cells stably expressing rat VR1 were plated into a 96 well, poly-l-lysine treated FLIPR plate at 3 x 10^4 cells per well. On the following day, the plate was processed for FLIPR. FBP buffer was prepared (15μM Probenecid (calcium ATPase pump blocker) in 1x FLIPR buffer (145mM NaCl, 5mM KCl, 1mM MgCl2, 2mM $CaCl_2$, 10mM glucose, 20mM Hepes). FBP buffer pH was then adjusted to 7.4 with NaOH. 400μl DMSO was added to a vial of fluo3-AM (Cambridge Bioscience, F-1241). The fluo3-AM solution was incubated at 37°C for 10 min and vortexed. LOAD was prepared by adding 20μl of fluo3-AM solution and 20μl 20% pleuronic F-127 in DMSO (Cambridge Bioscience, P-3000) into 10 ml FBP. The 96 well plate containing cells was flicked off to remove cell medium. 100μl LOAD was added per well. Cells were then incubated at 37°C for 60 minutes. Capsaicin (a rVR1 agonist) and capsazepine (CPZ, a rVR1 antagonist) were prepared at 10x the desired final assay concentrations in FBP. The plate was flicked to remove LOAD from cells, and 180μl FBP was added per well. The FLIPR machine added 20μl capsaicin per well to give a final 1x concentration. Cells were monitored for 70 seconds after agonist addition. The FLIPR traces (fluorescence change (counts) versus time (seconds)) were produced for each well. Peaks indicate capsaicin-gated calcium influx, by cells expressing rVR1. The peak height correlates with the rVR1 expression level. To measure antagonism of the VR1 response 20μl 10x antagonist CPZ was added into wells to give a final 1x concentration. The plate was incubated for 15 minutes at room temperature prior reading in the FLIPR. The FLIPR traces recorded for each well show that the

peak heights are reduced in cells pre-incubated in CPZ. The same FLIPR assay may be used to monitor the response of human VR1 on exposure to agonists and antagonists.

Example 8: Example of a screen using human VR1.

FLIPR assay technology may be utilised to screen for hVR1 modulators according to the procedure described in figure 15. Human VR1 may be gated with protons, capsaicin or heat.

Reference Example C: Identification and partial characterisation of additional human vanilloid receptors (referenence examples C1-C3):

Reference Example C1: Identification and characterisation of a novel vanilloid–like receptor, hVR3

ESTs belonging to the remaining clusters were characterised by *in silico* cloning (reference example A). The following clones were used during this process: - EST6/EST7 (hVRd), -EST8. (hVRe), - EST9/EST10. (hVRf). These EST clusters have been aligned with rat VR1 in figure 16, note that this diagram is not to scale.

Reference Example C2: Sequencing of clones

Further sequencing, as detailed in reference example B2, and *in silico* cloning, enabled clusters hVRd, hVRe and hVRf to collapse forming a single contig of 583 amino acids. This sequence was named hVR3 and has 49 % identity with the rat VR1 sequence. It was unlikely that this single contig was a full-length vanilloid receptor transcript as no obvious starting codon was present and it was shorter than the rat VR1 transcript.

Reference Example C3: Identification of the 5' terminus of hVR3

Two primers (sense primer 5' ATGGCCACCAGCAGGGTTAC and antisense primer 5' TCTGCCAGGTTCCAGCTG) designed to PCR amplify an amplicon stretching the 3' end of hVR3 and its 3'utr were used to isolate a genomic PAC clone (Genome Systems. St Louis, Missouri). The hVR3 specific PAC clone was then used as template to generate a library. This was achieved by sonicating 6μg of Qiagen purified PAC construct, size selecting fragmented DNA of 500-

2000bp. These resulting fragments were then blunt ended and cloned into the vector pCR®-Blunt as detailed in the manufacturers protocol supplied with the Zero Blunt™ PCR cloning kit (Invitrogen). Clones were then sequenced (reference example B2) to identify the complete 5' end of the hVR3 transcript. The full-length nucleotide sequence of the hVR3 gene is displayed in figure 17. Figure 18 illustrates both nucleotide and encoded amino acid sequence of the human VR1 and figure 19 depicts the amino acid sequence of the hVR3 gene with shaded regions denoting predicted trans-membrane regions (boxed) and the ankyrin binding domains (unboxed).

Example 9: Full-length Amplification of hVR3 from human kidney template

Human kidney was used as a source of template for the PCR amplification of hVR3. Primers used for amplification were designed to isolate the gene in three fragments. Primers designed to isolate the 5' end included a sense primer encoding a NotI site and a strong Kozak motif followed by gene specific sequence (5' GTCATAGCGGCCGCGCGCCACCATGCCCAGGGTAGTTGGAC and antisense primer (5' CACCTCTTGTTGTCACTGGA). The PCR conditions used were a hot start at 94°C for 4 mins, followed by 35 cycles of 94°C for 1 min, 56°C for 1 min and 72°C for 1 min and finally one cycle at 72°C for 5 min. The resulting PCR products were separated on a 2% agarose gel and cloned into pCR®II-TOPO according to the manufacturers instructions supplied with the TOPO™ TA Cloning® kit (Invitrogen). The middle fragment was PCR generated using sense and antisense primers 5' CAAATCTGCGCATGAAGTTCCAG and 5' GCCACGAGAAGTTCCACGTAGTG respectively in the presence of 5% DMSO. PCR thermo-cycling required 35 cycles of 1 min at 94°C, 58°C and 72°C for successful amplification of the fragment which was then excised from a 2% agarose gel for cloning into the pCRII®-TOPO vector. Finally the 3' fragment was amplified with a sense primer 5' GCTGCTCCCATTCTTGCTGA and an antisense primer 5' TGCACTCTCGAGAAATGAGTGGGCAGAGAAGC encoding a XhoI restriction site. This fragment was successfully amplified using a hot start at 94°C for 4 min followed by 35 cycles of 94°C for 50 sec, 48°C for 50 sec and 72°C for 2 min. The cycling was completed with a 72°C step for 5 min. The amplified fragment was excised from a 2% agarose gel and clone into the pCRII®-TOPO vector.

Resulting clones for each of the three PCR generated hVR3-fragments were taken for sequence analysis and separate clones coding a consensus sequence were used in the full-length assembly of the gene. The DraIII restriction site of the pBluescript SK (+) vector (Stratagene) was firstly abolished by digestion with DraIII followed by a blunt ending step using T_4 DNA polymerase (New England Biolabs). This modified vector was then restricted to enable the ligation of both a NotI/NcoI 5' fragment and NcoI/ EcoRI middle fragment. Finally, the remaining 3' fragment was introduced into the resulting construct via DraIII and XhoI sites (figure 20A).

Several clones were selected for sequence analysis to confirm that the constructs still encoded the hVR3 consensus sequence. These were then digested with NotI/XhoI and ligated into the mammalian expression vector pCDNA3.1 (+) (Invitrogen) as seen in figure 20B. The resulting hVR3 consensus sequence is shown in the multiple alignment along with the full-length sequence of hVR1 and the published hVRL-1 in figure 21.

Example 10: Chromosomal localisation

The 3' terminus, including the 3' UTR sequence of hVR3 was used to design two primers to amplify a product of 360 bp: sense primer 5' ATGGCCACCAGCAGGGTTAC and antisense primer 5' TCTGCCAGGTTCCAGCTG. The G3 radiation hybrid panel from Stanford University (Research Genetics, Huntsville, Alabama) was screened by PCR. The positive and negative lanes were analysed using the public web server at Stanford University (http://www-sghc.stanford.edu). After analysis the hVR3 gene appears to be located on human chromosome 12 around markers D12S177E (lod score=15) and D12S1893 (lod score=14).

Example 11: mRNA distribution

The following primers (5' ACAAGAAGGCGGACATGCGG and 5' ATCTCGTGGCGGTTCTCAAT) were used to obtain a PCR product from the coding region of hVR3. This amplicon was used as a probe on multi-tissue northern blots, the protocol of which is detailed in example 3, to determine the tissue distribution of the gene (figures 22A, 22B and 22C). A transcript of approximately 3.8 kb was detected in the following tissues (the intensities of the

signals are indicated in brackets): trachea (very strong), kidney (strong), pancreas (strong), prostate (strong), placenta (strong), bone marrow (weak), adrenal gland (weak), lymph node (weak), spinal cord (weak), thyroid (weak), stomach (weak), lung (weak) and liver (weak).

Since these commercial blots (Clontech, Palo Alto, California, USA) should have the same amount of RNA it is interesting to note the very strong signal in the trachea lane (figure 22A). This could indicate the potential of hVR3 as a target for respiratory pathologies. It was shown by RT-PCR with the primer combination used to produce the probe that the gene is not expressed in DRG.

Example 12: Riboprobe generation for the in situ localisation of hVR3

The same probe, which was specific to hVR3 in Northern blot analysis (example 11), was used to generate a riboprobe. This hVR3 specific probe was cloned into the T7 and SP6 encoding pCRII®-TOPO vector (Invitrogen). This construct was then used in the *in vitro* transcription of DIG labelled RNA strands from the vectors promoters as described in the manufacturers instructions as detailed in the DIG RNA labelling kit (Roche Molecular Biochemicals). This riboprobe may be used to identify the cellular localisation of hVR3 present in tissues such as trachea, lung, pancreas, prostate, placenta and kidney.

Example 13: Mammalian Cell Expression of hVR3

Expression of hVR3 may be accomplished by transfecting a mammalian cell line such as: HEK283T, HEK293, CHO, COS, HeLa and BHK. A detailed method for both transient and stable transfection is detailed in example 6.

Example 14: Functional Analysis of hVR3

The functional analysis of hVR3 may be studied using the electrophysiology, calcium imaging and FLIPR methods as detailed in examples 7a to 7c.

Example 15: Example of a drug screen using human VR3.

A stable cell line expressing hVR3 may be used in a drug screen such as a selectivity screen using test compounds that have been identified to have an agonistic or antagonistic action on hVR1. FLIPR assay technology may be utilised to screen for hVR3 modulators as proposed in figure 15.

References

1. Szallasi, A. and Blumberg, P.M (1993) Mechanisms and therapeutic potential of vanilloids (capsaicin-like molecules). *Adv. Pharmacol.*, 24, 123-155.

2. Jansco, G. (1968) Desensitisation with capsaicin and related acylamides as a tool for studying the function of pain receptors. In: K. Lin, D. Armstrong and E.G. Pardo (Eds), Pharmacology of Pain, Pergamon Press, Oxford, 33-55.

3. Szolcsanyi, J. (1993) In *Capsaicin in the study of pain*. Ed. J. Wood, J. London: Academic Press, 1-26.

4. Szallasi, A. and Blumberg, P.M. (1996) Vanilloid receptors: new insights enhance potential as a therapeutic target. *Pain*, 68, 195-208.

5. Jansco, G., Kiraly, E. and Jansco-Gabor, A. (1977) Pharamacologically induced selective degeneration of chemosensitive primary sensory neurons. *Nature*, 270, 741-743.

6. Oh, U., Hwang, S.W. and Kim, D. (1996) Capsaicin activates a nonselective cation channel in cultured neonatal rat dorsal root ganglion neurons. *J. Neurosciences*, 16, 1659-1667.

7. Wood, J.N et al. (1988) Capsaicin-induced ion fluxes in dorsal root ganglion cells in culture. *J. Neurosciences*, 8, 3208-3220.

8. Szolcsanyi, J. and Jansco-Gabor, A. (1975) Sensory effects of capsaicin congeners I. Relationship between chemical structure and pain-producing potency of pungent agents. *Drug Res.*, 25, 1877-1881.

9. Szolcsanyi, J. and Jansco-Gabor, A. (1976) Sensory effects of capsaicin congeners II. Importance of chemical structure and pungency in desensitising activity of capsaicin-like compounds. Drug res., 26, 33-37.

10. James, I.F., Nikina, N. and Wood, J.N. (1993) The capsaicin receptor. In *Capsaicin in the Study of Pain*. Ed. Wood, J. London: Academic Press, 83-104.

11. Szallasi, A. and Blumberg, P.M. (1990) Specific binding of resiniferatoxin, an ultrapotent capsaicin analog, by dorsal root ganglion membranes. *Brain Research*, 524, 106-111.

12. Bevan, S., Hothi, S., Hughes, G., James, I.F., Rang, H.P., Shah, K., Walpole, C.S.J. and Yeats, J.C. (1992) Capsazepine: a competitive antagonist of the sensory neurone excitant capsaicin. *British Journal of Pharmacology*, 101, 423-431.

13. Szallasi, A., Blumberg, P.M., Nilsson, S., Hokfelt, T. and Lundberg, J.M. (1994) Vizualisation by [^{3}H] resiniferatoxin autoradiography of capsaicin-sensitive neurons in the rat, pig, and man. *European Journal of Pharmacology*, 264, 217-221.

14. Szallasi, A., Nillson, S., Farkas-Szallasi, T., Blumberg, J.M., Hokfelt, T. and Lundberg, J.M. (1995) Vanilloid (capsaicin) receptors in the rat: distribution in the brain, regional differences in the spinal cord, axonal transport to the periphery, and depletion by systemic vanilloid treatment. *Brain Research*, 703, 175-183.

15. Caterina, M.J., et al. (1997) The capsaicin receptor: a heat-activated ion channel in the pain pathway. *Nature*, 389, 816-824

16. Bevan, S. and Gepetti P. (1994) Protons: small stimulants of capsaicin-sensitive sensory nerves. *Trends in Neurociences*, 17, 509-512.

17. Petersen, M. and LaMotte, R.H. (1993) Effect of protons on the inward current evoked by capsaicin in isolated dorsal root ganglion cells. *Pain*, 54, 37-42.

18. Kress, M. Fetzer, S., Reeh, P.W. and Vyklicky, L. (1996) Low pH facilitates capsaicin responses in isolated sensory neurons of the rat. *Neurosciences Letters*, 211, 5-8.

19. Wilcox, A.S., Khan, A.S., Hopkins, J.A., and Sikela, J.M. (1991). Use of 3' untranslated sequences of human cDNAs for rapid chromosome assignment and conversion to STSs: Implications for an expression map of the genome. *Nucleic Acids Res.*, 19, 1837-1843.

20. Altschul, S.F., Warren, G., Webb, M., Myers, E.W., and Lipman, D.J., (1990). Basic local alignment search tool. *J. Mol. Biol.*, 215, 403-410.

21. Boguski, M.S., Lowe, T.M. and Tolstohev, C.M. (1993) dbEST: database for 'Expressed Sequence Tags' Nature Genetics, 4, 332-333.

22. Gill, R.W., Hodgman, C.T., Littler, C.B., Oxer, M.D., Montgomery, D.S., Taylor, S. and Sanseau, P. (1997). A new dynamic tool to perform assembly of Expressed Sequence Tags (ESTs). *Computer Applications in Biosciences (CABIOS),* 13, 453-457.

23. Lau, P.P. and Gray H.B. (1979). *Nucleic Acids Research*, 6, 331.

24. Trower MK., Burt D., Purvis IJ., Dykes CW. & Christodoulou C. (1995). Fluorescent dye-primer cycle sequencing using non-purified PCR products as templates; development of a protocol amenable to high-throughput DNA sequencing. *Nucleic Acids Research* ,23, 2348-2349

25. Shepherd, N., Pfogner, B., Coulby, J., Ackerman, S., Vaidyanathan, G., Sauer, R., Balkenhol, T. and Sternberg, N. (1994). Preparation and screening of an arrayed human genomic library generated with the P1 cloning system. *Proc. Natl. Acad. Sci. USA.*, 91, 2629-2633.

26. Birboim, H.C. and Doly, J. (1979). *Nucl. Acids Res.*, 7, 1513-1523.

27. Burge, C. and Karlin, S. (1997). Prediction of complete gene structures in human genomic DNA. *J. Mol. Biol.* 268, 78-94.

28. Sambrook, J., Fritsch, E.F. and Maniatis, T. Molecular Cloning: a Laboratory Manual. 2nd Edition. CSH Laboratory Press. (1989)

29. Davis L. G., Battey J. F. & Dibner M.D., Basic Methods in Molecular Biology. 1st Edition. Elsevier (1986).

30. Caterina, M. C., Rosen, T. A., Tominaga, M., Brake, A. J. & Julius, D. (1999) A capsaicin-receptor homologue with a high threshold for noxious heat. *Nature*, 398,436-441.

31. Hamill, O.P. Marty, A., Neher, E., Sakmann, B., & Sigworth, F.J. (1981). Improved patch-clamp techniques for high resolution current recording from cells and cell-free membrane patches. *Pflügers Arch.,* 391, 85-100.

32. Rees. S., Coote, J., Stables, J., Goodson, S., Harris, S. & Lee, M. G. (1996) Bicistronic vector for the creation of stable mammalian cell lines that predisposes all antibiotic-resistant cells to express recombinant protein. Biotechniques, 20, 102-110.

8/7/09

CRF Errors Corrected by the STIC Systems Branch

Serial Number: 09/857,123 ENTERED CRF Processing Date 10/11/2001

Edited by: _____ Verified by: _____ (STIC staf

- ☐ Changed a file from non-ASCII to ASCII
- ☐ Changed the margins in cases where the sequence text was "wrapped" down to the next line. ENDA
- ☐ Edited a formal error in the Current Application Data section, specifically: _____
- ☐ Edited the Current Application Data section with the actual current number. The number inputted by the applicant was ☐ the prior application data; or ☐ other _____.
- ☐ Added the mandatory heading and subheadings for "Current Application Data".
- ☐ Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integer
- ☐ Changed the spelling of a mandatory field (the headings or subheadings), specifically: _____
- ☐ Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: _____
- ☐ Inserted or corrected a nucleic number at the end of a nucleic line SEQ ID NO's edited: _____
- ☐ Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
- ☐ Inserted colons after headings/subheadings Headings edited included: _____
- ☐ Deleted extra, invalid, headings used by an applicant, specifically: _____
- ☑ Deleted: ☑ non-ASCII "garbage" at the beginning/end of files; ☐ secretary initials/filename at end of file; ☐ page numbers throughout text; ☐ other invalid text, such as _____
- ☐ Inserted mandatory headings, specifically: _____
- ☐ Corrected an obvious error in the response, specifically: _____
- ☐ Edited identifiers where upper case is used but lower case is required, or vice versa.
- ☐ Corrected an error in the Number of Sequences field, specifically: _____
- ☐ A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
- ☐ Deleted *ending* stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (error due to a PatentIn bug). Sequences corrected: _____
- ☐ Other: _____

Examiner: The above corrections must be communicated to the applicant in the first Office Action! DO NOT send a copy of this form

3/1/95

RAW SEQUENCE LISTING DATE: 10/11/2001
PATENT APPLICATION: **US/09/857,123** TIME: 10:54:46

Input Set : **A:\PTO.AMC.txt**
Output Set: **N:\CRF3\10112001\I857123.raw**

```
     4 <110> APPLICANT: Glaxo Group Ltd
     5       Tate, Simon N
     6       Delany, Natalie S
     7       Sanseau, P
     9 <120> TITLE OF INVENTION: Novel Receptors
    11 <130> FILE REFERENCE: PG3606
C--> 13 <140> CURRENT APPLICATION NUMBER: US/09/857,123
C--> 14 <141> CURRENT FILING DATE: 2001-07-30
    16 <150> PRIOR APPLICATION NUMBER: GB 9826359.3
    17 <151> PRIOR FILING DATE: 1998-12-01
    19 <160> NUMBER OF SEQ ID NOS: 40
    21 <170> SOFTWARE: PatentIn Ver. 2.1
    23 <210> SEQ ID NO: 1
    24 <211> LENGTH: 4365
    25 <212> TYPE: DNA
    26 <213> ORGANISM: Homo sapiens
    28 <220> FEATURE:
    29 <221> NAME/KEY: CDS
    30 <222> LOCATION: (775)..(3294)
    32 <400> SEQUENCE: 1
    33 cccccagcca cacacacaca cgcacacaca tacacacaca cacacaggct taaccattca 60
    35 aaggccagaa gcttgacaga tgttgattca taaaaatgca aaagccaaaa tccaaaatct 120
    37 tgtataagct cagtggctgt ggcagcgagg ttgaagagca aaggcaggcc gggcacctgg 180
    41 ctgatgatgt gtggacccgt tgcacagcag ggcccgcagt gcggtgtggg tgtgggtggg 240
    43 ccagtctctg ccgctcaccc tattccaggg acacagtctg cttggctctt ctggactgag 300
    45 ccatcctcat caccgagatc ctccctgaat tcagcccacg acagccaccc cggccgtttt 360
    47 ccttgttctg tgtgggaagg gaggcagcgc ggtggttatc aacctcaccc tgcagaggag 420
    49 gcacctgagg cccagagacg aggagggatg ggtctaaccc agaaccacag atggctctga 480
    51 gccgggggcc tgtccaccct cccaggccga cgtcagtggc cgcaggactg cctgggccct 540
    53 gctaggcctg ctcacctctg aggcctctgg ggtgagaggt tcagtcctgg aaacacttca 600
    55 gttctagggg gctgggggca gcagcaagtt ggagttttgg ggtaccctgc ttcacagggc 660
    57 ccttggcaag gagggcaggt ggggtctaag gacaagcagt ccttactttg ggagtcaacc 720
    59 ccggcgtggt ggctgctgca ggttgcacac tgggccacag aggatccagc aagg atg   777
    60                                                          Met
    61                                                           1
    63 aag aaa tgg agc agc aca gac ttg ggg gca gct gcg gac cca ctc caa   825
    64 Lys Lys Trp Ser Ser Thr Asp Leu Gly Ala Ala Ala Asp Pro Leu Gln
    65              5                  10                  15
    67 aag gac acc tgc cca gac ccc ctg gat gga gac cct aac tcc agg cca   873
    68 Lys Asp Thr Cys Pro Asp Pro Leu Asp Gly Asp Pro Asn Ser Arg Pro
    69          20                  25                  30
    71 cct cca gcc aag ccc cag ctc tcc acg gcc aag agc cgc acc cgg ctc   921
    72 Pro Pro Ala Lys Pro Gln Leu Ser Thr Ala Lys Ser Arg Thr Arg Leu
    73      35                  40                  45
    75 ttt ggg aag ggt gac tcg gag gag gct ttc ccg gtg gat tgc cct cac   969
    76 Phe Gly Lys Gly Asp Ser Glu Glu Ala Phe Pro Val Asp Cys Pro His
    77  50                  55                  60                  65
```

RAW SEQUENCE LISTING DATE: 10/11/2001
PATENT APPLICATION: US/09/857,123 TIME: 10:54:46

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF3\10112001\I857123.raw

```
81 gag gaa ggt gag ctg gac tcc tgc ccg acc atc aca gtc agc cct gtt   1017
82 Glu Glu Gly Glu Leu Asp Ser Cys Pro Thr Ile Thr Val Ser Pro Val
83                  70                  75                  80
85 atc acc atc cag agg cca gga gac ggc ccc acc ggt gcc agg ctg ctg   1065
86 Ile Thr Ile Gln Arg Pro Gly Asp Gly Pro Thr Gly Ala Arg Leu Leu
87              85                  90                  95
89 tcc cag gac tct gtc gcc gcc agc acc gag aag acc ctc agg ctc tat   1113
90 Ser Gln Asp Ser Val Ala Ala Ser Thr Glu Lys Thr Leu Arg Leu Tyr
91         100                 105                 110
93 gat cgc agg agt atc ttt gaa gcc gtt gct cag aat aac tgc cag gat   1161
94 Asp Arg Arg Ser Ile Phe Glu Ala Val Ala Gln Asn Asn Cys Gln Asp
95     115                 120                 125
97 ctg gag agc ctg ctg ctc ttc ctg cag aag agc aag aag cac ctc aca   1209
98 Leu Glu Ser Leu Leu Leu Phe Leu Gln Lys Ser Lys Lys His Leu Thr
99 130                 135                 140                 145
101 gac aac gag ttc aaa gac cct gag aca ggg aag acc tgt ctg ctg aaa   1257
102 Asp Asn Glu Phe Lys Asp Pro Glu Thr Gly Lys Thr Cys Leu Leu Lys
103                 150                 155                 160
105 gcc atg ctc aac ctg cac gac gga cag aac acc acc atc ccc ctg ctc   1305
106 Ala Met Leu Asn Leu His Asp Gly Gln Asn Thr Thr Ile Pro Leu Leu
107             165                 170                 175
109 ctg gag atc gcg cgg caa acg gac agc ctg aag gag ctt gtc aac gcc   1353
110 Leu Glu Ile Ala Arg Gln Thr Asp Ser Leu Lys Glu Leu Val Asn Ala
111         180                 185                 190
113 agc tac acg gac agc tac tac aag ggc cag aca gca ctg cac atc gcc   1401
114 Ser Tyr Thr Asp Ser Tyr Tyr Lys Gly Gln Thr Ala Leu His Ile Ala
115     195                 200                 205
119 atc gag aga cgc aac atg gcc ctg gtg acc ctc ctg gtg gag aac gga   1449
120 Ile Glu Arg Arg Asn Met Ala Leu Val Thr Leu Leu Val Glu Asn Gly
121 210                 215                 220                 225
123 gca gac gtc cag gct gcg gcc cat ggg gac ttc ttt aag aaa acc aaa   1497
124 Ala Asp Val Gln Ala Ala Ala His Gly Asp Phe Phe Lys Lys Thr Lys
125                 230                 235                 240
127 ggg cgg cct gga ttc tac ttc ggt gaa ctg ccc ctg tcc ctg gcc gcg   1545
128 Gly Arg Pro Gly Phe Tyr Phe Gly Glu Leu Pro Leu Ser Leu Ala Ala
129             245                 250                 255
131 tgc acc aac cag ctg ggc atc gtg aag ttc ctg ctg cag aac tcc tgg   1593
132 Cys Thr Asn Gln Leu Gly Ile Val Lys Phe Leu Leu Gln Asn Ser Trp
133         260                 265                 270
135 cag acg gcc gac atc agc gcc agg gac tcg gtg ggc aac acg gtg ctg   1641
136 Gln Thr Ala Asp Ile Ser Ala Arg Asp Ser Val Gly Asn Thr Val Leu
137     275                 280                 285
139 cac gcc ctg gtg gag gtg gcc gac aac acg gcc gac aac acg aag ttt   1689
140 His Ala Leu Val Glu Val Ala Asp Asn Thr Ala Asp Asn Thr Lys Phe
141 290                 295                 300                 305
143 gtg acg agc atg tac aat gag att ctg atc ctg ggg gcc aaa ctg cac   1737
144 Val Thr Ser Met Tyr Asn Glu Ile Leu Ile Leu Gly Ala Lys Leu His
145                 310                 315                 320
147 ccg acg ctg aag ctg gag gag ctc acc aac aag aag gga atg acg ccg   1785
```

RAW SEQUENCE LISTING DATE: 10/11/2001
PATENT APPLICATION: US/09/857,123 TIME: 10:54:46

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF3\10112001\I857123.raw

```
148 Pro Thr Leu Lys Leu Glu Glu Leu Thr Asn Lys Lys Gly Met Thr Pro
149             325                 330                 335
151 ctg gct ctg gca gct ggg acc ggg aag atc ggg gtc ttg gcc tat att   1833
152 Leu Ala Leu Ala Ala Gly Thr Gly Lys Ile Gly Val Leu Ala Tyr Ile
153         340                 345                 350
157 ctc cag cgg gag atc cag gag ccc gag tgc agg cac ctg tcc agg aag   1881
158 Leu Gln Arg Glu Ile Gln Glu Pro Glu Cys Arg His Leu Ser Arg Lys
159     355                 360                 365
161 ttc acc gag tgg gcc tac ggg ccc gtg cac tcc tcg ctg tac gac ctg   1929
162 Phe Thr Glu Trp Ala Tyr Gly Pro Val His Ser Ser Leu Tyr Asp Leu
163 370                 375                 380                 385
165 tcc tgc atc gac acc tgc gag aag aac tcg gtg ctg gag gtg atc gcc   1977
166 Ser Cys Ile Asp Thr Cys Glu Lys Asn Ser Val Leu Glu Val Ile Ala
167                 390                 395                 400
169 tac agc agc agc gag acc cct aat cgc cac gac atg ctc ttg gtg gag   2025
170 Tyr Ser Ser Ser Glu Thr Pro Asn Arg His Asp Met Leu Leu Val Glu
171             405                 410                 415
173 ccg ctg aac cga ctc ctg cag gac aag tgg gac aga ttc gtc aag cgc   2073
174 Pro Leu Asn Arg Leu Leu Gln Asp Lys Trp Asp Arg Phe Val Lys Arg
175         420                 425                 430
177 atc ttc tac ttc aac ttc ctg gtc tac tgc ctg tac atg atc atc ttc   2121
178 Ile Phe Tyr Phe Asn Phe Leu Val Tyr Cys Leu Tyr Met Ile Ile Phe
179     435                 440                 445
181 acc atg gct gcc tac tac agg ccc gtg gat ggc ttg cct ccc ttt aag   2169
182 Thr Met Ala Ala Tyr Tyr Arg Pro Val Asp Gly Leu Pro Pro Phe Lys
183 450                 455                 460                 465
185 atg gaa aaa att gga gac tat ttc cga gtt act gga gag atc ctg tct   2217
186 Met Glu Lys Ile Gly Asp Tyr Phe Arg Val Thr Gly Glu Ile Leu Ser
187                 470                 475                 480
189 gtg tta gga gga gtc tac ttc ttt ttc cga ggg att cag tat ttc ctg   2265
190 Val Leu Gly Gly Val Tyr Phe Phe Phe Arg Gly Ile Gln Tyr Phe Leu
191             485                 490                 495
195 cag agg cgg ccg tcg atg aag acc ctg ttt gtg gac agc tac agt gag   2313
196 Gln Arg Arg Pro Ser Met Lys Thr Leu Phe Val Asp Ser Tyr Ser Glu
197         500                 505                 510
199 atg ctt ttc ttt ctg cag tca ctg ttc atg ctg gcc acc gtg gtg ctg   2361
200 Met Leu Phe Phe Leu Gln Ser Leu Phe Met Leu Ala Thr Val Val Leu
201     515                 520                 525
203 tac ttc agc cac ctc aag gag tat gtg gct tcc atg gta ttc tcc ctg   2409
204 Tyr Phe Ser His Leu Lys Glu Tyr Val Ala Ser Met Val Phe Ser Leu
205 530                 535                 540                 545
207 gcc ttg ggc tgg acc aac atg ctc tac tac acc cgc ggt ttc cag cag   2457
208 Ala Leu Gly Trp Thr Asn Met Leu Tyr Tyr Thr Arg Gly Phe Gln Gln
209                 550                 555                 560
211 atg ggc atc tat gcc gtc atg ata gag aag atg atc ctg aga gac ctg   2505
212 Met Gly Ile Tyr Ala Val Met Ile Glu Lys Met Ile Leu Arg Asp Leu
213             565                 570                 575
215 tgc cgt ttc atg ttt gtc tac atc gtc ttc ttg ttc ggg ttt tcc aca   2553
216 Cys Arg Phe Met Phe Val Tyr Ile Val Phe Leu Phe Gly Phe Ser Thr
```

RAW SEQUENCE LISTING DATE: 10/11/2001
PATENT APPLICATION: US/09/857,123 TIME: 10:54:46

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF3\10112001\I857123.raw

```
217         580                 585                 590
219 gcg gtg gtg acg ctg att gaa gac ggg aag aat gac tcc ctg ccg tct   2601
220 Ala Val Val Thr Leu Ile Glu Asp Gly Lys Asn Asp Ser Leu Pro Ser
221     595                 600                 605
223 gag tcc acg tcg cac agg tgg cgg ggg cct gcc tgc agg ccc ccc gat   2649
224 Glu Ser Thr Ser His Arg Trp Arg Gly Pro Ala Cys Arg Pro Pro Asp
225 610                 615                 620                 625
227 agc tcc tac aac agc ctg tac tcc acc tgc ctg gag ctg ttc aag ttc   2697
228 Ser Ser Tyr Asn Ser Leu Tyr Ser Thr Cys Leu Glu Leu Phe Lys Phe
229                 630                 635                 640
233 acc atc ggc atg ggc gac ctg gag ttc act gag aac tat gac ttc aag   2745
234 Thr Ile Gly Met Gly Asp Leu Glu Phe Thr Glu Asn Tyr Asp Phe Lys
235             645                 650                 655
237 gct gtc ttc atc atc ctg ctg ctg gcc tat gta att ctc acc tac atc   2793
238 Ala Val Phe Ile Ile Leu Leu Leu Ala Tyr Val Ile Leu Thr Tyr Ile
239         660                 665                 670
241 ctc ctg ctc aac atg ctc atc gcc ctc atg ggt gag act gtc aac aag   2841
242 Leu Leu Leu Asn Met Leu Ile Ala Leu Met Gly Glu Thr Val Asn Lys
243     675                 680                 685
245 atc gca cag gag agc aag aac atc tgg aag ctg cag aga gcc atc acc   2889
246 Ile Ala Gln Glu Ser Lys Asn Ile Trp Lys Leu Gln Arg Ala Ile Thr
247 690                 695                 700                 705
249 atc ctg gac acg gag aag agc ttc ctt aag tgc atg agg aag gcc ttc   2937
250 Ile Leu Asp Thr Glu Lys Ser Phe Leu Lys Cys Met Arg Lys Ala Phe
251                 710                 715                 720
253 cgc tca ggc aag ctg ctg cag gtg ggg tac aca cct gat ggc aag gac   2985
254 Arg Ser Gly Lys Leu Leu Gln Val Gly Tyr Thr Pro Asp Gly Lys Asp
255             725                 730                 735
257 gac tac cgg tgg tgc ttc agg gtg gac gag gtg aac tgg acc acc tgg   3033
258 Asp Tyr Arg Trp Cys Phe Arg Val Asp Glu Val Asn Trp Thr Thr Trp
259         740                 745                 750
261 aac acc aac gtg ggc atc atc aac gaa gac ccg ggc aac tgt gag ggc   3081
262 Asn Thr Asn Val Gly Ile Ile Asn Glu Asp Pro Gly Asn Cys Glu Gly
263     755                 760                 765
265 gtc aag cgc acc ctg agc ttc tcc ctg cgg tca agc aga gtt tca ggc   3129
266 Val Lys Arg Thr Leu Ser Phe Ser Leu Arg Ser Ser Arg Val Ser Gly
267 770                 775                 780                 785
271 aga cac tgg aag aac ttt gcc ctg gtc ccc ctt tta aga gag gca agt   3177
272 Arg His Trp Lys Asn Phe Ala Leu Val Pro Leu Leu Arg Glu Ala Ser
273                 790                 795                 800
275 gct cga gat agg cag tct gct cag ccc gag gaa gtt tat ctg cga cag   3225
276 Ala Arg Asp Arg Gln Ser Ala Gln Pro Glu Glu Val Tyr Leu Arg Gln
277             805                 810                 815
279 ttt tca ggg tct ctg aag cca gag gac gct gag gtc ttc aag agt cct   3273
280 Phe Ser Gly Ser Leu Lys Pro Glu Asp Ala Glu Val Phe Lys Ser Pro
281         820                 825                 830
283 gcc gct tcc ggg gag aag tga ggacgtcacg cagacagcac tgtcaacact      3324
284 Ala Ala Ser Gly Glu Lys
285     835
```

RAW SEQUENCE LISTING DATE: 10/11/2001
PATENT APPLICATION: US/09/857,123 TIME: 10:54:46

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF3\10112001\I857123.raw

```
287 gggccttagg agaccccgtt gccacggggg gctgctgagg gaacaccagt gctctgtcag 3384
289 cagcctggcc tggtctgtgc ctgcccagca tgttcccaaa tctgtgctgg acaagctgtg 3444
291 ggaagcgttc ttggaagcat ggggagtgat gtacatccaa ccgtcactgt ccccaagtga 3504
293 atctcctaac agactttcag gtttttactc actttactaa acagtttgga tggtcagtct 3564
295 ctactgggac atgttaggcc cttgttttct ttgattttat tcttttctgt gagacagagt 3624
297 tcactcttgt tgcccaggct ggagtgcagt ggtgtgatct tggctcactg caacctctgc 3684
299 tcccgggttc aagcgattct tctgcttcag tctcccaagt agcttggatt acaggtgagc 3744
301 actaccacgc ccggctaatt tttgtatttt taatagagac ggggtttcac catgttggcc 3804
303 aggctggtct cgaactcttg acctcaggtg atctgcccgc cttggcctcc caaagtgctg 3864
305 ggattacagg tgtgagccgc tgcgctcggc cttctttgat tttatattat taggagcaaa 3924
307 agtaaatgaa gcccaggaaa acacctttgg gaacaaactc ttcctttgat ggaaaatgca 3984
311 gaggcccttc ctctctgtgc cgtgcttgct cctcttacct gcccgggtgg tttgggggtg 4044
313 ttggtgtttc ctccctggag aagatggggg aggctgtccc actcccagct ctggcagaat 4104
315 caagctgttg cagcagtgcc ttcttcatcc ttccttacga tcaatcacag tctccagaag 4164
317 atcagctcaa ttgctgtgca ggttaaaact acagaaccac atcccaaagg tacctggtaa 4224
319 gaatgtttga aagatcttcc atttctagga accccagtcc tgcttctccg caatggcaca 4284
321 tgcttccact ccatccatac tggcatcctc aaataaacag atatgtatac aaaaaaaaaa 4344
323 aaaaaaaaaa aaaaaaaaaa a                                          4365
326 <210> SEQ ID NO: 2
327 <211> LENGTH: 839
328 <212> TYPE: PRT
329 <213> ORGANISM: Homo sapiens
331 <400> SEQUENCE: 2
332 Met Lys Lys Trp Ser Ser Thr Asp Leu Gly Ala Ala Ala Asp Pro Leu
333   1               5                  10                  15
335 Gln Lys Asp Thr Cys Pro Asp Pro Leu Asp Gly Asp Pro Asn Ser Arg
336              20                  25                  30
338 Pro Pro Pro Ala Lys Pro Gln Leu Ser Thr Ala Lys Ser Arg Thr Arg
339          35                  40                  45
341 Leu Phe Gly Lys Gly Asp Ser Glu Glu Ala Phe Pro Val Asp Cys Pro
342      50                  55                  60
344 His Glu Glu Gly Glu Leu Asp Ser Cys Pro Thr Ile Thr Val Ser Pro
345  65                  70                  75                  80
347 Val Ile Thr Ile Gln Arg Pro Gly Asp Gly Pro Thr Gly Ala Arg Leu
348                  85                  90                  95
351 Leu Ser Gln Asp Ser Val Ala Ala Ser Thr Glu Lys Thr Leu Arg Leu
352             100                 105                 110
354 Tyr Asp Arg Arg Ser Ile Phe Glu Ala Val Ala Gln Asn Asn Cys Gln
355         115                 120                 125
357 Asp Leu Glu Ser Leu Leu Leu Phe Leu Gln Lys Ser Lys Lys His Leu
358     130                 135                 140
360 Thr Asp Asn Glu Phe Lys Asp Pro Glu Thr Gly Lys Thr Cys Leu Leu
361 145                 150                 155                 160
363 Lys Ala Met Leu Asn Leu His Asp Gly Gln Asn Thr Thr Ile Pro Leu
364                 165                 170                 175
366 Leu Leu Glu Ile Ala Arg Gln Thr Asp Ser Leu Lys Glu Leu Val Asn
367             180                 185                 190
369 Ala Ser Tyr Thr Asp Ser Tyr Tyr Lys Gly Gln Thr Ala Leu His Ile
370         195                 200                 205
```

VERIFICATION SUMMARY DATE: 10/11/2001
PATENT APPLICATION: **US/09/857,123** TIME: 10:54:47

Input Set : **A:\PTO.AMC.txt**
Output Set: **N:\CRF3\10112001\I857123.raw**

L:13 M:270 C: Current Application Number differs, Replaced Application Number
L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date

PCT09

RAW SEQUENCE LISTING DATE: 08/30/2001
PATENT APPLICATION: US/09/857,123 TIME: 07:44:20

Input Set : A:\ES.txt
Output Set: N:\CRF3\08302001\I857123.raw

Does Not Comply
Corrected Diskette Needed

4 <110> APPLICANT: Glaxo Group Ltd
5 Tate, Simon N
6 Delany, Natalie S
7 Sanseau, P
9 <120> TITLE OF INVENTION: Novel Receptors
11 <130> FILE REFERENCE: PG3606
C--> 13 **<140> CURRENT APPLICATION NUMBER: US/09/857,123**
C--> 14 **<141> CURRENT FILING DATE: 2001-07-30**
16 <150> PRIOR APPLICATION NUMBER: GB 9826359.3
17 <151> PRIOR FILING DATE: 1998-12-01
19 <160> NUMBER OF SEQ ID NOS: 40
21 <170> SOFTWARE: PatentIn Ver. 2.1

ERRORED SEQUENCES

1759 <210> SEQ ID NO: 40
1760 <211> LENGTH: 20
1761 <212> TYPE: DNA
1762 <213> ORGANISM: Artificial Sequence
1764 <220> FEATURE:
1765 <223> OTHER INFORMATION: Description of Artificial Sequence: Primer
1767 <400> SEQUENCE: 40
1768 atctcgtggc ggttctcaat 20
E--> 1772 (1)

VERIFICATION SUMMARY DATE: 08/30/2001
PATENT APPLICATION: **US/09/857,123** TIME: 07:44:21

Input Set : **A:\ES.txt**
Output Set: **N:\CRF3\08302001\I857123.raw**

L:13 M:270 C: Current Application Number differs, Replaced Application Number
L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:1772 M:254 E: No. of Bases conflict, LENGTH:Input:1 Counted:20 SEQ:40

Claims

1. An isolated human vanilloid receptor (hVR) protein or a variant thereof.

2. An isolated human vanilloid receptor (hVR) protein according to claim 1 which is hVR1 or a variant thereof.

3. An isolated human vanilloid receptor (hVR) protein according to claim 1 which is hVR3 or a variant thereof.

4. An isolated human vanilloid receptor (hVR) protein according to claim 2 having an amino acid sequence as shown in Figure 3.

5. An isolated human vanilloid receptor (hVR) protein according to claim 3 having an amino acid sequence as shown in Figure 18.

6. A nucleotide sequence encoding a human vanilloid receptor (hVR) protein or a variant thereof, or a nucleotide sequence which is complementary thereto.

7. A nucleotide sequence according to claim 6 encoding for an hVR1 protein or a variant thereof, or a nucleotide sequence which is complementary thereto.

8. A nucleotide sequence according to claim 6 encoding for an hVR3 protein or a variant thereof, or a nucleotide sequence which is complementary thereto.

9. A nucleotide sequence according to claim 6 which is a cDNA sequence.

10. A nucleotide sequence according to claim 7 which is a cDNA sequence

11. A nucleotide sequence according to claim 8 which is a cDNA sequence

12. A nucleotide sequence according to claim 7 as shown in Figure 2.

13. A nucleotide sequence according to claim 8 as shown in Figure 17.

14. An expression vector comprising a nucleotide sequence according to any one of claims 6 to 13, which is capable of expressing an hVR protein or a variant thereof.

15. An expression vector according to claim 14 which is capable of expressing an hVR1 protein or a variant thereof.

16. An expression vector according to claim 14 which is capable of expressing an hVR3 protein or a variant thereof.

17. A stable cell line comprising an expression vector according to claim 14.

18. A stable cell line comprising an expression vector according to claim 15.

19. A stable cell line comprising an expression vector according to claim 16.

20. A stable cell line according to claim 17 which is a modified HEK293, CHO, COS, HeLa or BHK cell line.

21. A stable cell line according to claim 18 which is a modified HEK293, CHO, COS, HeLa or BHK cell line.

22. A stable cell line according to claim 19 which is a modified HEK293, CHO, COS, HeLa or BHK cell line.

23. An antibody specific for a human vanilloid receptor (hVR) protein or a variant thereof as claimed in any one of claims 1 to 5.

24. An antibody according to claim 23 which is specific for hVR1 or a variant thereof.

25. An antibody according to claim 23 which is specific for hVR3 or a variant thereof.

26. A method for identification of a compound which exhibits hVR modulating activity comprising contacting a human vanilloid receptor (hVR) protein or a variant thereof according to any one of claims 1 to 5 with a test compound and detecting modulating activity or inactivity.

27. A compound which modulates hVR activity, identifiable by a method according to claim 26.

28. A compound according to claim 27 for use in therapy.

29. The use of a compound according to claim 27 in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity in a human patient.

30. The use according to claim 28 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

31. A method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR activity in a human patient which comprises administering to said patient an effective amount of a compound according to claim 27.

32. A method according to claim 31 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain,

rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

33. A compound which modulates hVR activity, identifiable by a method according to claim 26, excluding the compounds capsaicin, resiniferatoxin, piperine, zingerone, polydodial, warburganal, aframodial, cinnamodial, cinnamosmolide, cinnamolide, isovelleral, scalaradial, ancistrodial, β-acaridial, scutigeral, merulidial, anandamide and capsazepine.

34. A compound according to claim 33 for use in therapy.

35. The use of a compound according to claim 33 in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity in a human patient.

36. The use according to claim 35 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

37. A method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR activity in a human patient which comprises administering to said patient an effective amount of a compound according to claim 33.

38. A method according to claim 37 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a

urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

39. A compound identified by the method according to claim 26.

40. A compound according to claim 39 for use in therapy.

41. The use of a compound according to claim 39 in the manufacture of a medicament for treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity in a human patient.

42. The use according to claim 41 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

43. A method of treatment or prophylaxis of a disorder which is responsive to modulation of hVR activity in a human patient which comprises administering to said patient an effective amount of a compound according to claim 39.

44. A method according to claim 43 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

45. A method of producing an hVR protein or a variant thereof according to any one of claims 1-5 comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVR protein or

a variant thereof, under conditions suitable for obtaining expression of the hVR protein or variant thereof.

46. A method of producing an hVR1 protein or a variant thereof comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVR1 protein or a variant thereof, under conditions suitable for obtaining expression of the hVR1 protein or variant thereof.

47. A method of producing an hVR3 protein or a variant thereof comprising introducing into an appropriate cell line a suitable vector comprising a nucleotide sequence encoding for an hVR3 protein or a variant thereof, under conditions suitable for obtaining expression of the hVR3 protein or variant thereof.

48. A human vanilloid receptor (hVR) protein or a variant thereof for use in a method of screening for agents useful in the treatment or prophylaxis of a disorder which is responsive to the modulation of hVR activity in a human patient

49. A human vanilloid receptor (hVR) protein according to claim 48 wherein the disorder is pain, neuropathic pain, inflammatory pain, chronic pain, post-operative pain, rheumatoid arthritic pain, neuropathies, neuralgia, algesia, neurodegeneration, nerve injury, stroke, ischaemia migraine, irritable bowl syndrome (IBS), a respiratory disorder, asthma, chronic obstructive pulmonary disease (COPD), a urological disorder, neuropathy, incontinence, interstitial cystitis or an inflammatory disorder.

50. A human vanilloid receptor (hVR) protein according to claim 48 or 49 which is hVR1 or a variant thereof.

51. A human vanilloid receptor (hVR) protein according to claim 48 or 49 which is hVR3 or a variant thereof.

FIG. 1

ALIGNMENT OF HUMAN VR1 *IN SILICO* DERIVED CLUSTERS WITH RAT VR1



FIG. 2

hVR1 SEQUENCE INCLUDING THE 5'UTR (nt -773 TO nt 0), CODING REGION (nt 1 TO 2517) AND 3'UTR (nt 2518 TO nt 3560)

-773	ccccagccacacacacacgcacacacatacacacacacacaggcttaaccattca	-714
-713	aaggccagaagcttgacagatgttgattcataaaaatgcaaaagccaaaatccaaaatct	-654
-653	tgtataagctcagtggctgtggcagcgaggttgaagagcaaaggcaggccgggcacctgg	-594
-593	ctgatgatgtgtggacccgttgcacagcagggcccgcagtgcggtgtgggtgtgggtggg	-534
-533	ccagtctctgccgctcaccctattccagggacacagtctgcttggctcttctggactgag	-474
-473	ccatcctcatcaccgagatcctccctgaattcagcccacgacagccaccccggccgtttt	-414
-413	ccttgttctgtgtgggaagggaggcagcgcggtggttatcaacctcaccctgcagaggag	-354
-353	gcacctgaggcccagagacgaggagggatgggtctaacccagaaccacagatggctctga	-294
-293	gccgggggcctgtccaccctcccaggccgacgtcagtggccgcaggactgcctgggccct	-234
-233	gctaggcctgctcacctctgaggcctctggggtgagaggttcagtcctggaaacacttca	-174
-173	gttctaggggggctgggggcagcagcaagttggagttttggggtaccctgcttcacagggc	-114
-113	ccttggcaaggagggcaggtggggtctaaggacaagcagtccttactttgggagtcaacc	-54
-53	ccggcgtggtggctgctgcaggttgcacactgggccacagaggatccagcaaggATGAAG	6
7	AAATGGAGCAGCACAGACTTGGGGGCAGCTGCGGACCCACTCCAAAAGGACACCTGCCCA	66
67	GACCCCCTGGATGGAGACCCTAACTCCAGGCCACCTCCAGCCAAGCCCCAGCTCTCCACG	126
127	GCCAAGAGCCGCACCCGGCTCTTTGGGAAGGGTGACTCGGAGGAGGCTTTCCCGGTGGAT	186
187	TGCCCTCACGAGGAAGGTGAGCTGGACTCCTGCCCGACCATCACAGTCAGCCCTGTTATC	246
247	ACCATCCAGAGGCCAGGAGACGGCCCCACCGGTGCCAGGCTGCTGTCCCAGGACTCTGTC	306

```
307  GCCGCCAGCACCGAGAAGACCCTCAGGCTCTATGATCGCAGGAGTATCTTTGAAGCCGTT  366

367  GCTCAGAATAACTGCCAGGATCTGGAGAGCCTGCTGCTCTTCCTGCAGAAGAGCAAGAAG  426

427  CACCTCACAGACAACGAGTTCAAAGACCCTGAGACAGGGAAGACCTGTCTGCTGAAAGCC  486

487  ATGCTCAACCTGCACGACGGACAGAACACCACCATCCCCCTGCTCCTGGAGATCGCGCGG  546

547  CAAACGGACAGCCTGAAGGAGCTTGTCAACGCCAGCTACACGGACAGCTACTACAAGGGC  606

607  CAGACAGCACTGCACATCGCCATCGAGAGACGCAACATGGCCCTGGTGACCCTCCTGGTG  666

667  GAGAACGGAGCAGACGTCCAGGCTGCGGCCCATGGGGACTTCTTTAAGAAAACCAAAGGG  726

727  CGGCCTGGATTCTACTTCGGTGAACTGCCCCTGTCCCTGGCCGCGTGCACCAACCAGCTG  786

787  GGCATCGTGAAGTTCCTGCTGCAGAACTCCTGGCAGACGGCCGACATCAGCGCCAGGGAC  846

847  TCGGTGGGCAACACGGTGCTGCACGCCCTGGTGGAGGTGGCCGACAACACGGCCGACAAC  906

907  ACGAAGTTTGTGACGAGCATGTACAATGAGATTCTGATCCTGGGGGCCAAACTGCACCCG  966

967  ACGCTGAAGCTGGAGGAGCTCACCAACAAGAAGGGAATGACGCCGCTGGCTCTGGCAGCT  1026

1027 GGGACCGGGAAGATCGGGGTCTTGGCCTATATTCTCCAGCGGGAGATCCAGGAGCCCGAG  1086

1087 TGCAGGCACCTGTCCAGGAAGTTCACCGAGTGGGCCTACGGGCCCGTGCACTCCTCGCTG  1146

1147 TACGACCTGTCCTGCATCGACACCTGCGAGAAGAACTCGGTGCTGGAGGTGATCGCCTAC  1206

1207 AGCAGCAGCGAGACCCCTAATCGCCACGACATGCTCTTGGTGGAGCCGCTGAACCGACTC  1266

1267 CTGCAGGACAAGTGGGACAGATTCGTCAAGCGCATCTTCTACTTCAACTTCCTGGTCTAC  1326

1327 TGCCTGTACATGATCATCTTCACCATGGCTGCCTACTACAGGCCCGTGGATGGCTTGCCT  1386

1387 CCCTTTAAGATGGAAAAAATTGGAGACTATTTCCGAGTTACTGGAGAGATCCTGTCTGTG  1446
```

FIG. 2CONT'D

1447	TTAGGAGGAGTCTACTTCTTTTTCCGAGGGATTCAGTATTTCCTGCAGAGGCGGCCGTCG	1506
1507	ATGAAGACCCTGTTTGTGGACAGCTACAGTGAGATGCTTTTCTTTCTGCAGTCACTGTTC	1566
1567	ATGCTGGCCACCGTGGTGCTGTACTTCAGCCACCTCAAGGAGTATGTGGCTTCCATGGTA	1626
1627	TTCTCCCTGGCCTTGGGCTGGACCAACATGCTCTACTACACCCGCGGTTTCCAGCAGATG	1686
1687	GGCATCTATGCCGTCATGATAGAGAAGATGATCCTGAGAGACCTGTGCCGTTTCATGTTT	1746
1747	GTCTACATCGTCTTCTTGTTCGGGTTTTCCACAGCGGTGGTGACGCTGATTGAAGACGGG	1806
1807	AAGAATGACTCCCTGCCGTCTGAGTCCACGTCGCACAGGTGGCGGGGGCCTGCCTGCAGG	1866
1867	CCCCCCGATAGCTCCTACAACAGCCTGTACTCCACCTGCCTGGAGCTGTTCAAGTTCACC	1926
1927	ATCGGCATGGGCGACCTGGAGTTCACTGAGAACTATGACTTCAAGGCTGTCTTCATCATC	1986
1987	CTGCTGCTGGCCTATGTAATTCTCACCTACATCCTCCTGCTCAACATGCTCATCGCCCTC	2046
2047	ATGGGTGAGACTGTCAACAAGATCGCACAGGAGAGCAAGAACATCTGGAAGCTGCAGAGA	2106
2107	GCCATCACCATCCTGGACACGGAGAAGAGCTTCCTTAAGTGCATGAGGAAGGCCTTCCGC	2166
2167	TCAGGCAAGCTGCTGCAGGTGGGGTACACACCTGATGGCAAGGACGACTACCGGTGGTGC	2226
2227	TTCAGGGTGGACGAGGTGAACTGGACCACCTGGAACACCAACGTGGGCATCATCAACGAA	2286
2287	GACCCGGGCAACTGTGAGGGCGTCAAGCGCACCCTGAGCTTCTCCCTGCGGTCAAGCAGA	2346
2347	GTTTCAGGCAGACACTGGAAGAACTTTGCCCTGGTCCCCCTTTTAAGAGAGGCAAGTGCT	2406
2407	CGAGATAGGCAGTCTGCTCAGCCCGAGGAAGTTTATCTGCGACAGTTTTCAGGGTCTCTG	2466
2467	AAGCCAGAGGACGCTGAGGTCTTCAAGAGTCCTGCCGCTTCCGGGGAGAAGtgaggacgt	2526
2527	cacgcagacagcactgtcaacactgggccttaggagaccccgttgccacgggggctgct	2586

FIG.2CONT'D

```
2587  gagggaacaccagtgctctgtcagcagcctggcctggtctgtgcctgcccagcatgttcc  2646
2647  caaatctgtgctggacaagctgtgggaagcgttcttggaagcatggggagtgatgtacat  2706
2707  ccaaccgtcactgtccccaagtgaatctcctaacagactttcaggttttactcacttta  2766
2767  ctaaacagtttggatggtcagtctctactgggacatgttaggcccttgttttctttgatt  2826
2827  ttattcttttctgtgagacagagttcactcttgttgcccaggctggagtgcagtggtgtg  2886
2887  atcttggctcactgcaacctctgctcccgggttcaagcgattcttctgcttcagtctccc  2946
2947  aagtagcttggattacaggtgagcactaccacgcccggctaatttttgtatttttaatag  3006
3007  agacggggtttcaccatgttggccaggctggtctcgaactcttgacctcaggtgatctgc  3066
3067  ccgccttggcctcccaaagtgctgggattacaggtgtgagccgctgcgctcggccttctt  3126
3127  tgattttatattattaggagcaaaagtaaatgaagcccaggaaaacacctttgggaacaa  3186
3187  actcttcctttgatggaaaatgcagaggcccttcctctctgtgccgtgcttgctcctctt  3246
3247  acctgcccgggtggtttgggggtgttggtgtttcctccctggagaagatgggggaggctg  3306
3307  tcccactcccagctctggcagaatcaagctgttgcagcagtgccttcttcatccttcctt  3366
3367  acgatcaatcacagtctccagaagatcagctcaattgctgtgcaggttaaaactacagaa  3426
3427  ccacatcccaaaggtacctggtaagaatgtttgaaagatcttccatttctaggaacccca  3486
3487  gtcctgcttctccgcaatggcacatgcttccactccatccatactggcatcctcaaataa  3546
3547  acagatatgtatacaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa                 3591
```

FIG. 2CONT'D

FIG. 3

NUCLEOTIDE AND AMINO ACID SEQUENCE OF hVR1 INCLUDING THE 5'UTR (nt -773 TO nt 0), CODING REGION (nt TO 2517) AND 3'UTR (nt 2518 TO nt 3560)

```
-773  cccccagccacacacacacacgcacacacatacacacacacacacaggcttaaccattca  -714

-713  aaggccagaagcttgacagatgttgattcataaaaatgcaaaagccaaaatccaaaatct  -654

-653  tgtataagctcagtggctgtggcagcgaggttgaagagcaaaggcaggccgggcacctgg  -594

-593  ctgatgatgtgtggacccgttgcacagcagggcccgcagtgcggtgtgggtgtgggtggg  -534

-533  ccagtctctgccgctcaccctattccagggacacagtctgcttggctcttctggactgag  -474

-473  ccatcctcatcaccgagatcctccctgaattcagcccacgacagccaccccggccgtttt  -414

-413  ccttgttctgtgtgggaagggaggcagcgcggtggttatcaacctcaccctgcagaggag  -354

-353  gcacctgaggcccagagacgaggagggatgggtctaacccagaaccacagatggctctga  -294

-293  gccgggggcctgtccaccctcccaggccgacgtcagtggccgcaggactgcctgggccct  -234

-233  gctaggcctgctcacctctgaggcctctggggtgagaggttcagtcctggaaacacttca  -174

-173  gttctaggggctgggggcagcagcaagttggagttttggggtaccctgcttcacagggc  -114

-113  ccttggcaaggagggcaggtggggtctaaggacaagcagtccttactttgggagtcaacc  -54

 -53  ccggcgtggtggctgctgcaggttgcacactgggccacagaggatccagcaaggATGAAG   6
   1                                                        M  K     2

   7  AAATGGAGCAGCACAGACTTGGGGGCAGCTGCGGACCCACTCCAAAAGGACACCTGCCCA  66
   3  K  W  S  S  T  D  L  G  A  A  A  D  P  L  Q  K  D  T  C  P    22

  67  GACCCCCTGGATGGAGACCCTAACTCCAGGCCACCTCCAGCCAAGCCCCAGCTCTCCACG  126
  23  D  P  L  D  G  D  P  N  S  R  P  P  P  A  K  P  Q  L  S  T    42

 127  GCCAAGAGCCGCACCCGGCTCTTTGGGAAGGGTGACTCGGAGGAGGCTTTCCCGGTGGAT  186
  43  A  K  S  R  T  R  L  F  G  K  G  D  S  E  E  A  F  P  V  D    62

 187  TGCCCTCACGAGGAAGGTGAGCTGGACTCCTGCCCGACCATCACAGTCAGCCCTGTTATC  246
  63  C  P  H  E  E  G  E  L  D  S  C  P  T  I  T  V  S  P  V  I    82

 247  ACCATCCAGAGGCCAGGAGACGGCCCCACCGGTGCCAGGCTGCTGTCCCAGGACTCTGTC  306
  83  T  I  Q  R  P  G  D  G  P  T  G  A  R  L  L  S  Q  D  S  V    102

 307  GCCGCCAGCACCGAGAAGACCCTCAGGCTCTATGATCGCAGGAGTATCTTTGAAGCCGTT  366
 103  A  A  S  T  E  K  T  L  R  L  Y  D  R  R  S  I  F  E  A  V    122

 367  GCTCAGAATAACTGCCAGGATCTGGAGAGCCTGCTGCTCTTCCTGCAGAAGAGCAAGAAG  426
 123  A  Q  N  N  C  Q  D  L  E  S  L  L  L  F  L  Q  K  S  K  K    142

 427  CACCTCACAGACAACGAGTTCAAAGACCCTGAGACAGGGAAGACCTGTCTGCTGAAAGCC  486
 143  H  L  T  D  N  E  F  K  D  P  E  T  G  K  T  C  L  L  K  A    162

 487  ATGCTCAACCTGCACGACGGACAGAACACCACCATCCCCCTGCTCCTGGAGATCGCGCGG  546
```

```
163  M  L  N  L  H  D  G  Q  N  T  T  I  P  L  L  L  E  I  A  R      182

547  CAAACGGACAGCCTGAAGGAGCTTGTCAACGCCAGCTACACGGACAGCTACTACAAGGGC    606
183  Q  T  D  S  L  K  E  L  V  N  A  S  Y  T  D  S  Y  Y  K  G      202

607  CAGACAGCACTGCACATCGCCATCGAGAGACGCAACATGGCCCTGGTGACCCTCCTGGTG    666
203  Q  T  A  L  H  I  A  I  E  R  R  N  M  A  L  V  T  L  L  V      222

667  GAGAACGGAGCAGACGTCCAGGCTGCGGCCCATGGGGACTTCTTTAAGAAAACCAAAGGG    726
223  E  N  G  A  D  V  Q  A  A  A  H  G  D  F  F  K  K  T  K  G      242

727  CGGCCTGGATTCTACTTCGGTGAACTGCCCCTGTCCCTGGCCGCGTGCACCAACCAGCTG    786
243  R  P  G  F  Y  F  G  E  L  P  L  S  L  A  A  C  T  N  Q  L      262

787  GGCATCGTGAAGTTCCTGCTGCAGAACTCCTGGCAGACGGCCGACATCAGCGCCAGGGAC    846
263  G  I  V  K  F  L  L  Q  N  S  W  Q  T  A  D  I  S  A  R  D      282

847  TCGGTGGGCAACACGGTGCTGCACGCCCTGGTGGAGGTGGCCGACAACACGGCCGACAAC    906
283  S  V  G  N  T  V  L  H  A  L  V  E  V  A  D  N  T  A  D  N      302

907  ACGAAGTTTGTGACGAGCATGTACAATGAGATTCTGATCCTGGGGGCCAAACTGCACCCG    966
303  T  K  F  V  T  S  M  Y  N  E  I  L  I  L  G  A  K  L  H  P      322

967  ACGCTGAAGCTGGAGGAGCTCACCAACAAGAAGGGAATGACGCCGCTGGCTCTGGCAGCT   1026
323  T  L  K  L  E  E  L  T  N  K  K  G  M  T  P  L  A  L  A  A      342

1027 GGGACCGGGAAGATCGGGGTCTTGGCCTATATTCTCCAGCGGGAGATCCAGGAGCCCGAG   1086
343  G  T  G  K  I  G  V  L  A  Y  I  L  Q  R  E  I  Q  E  P  E      362

1087 TGCAGGCACCTGTCCAGGAAGTTCACCGAGTGGGCCTACGGGCCCGTGCACTCCTCGCTG   1146
363  C  R  H  L  S  R  K  F  T  E  W  A  Y  G  P  V  H  S  S  L      382

1147 TACGACCTGTCCTGCATCGACACCTGCGAGAAGAACTCGGTGCTGGAGGTGATCGCCTAC   1206
383  Y  D  L  S  C  I  D  T  C  E  K  N  S  V  L  E  V  I  A  Y      402

1207 AGCAGCAGCGAGACCCCTAATCGCCACGACATGCTCTTGGTGGAGCCGCTGAACCGACTC   1266
403  S  S  S  E  T  P  N  R  H  D  M  L  L  V  E  P  L  N  R  L      422

1267 CTGCAGGACAAGTGGGACAGATTCGTCAAGCGCATCTTCTACTTCAACTTCCTGGTCTAC   1326
423  L  Q  D  K  W  D  R  F  V  K  R  I  F  Y  F  N  F  L  V  Y      442

1327 TGCCTGTACATGATCATCTTCACCATGGCTGCCTACTACAGGCCCGTGGATGGCTTGCCT   1386
443  C  L  Y  M  I  I  F  T  M  A  A  Y  Y  R  P  V  D  G  L  P      462

1387 CCCTTTAAGATGGAAAAAATTGGAGACTATTTCCGAGTTACTGGAGAGATCCTGTCTGTG   1446
463  P  F  K  M  E  K  I  G  D  Y  F  R  V  T  G  E  I  L  S  V      482

1447 TTAGGAGGAGTCTACTTCTTTTTCCGAGGGATTCAGTATTTCCTGCAGAGGCGGCCGTCG   1506
483  L  G  G  V  Y  F  F  F  R  G  I  Q  Y  F  L  Q  R  R  P  S      502

1507 ATGAAGACCCTGTTTGTGGACAGCTACAGTGAGATGCTTTTCTTTCTGCAGTCACTGTTC   1566
503  M  K  T  L  F  V  D  S  Y  S  E  M  L  F  F  L  Q  S  L  F      522

1567 ATGCTGGCCACCGTGGTGCTGTACTTCAGCCACCTCAAGGAGTATGTGGCTTCCATGGTA   1626
523  M  L  A  T  V  V  L  Y  F  S  H  L  K  E  Y  V  A  S  M  V      542

1627 TTCTCCCTGGCCTTGGGCTGGACCAACATGCTCTACTACACCCGCGGTTTCCAGCAGATG   1686
```

FIG. 3CONT'D

```
543  F  S  L  A  L  G  W  T  N  M  L  Y  Y  T  R  G  F  Q  Q  M     562

1687 GGCATCTATGCCGTCATGATAGAGAAGATGATCCTGAGAGACCTGTGCCGTTTCATGTTT  1746
 563  G  I  Y  A  V  M  I  E  K  M  I  L  R  D  L  C  R  F  M  F    582

1747 GTCTACATCGTCTTCTTGTTCGGGTTTTCCACAGCGGTGGTGACGCTGATTGAAGACGGG  1806
 583  V  Y  I  V  F  L  F  G  F  S  T  A  V  V  T  L  I  E  D  G    602

1807 AAGAATGACTCCCTGCCGTCTGAGTCCACGTCGCACAGGTGGCGGGGGCCTGCCTGCAGG  1866
 603  K  N  D  S  L  P  S  E  S  T  S  H  R  W  R  G  P  A  C  R    622

1867 CCCCCCGATAGCTCCTACAACAGCCTGTACTCCACCTGCCTGGAGCTGTTCAAGTTCACC  1926
 623  P  P  D  S  S  Y  N  S  L  Y  S  T  C  L  E  L  F  K  F  T    642

1927 ATCGGCATGGGCGACCTGGAGTTCACTGAGAACTATGACTTCAAGGCTGTCTTCATCATC  1986
 643  I  G  M  G  D  L  E  F  T  E  N  Y  D  F  K  A  V  F  I  I    662

1987 CTGCTGCTGGCCTATGTAATTCTCACCTACATCCTCCTGCTCAACATGCTCATCGCCCTC  2046
 663  L  L  L  A  Y  V  I  L  T  Y  I  L  L  L  N  M  L  I  A  L    682

2047 ATGGGTGAGACTGTCAACAAGATCGCACAGGAGAGCAAGAACATCTGGAAGCTGCAGAGA  2106
 683  M  G  E  T  V  N  K  I  A  Q  E  S  K  N  I  W  K  L  Q  R    702

2107 GCCATCACCATCCTGGACACGGAGAAGAGCTTCCTTAAGTGCATGAGGAAGGCCTTCCGC  2166
 703  A  I  T  I  L  D  T  E  K  S  F  L  K  C  M  R  K  A  F  R    722

2167 TCAGGCAAGCTGCTGCAGGTGGGGTACACACCTGATGGCAAGGACGACTACCGGTGGTGC  2226
 723  S  G  K  L  L  Q  V  G  Y  T  P  D  G  K  D  D  Y  R  W  C    742

2227 TTCAGGGTGGACGAGGTGAACTGGACCACCTGGAACACCAACGTGGGCATCATCAACGAA  2286
 743  F  R  V  D  E  V  N  W  T  T  W  N  T  N  V  G  I  I  N  E    762

2287 GACCCGGGCAACTGTGAGGGCGTCAAGCGCACCCTGAGCTTCTCCCTGCGGTCAAGCAGA  2346
 763  D  P  G  N  C  E  G  V  K  R  T  L  S  F  S  L  R  S  S  R    782

2347 GTTTCAGGCAGACACTGGAAGAACTTTGCCCTGGTCCCCCTTTTAAGAGAGGCAAGTGCT  2406
 783  V  S  G  R  H  W  K  N  F  A  L  V  P  L  L  R  E  A  S  A    802

2407 CGAGATAGGCAGTCTGCTCAGCCCGAGGAAGTTTATCTGCGACAGTTTTCAGGGTCTCTG  2466
 803  R  D  R  Q  S  A  Q  P  E  E  V  Y  L  R  Q  F  S  G  S  L    822

2467 AAGCCAGAGGACGCTGAGGTCTTCAAGAGTCCTGCCGCTTCCGGGGAGAAGtgaggacgt  2526
 823  K  P  E  D  A  E  V  F  K  S  P  A  A  S  G  E  K              839

2527 cacgcagacagcactgtcaacactgggccttaggagaccccgttgccacgggggctgct    2586

2587 gagggaacaccagtgctctgtcagcagcctggcctggtctgtgcctgcccagcatgttcc  2646

2647 caaatctgtgctggacaagctgtgggaagcgttcttggaagcatggggagtgatgtacat  2706

2707 ccaaccgtcactgtccccaagtgaatctcctaacagactttcaggtttttactcacttta  2766

2767 ctaaacagtttggatggtcagtctctactgggacatgttaggcccttgttttctttgatt  2826

2827 ttattcttttctgtgagacagagttcactcttgttgcccaggctggagtgcagtggtgtg  2886

2887 atcttggctcactgcaacctctgctcccgggttcaagcgattcttctgcttcagtctccc  2946
```

FIG. 3CONT'D

2947	aagtagcttggattacaggtgagcactaccacgcccggctaatttttgtatttttaatag	3006
3007	agacggggtttcaccatgttggccaggctggtctcgaactcttgacctcaggtgatctgc	3066
3067	ccgccttggcctcccaaagtgctgggattacaggtgtgagccgctgcgctcggccttctt	3126
3127	tgattttatattattaggagcaaaagtaaatgaagcccaggaaaacacctttgggaacaa	3186
3187	actcttcctttgatggaaaatgcagaggcccttcctctctgtgccgtgcttgctcctctt	3246
3247	acctgcccgggtggtttgggggtgttggtgtttcctccctggagaagatgggggaggctg	3306
3307	tcccactcccagctctggcagaatcaagctgttgcagcagtgccttcttcatccttcctt	3366
3367	acgatcaatcacagtctccagaagatcagctcaattgctgtgcaggttaaaactacagaa	3426
3427	ccacatcccaaaggtacctggtaagaatgtttgaaagatcttccatttctaggaacccca	3486
3487	gtcctgcttctccgcaatggcacatgcttccactccatccatactggcatcctcaaataa	3546
3547	acagatatgtatacaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	3591

FIG. 3CONT'D

FIG. 4

AMINO ACID SEQUENCE OF hVR1

```
  1  MKKWSSTDLG AAADPLQKDT CPDPLDGDPN SRPPPAKPQL STAKSRTRLF
 51  GKGDSEEAFP VDCPHEEGEL DSCPTITVSP VITIQRPGDG PTGARLLSQD
101  SVAASTEKTL RLYDRRSIFE AVAQNNCQDL ESLLLFLQKS KKHLTDNEFK
151  DPETGKTCLL KAMLNLHDGQ NTTIPLLLEI ARQTDSLKEL VNASYTDSYY
201  KGQTALHIAI ERRNMALVTL LVENGADVQA AAHGDFFKKT KGRPGFYFGE
251  LPLSLAACTN QLGIVKFLLQ NSWQTADISA RDSVGNTVLH ALVEVADNTA
301  DNTKFVTSMY NEILILGAKL HPTLKLEELT NKKGMTPLAL AAGTGKIGVL
351  AYILQREIQE PECRHLSRKF TEWAYGPVHS SLYDLSCIDT CEKNSVLEVI
401  AYSSSETPNR HDMLLVEPLN RLLQDKWDRF VKRIFYFNFL VVYCLYMIIFT
451  MAAYYRPVDG LPPFKMEKIG DYFRVTGEIL TSVLGGVYFF FRGIQYFLQRR
501  PSMKTLFVDS YSEMLFFLQS LFMLATVVLY FSHLKEYVAS MVFSLALGWT
551  NMLYYTRGFQ QMGIYAVMIE KMILRDLCRF MFVYIVFLFG FSTAVVTLIE
601  DGKNDSLPSE STSHRWRGPA CRPPDSSYNS LYSTCLELFK FTIGMGDLEF
651  TENYDFKAVF IIIQLAYVIL TVYLLLGFNM ITLAMGETVNKI AQESKNIWKL
701  QRAITILDTE KSFLKCMRKA FRSGKLLQVG YTPDGKDDYR WCFRVDEVNW
751  TTWNTNVGII NEDPGNCXGV KRTLSFSLRS SRVSGRHWKN FALVPLLREA
801  SARDRQSAQP EEVYLRQFSG SLKPEDAEVF KSPAASGEK*
```

Key

T/S predicted phosphorylation sites

Transmembrane domains

Ankyrin binding domains

FIG. 5

COMPARISON OF THE AMINO ACID SEQUENCE OF THE RAT (VR1) AND HUMAN (hVR1) VANILLOID PROTEINS.

```
                10        20        30        40        50
VR1   MEQRASLDSEESESPPQENSCLDPPDRDPNCKPPPVKPHIFTTRSRTRLF
hVR1  MKKWSSTDLGAAADPLQKDTCPDPLDGDPNSRPPPAKPQLSTAKSRTRLF
               60        70        80        90       100
VR1   GKGDSEEASPLDCPYEEGGLASCPIITVSSVLTIQRPGDGPASVRPSSQD
hVR1  GKGDSEEAFPVDCPHEEGELDSCPTITVSPVITIQRPGDGPTGARLLSQD
              110       120       130       140       150
VR1   SVSAG.EKPPRLYDRRSIFDAVAQSNCQELESLLPFLQRSKKRLTDSEFK
hVR1  SVAASTEKTLRLYDRRSIFEAVAQNNCQDLESLLLFLQKSKKHLTDNEFK
              160       170       180       190       200
VR1   DPETGKTCLLKAMLNLHNGQNDTIALLLDVARKTDSLKQFVNASYTDSYY
hVR1  DPETGKTCLLKAMLNLHDGQNTTIPLLLEIARQTDSLKELVNASYTDSYY
              210       220       230       240       250
VR1   KGQTALHIAIERRNMTLVTLLVENGADVQAAANGDFFKKTKGRPGFYFGE
hVR1  KGQTALHIAIERRNMALVTLLVENGADVQAAAHGDFFKKTKGRPGFYFGE
              260       270       280       290       300
VR1   LPLSLAACTNQLAIVKFLLQNSWQPADISARDSVGNTVLHALVEVADNTV
hVR1  LPLSLAACTNQLGIVKFLLQNSWQTADISARDSVGNTVLHALVEVADNTV
              310       320       330       340       350
VR1   DNTKFVTSMYNEILILGAKLHPTLKLEEITNRKGLTPLALAASSGKIGVL
hVR1  DNTKFVTSMYNEILILGAKLHPTLKLEELTNKKGMTPLALAAGTGKIGVL
              360       370       380       390       400
VR1   AYILQREIHEPECRHLSRKFTEWAYGPVHSSLYDLSCIDTCEKNSVLEVI
hVR1  AYILQREIQEPECRHLSRKFTEWAYGPVHSSLYDLSCIDTCEKNSVLEVI
              410       420       430       440       450
VR1   AYSSSETPNRHDMLLVEPLNRLLQDKWDRFVKRIFYFNFFVYCLYMIIFT
hVR1  AYSSSETPNRHDMLLVEPLNRLLQDKWDRFVKRIFYFNFLVYCLYMIIFT
              460       470       480       490       500
VR1   AAAYYRPVEGLPPYKLKWTVGDYFRVTGEILSVSGGVYFFFRGIQYFLQR
hVR1  MAAYYRPVDGLPPFKMEK.IGDYFRVTGEILSVLGGVYFFFRGIQYFLQR
              510       520       530       540       550
VR1   RPSLKSLFVDSYSEILFFVQSLFMLVSVVLYFSQRKEYVASMVFSLAMGW
hVR1  RPSMKTLFVDSYSEMLFFLQSLFMLATVVLYFSHLKEYVASMVFSLALGW
              560       570       580       590       600
VR1   TNMLYYTRGFQQMGIYAVMIEKMILRDLCRFMFVYLVFLFGFSTAVVTLI
hVR1  TNMLYYTRGFQQMGIYAVMIEKMILRDLCRFMFVYIVFLFGFSTAVVTLI
              610       620       630       640       650
VR1   EDGKNNSLPMESTPHKCRGSACK.PGNSYNSLYSTCLELFKFTIGMGDLE
hVR1  EDGKNDSLPSESTSHRWRGPACRPPDSSYNSLYSTCLELFKFTIGMGDLE
              660       670       680       690       700
VR1   FTENYDFKAVFIILLLAYVILTYILLLNMLIALMGETVNKIAQESKNIWK
hVR1  FTENYDFKAVFIILLLAYVILTYILLLNMLIALMGETVNKIAQESKNIWK
              710       720       730       740       750
VR1   LQRAITILDTEKSFLKCMRKAFRSGKLLQVGFTPDGKDDYRWCFRVDEVN
hVR1  LQRAITILDTEKSFLKCMRKAFRSGKLLQVGYTPDGKDDYRWCFRVDEVN
              760       770       780       790       800
VR1   WTTWNTNVGIINEDPGNCEGVKRTLSFSLRSGRVSGRNWKNFALVPLLRD
hVR1  WTTWNTNVGIINEDPGNCEGVKRTLSFSLRSSRVSGRHWKNFALVPLLRE
              810       820       830
VR1   ASTRDRHATQQEEVQLKHYTGSLKPEDAEVFKDSMVPGEK
hVR1  ASARDRQSAQPEEVYLRQFSGSLKPEDAEVFKSPAASGEK
```

FIG. 6

FULL-LENGTH hRV1 CLONED INTO (A) pBLUESCRIPT SK(+) (hVR1pBSK)
AND (B) pCIN5-NEW (hVR1pCIN5) VIA NotI/EcoRI RESTRICTION SITES.

FIG. 7

SLOT HYBRIDISATION WITH hVR1 PROBE



Well
1A hDRG 1B hDRG
2A rDRG

3A Water

4B EST3 clone
5B 260bp Amplicon from Brain cDNA

FIG. 8

WESTERN BLOT PROBED WITH ANTI-hVR1 ANTIBODIES.
ARROW POINTS TO hVR1 SPECIFIC BAND



FIG. 9

IN SITU LOCALISATION OF VR1 IN RAT DRG TISSUE SECTIONS. ARROW POINTS TO A VR1 EXPRESSING SMALL DIAMETER (<25µn) NEURONE CELL BODY, MAGNIFICATION USED 147x10.



FIG. 10A





FIG. 10B



FIG. 11A



SOLUTIONS
OUTSIDE 140mM Na^+ 2mM Ca^{2+}
INSIDE 140mM Cs^+

FIG. 11B

FIG. 12A





FIG. 12B



FIG. 12C


13A pCIN5-new in HEK293T, 24hr transient expression, stimulated with 3μM capsaicin at time point 52 secs of time course
340/380 5.270s
340/380 21.645s
340/380 37.985s
340/380 54.240s
340/380 70.580s
340/380 86.880s
13B hVR1pCIN5 in HEK293T, 24hr expression, stimulated with 1μM capsaicin at time point 52 seconds
340/380 5.280s
340/380 37.875s
340/380 70.595s
340/380 103.470s
340/380 136.350s
340/380 169.065s
340/380 202.025s
13C hVR1pCIN5 in HEK293T, 24hr transient expression, 20 min pre-incubation with 10 uM capsazepine, stimulated with 1 μM capsaicin at time point 52 seconds of time course
340/380 5.260s
340/380 38.100s
340/380 70.855s
340/380 103.615s
340/380 136.410s
340/380 169.170s
0.000
1250
2500
3750
5000
[nM Ca2+]

FIG. 13

13D hVR1pCIN5 in HEK293T, 24hr transient expression, stimulated with 10uM anandamide at time point 52 seconds



13E hVR1pCIN5 in HEK293T, 24hr transient expression, 20 min pre-incubation in 10uM capsazepine, stimulated with 10uM anandamide at time point 52 sec





FIG. 13CONT'D

13F hVR1pCIN5 in HEK293T cells, 24hr transient expression, stimulated with 1uM Resiniferatoxin at time point 52 seconds



13G hVR1pCIN5 in HEK293T, 24hr transient expression, 20 min pre-incubation with 10 uM capsazepine, stimulated with 1 uM Resiniferatoxin at time point 52 seconds



FIG. 13CONT'D

FIG. 14

EXPOSURE OF TRANSFECTED CELLS TO AGONISTS (ADDITION INDICATED BY ARROW).

14A: pCIN5-NEW IN HEK293T, 24hr TRANSIENT EXPRESSION, STIMULATED WITH 3μM CAPSAICIN



14B: hVR1pCIN5 IN HEK293T, 24hr EXPRESSION, STIMULATED WITH 1μM CAPSAICIN



14C: hVR1pCIN5 IN HEK293T, 24hr TRANSIENT EXPRESSION, 20 MIN PRE-INCUBATION WITH 10μM CAPSAZEPINE, STIMULATION WITH 1μM CAPSIACIN



FIG. 14CONT'D

14D: hVR1pCIN5 IN HEK293T, 24hR TRANSIENT EXPRESSION, STIMULATION WITH 10μM ANANDAMIDE



14E: hVR1pCIN5 IN HEK293T, 24hr TRANSIENT EXPRESSION, 20 MIN PRE-INCUBATION IN 10μM CAPAZEPINE, STIMULATED WITH 10μM ANANDAMIDE



FIG. 14CONT'D

14F: hVR1pCIN5 IN HEK293T CELLS, 24hr TRANSIENT EXPRESSION, STIMULATED WITH 1μM RESINIFERATOXIN



14G: hVR1pCIN5 IN HEK293T, 24hr TRANSIENT EXPRESSION, 20 MIN PRE-INCUBATION WITH 10μM CAPSAZEPINE, STIMULATED WITH 1μM RESINIFERATOXIN




hVR1 ASSAY
PRIMARY SCREEN
hVR1 stable cell line
Add test compounds
Identify agonists
Add capsaicin
Identify antagonists
Primary screen hits
SECONDARY SCREEN
pH6.3
Identify pH antagonists or hVR1 pore blocker
Selectivity screen (hVRL_1/hVR3)
electrophysiology
In vivo

FIG. 15

FIG. 16

ALIGNMENT OF THE HUMAN VR3 *IN SILICO* CLUSTERS WITH RAT VR1



FIG. 17

hVR3 SEQUENCE INCLUDING 5' UTR (nt -686 TO nt 0) CODING REGION (nt1 TO nt 2889), 3'UTR (nt 2890 TO nt 3418)

-684	ttacgcgttaagaaatacccaagcttatgcatcaagcttggtaccgagctcggatccact	-625
-624	agtaccgccggccagtgtgctggaattcaaggtgaggagaggagcatggatcctgggagc	-565
-564	gagtgtgtgcaggccagggagggctttccagaggagcccagttgagctggaacaccagtg	-505
-504	gggaggagttgaccagcaaaggtgcagggagggatcagcactttgcactggggagcagag	-445
-444	tttgtgcactggggaagtcaactcaagtattggagcctcagtttcctgttctgtaaaatg	-385
-384	ggttcatcatgacagtgtttgatgaggaaaaggactgccggcctacacagcaagtccaca	-325
-324	tggattttctgagccctcctgtgcctgaagcccacggttaatggttctgccttagcagg	-265
-264	tgcttaccacgtgccaggcactgcactgcactggccactggactgcatgttctgtccatg	-205
-204	aggcttggatatccccatcttacagatcaggaagctgaggctatgaaatgtcgacttgct	-145
-144	caatgtcatggaatgactaagtgtggagcctggatttgaacttggctctctggggctcca	-85
-84	aagctggctttcttggtcagcagtagggtctgggatccaagtatggggtcccagcttgac	-25
-24	cctgaagtccaccctctttcagctaATGCCCAGGGTAGTTGGACCTGGGGCCAATTTGTG	35
36	TTTCCAGGTTCGTGAAAGAGGCTCCTGTTGCAGTTCCCGCCTGAGGCTGGCGGCCAACCA	95
96	CATCTGGGAGTGGCCTCCCTGTGCCCCTGTCATTACAACGGTGGCTTTGAAGCAGCTGGC	155
156	AGCACTGCTGCTTGTCCACGTGGGAGGGGGCTTCCTGGAGCCCCCGCCCCTGGCCGGGTT	215
216	CTGCCTGACTCCCCTTTCATTCCCTTGCAGGCTGAGCAGTGCAGACGGGCCTGGGGCAGG	275
276	CATGGCGGATTCCAGCGAAGGCCCCCGCGCGGGGCCCGGGGAGGTGGCTGAGCTCCCCGG	335
336	GGATGAGAGTGGCACCCCAGGTGGGGAGGCTTTTCCTCTCTCCTCCCTGGCCAATCTGTT	395

396	TGAGGGGGAGGATGGCTCCCTTTCGCCCTCACCGGCTGATGCCAGTCGCCCTGCTGGCCC	455
456	AGGCGATGGGCGACCAAATCTGCGCATGAAGTTCCAGGGCGCCTTCCGCAAGGGGGTGCC	515
516	CAACCCCATCGATCTGCTGGAGTCCACCCTATATGAGTCCTCGGTGGTGCCTGGGCCCAA	575
576	GAAAGCACCCATGGACTCACTGTTTGACTACGGCACCTATCGTCACCACTCCAGTGACAA	635
636	CAAGAGGTGGAGGAAGAAGATCATAGAGAAGCAGCCGCAGAGCCCCAAAGCCCCTGCCCC	695
696	TCAGCCGCCCCCCATCCTCAAAGTCTTCAACCGGCCTATCCTCTTTGACATCGTGTCCCG	755
756	GGGCTCCACTGCTGACCTGGACGGGCTGCTCCCATTCTTGCTGACCCACAAGAAACGCCT	815
816	AACTGATGAGGAGTTTCGAGAGCCATCTACGGGGAAGACCTGCCTGCCCAAGGCCTTGCT	875
876	GAACCTGAGCAATGGCCGCAACGACACCATCCCTGTGCTGCTGGACATCGCGGAGCGCAC	935
936	CGGCAACATGCGGGAGTTCATTAACTCGCCCTTCCGTGACATCTACTATCGAGGTCAGAC	995
996	AGCCCTGCACATCGCCATTGAGCGTCGCTGCAAACACTACGTGGAACTTCTCGTGGCCCA	1055
1056	GGGAGCTGATGTCCACGCCCAGGCCCGTGGGCGCTTCTTCCAGCCCAAGGATGAGGGGGG	1115
1116	CTACTTCTACTTTGGGGAGCTGCCCCTGTCGCTGGCTGCCTGCACCAACCAGCCCCACAT	1175
1176	TGTCAACTACCTGACGGAGAACCCCCACAAGAAGGCGGACATGCGGCGCCAGGACTCGCG	1235
1236	AGGCAACACAGTGCTGCATGCGCTGGTGGCCATTGCTGACAACACCCGTGAGAACACCAA	1295
1296	GTTTGTTACCAAGATGTACGACCTGCTGCTGCTCAAGTGTGCCCGCCTCTTCCCCGACAG	1355
1356	CAACCTGGAGGCCGTGCTCAACAACGACGGCCTCTCGCCCCTCATGATGGCTGCCAAGAC	1415
1416	GGGCAAGATTGGGATCTTTCAGCACATCATCCGGCGGGAGGTGACGGATGAGGACACACG	1475
1476	GCACCTGTCCCGCAAGTCCAAGGACTGGGCCTATGGGCCAGTGTATTCCTCGCTTTATGA	1535

FIG. 17 CONT'D

1536	CCTCTCCTCCCTGGACACGTGTGGGGAAGAGGCCTCCGTGCTGGAGATCCTGGTGTACAA	1595
1596	CAGCAAGATTGAGAACCGCCACGAGATGCTGGCTGTGGAGCCCATCAATGAACTGCTGCG	1655
1656	GGACAAGTGGCGGAAGTTCGGGGCCGTCTCCTTCTACATCAACGTGGTCTCCTACCTGTG	1715
1716	TGCCATGGTTATCTTCACTCTCACCGCCTACTACCAGCCGCTGGAGGGCACACCGCCGTA	1775
1776	CCCTTACCGCACCACGGTGGACTACCTGCGGCTGGCTGGCGAGGTCATTACGCTCTTCAC	1835
1836	TGGGGTCCTGTTCTTCTTCACCAACATCAAAGACTTGTTCATGAAGAAATGCCCTGGAGT	1895
1896	GAATTCTCTCTTCATTGATGGCTCCTTCCAGCTGCTCTACTTCATCTACTCTGTCCTGGT	1955
1956	GATCGTCTCAGCAGCCCTCTACCTGGCAGGGATCGAGGCCTACCTGGCCATGATGGTCTT	2015
2016	TGCCCTGGTCCTGGGCTGGATGAATGCCCTTTACTTCACCCGTGGGCTGAAGCTGACGGG	2075
2076	GACCTATAGCATCATGATCCAGAAGATTCTCTTCAAGGACCTTTTCCGATTCCTGCTCGT	2135
2136	CTACTTGCTCTTCATGATCGGCTACGCTTCAGCCCTGGTCTCCCTCCTGAACCCGTGTGC	2195
2196	CAACATGAAGGTGTGCAATGAGGACCAGACCAACTGCACAGTGCCCACTTACCCCTCGTG	2255
2256	CCGTGACAGCGAGACCTTCAGCACCTTCCTCCTGGACCTGTTTAAGCTGACCATCGGCAT	2315
2316	GGGCGACCTGGAGATGCTGAGCAGCACCAAGTACCCCGTGGTCTTCATCATCCTGCTGGT	2375
2376	GACCTACATCATCCTCACCTCTGTGCTGCTCCTCAACATGCTCATTGCCCTCATGGGCGA	2435
2436	GACAGTGGGCCAGGTCTCCAAGGAGAGCAAGCACATCTGGAAGCTGCAGTGGGCCACCAC	2495
2496	CATCCTGGACATTGAGCGCTCCTTCCCCGTATTCCTGAGGAAGGCCTTCCGCTCTGGGGA	2555
2556	GATGGTCACCGTGGGCAAGAGCTCGGACGGCACTCCTGACCGCAGGTGGTGCTTCAGGGT	2615
2616	GGATGAGGTGAACTGGTCTCACTGGAACCAGAACTTGGGCATCATCAACGAGGACCCGGG	2675

FIG. 17 CONT'D

```
2676  CAAGAATGAGACCTACCAGTATTATGGCTTCTCGCATACCGTGGGCCGCCTCCGCAGGGA  2735

2736  TCGCTGGTCCTCGGTGGTACCCCGCGTGGTGGAACTGAACAAGAACTCGAACCCGGACGA  2795

2796  GGTGGTGGTGCCTCTGGACAGCATGGGGAACCCCCGCTGCGATGGCCACCAGCAGGGTTA  2855

2856  CCCCCGCAAGTGGAGGACTGATGACGCCCCGCTCtagggactgcagcccagccccagctt  2915

2916  ctctgcccactcatttctagtccagccgcatttcagcagtgccttctggggtgtcccccc  2975

2976  acaccctgctttggccccagaggcgagggaccagtggaggtgccagggaggccccaggac  3035

3036  cctgtggtcccctggctctgcctccccaccctggggtgggggctcccggccacctgtctt  3095

3096  gctcctatggagtcacataagccaacgccagagcccctccacctcaggccccagccctg  3155

3156  cctctccattatttatttgctctgctctcaggaagcgacgtgacccctgccccagctgga  3215

3216  acctggcagaggccttaggaccccgttccaagtgcactgcccggccaagccccagcctca  3275

3276  gcctgcgcctgagctgcatgcgccaccatttttggcagcgtggcagctttgcaaggggct  3335

3336  ggggccctcggcgtggggccatgccttctgtgtgttctgtagtgtctgggatttgccggt  3395

3396  gctcaataaatgtttattcattgaaaaaaaaaaaaaaa  3433
```

FIG. 17 CONT'D

FIG. 18

NUCLEOTIDE AND AMINO ACID SEQUENCE OF hVR3 INCLUDING THE 5'UTR (nt -684 TO nt 0), CODING REGION (nt1 TO 2889) AND 3'UTR (nt 2890 TO nt 3418)

```
-684  ttacgcgttaagaaatacccaagcttatgcatcaagcttggtaccgagctcggatccact   -625

-624  agtaccgccggccagtgtgctggaattcaaggtgaggagaggagcatggatcctgggagc   -565

-564  gagtgtgtgcaggccagggagggctttccagaggagcccagttgagctggaacaccagtg   -505

-504  gggaggagttgaccagcaaaggtgcagggagggatcagcactttgcactggggagcagag   -445

-444  tttgtgcactggggaagtcaactcaagtattggagcctcagtttcctgttctgtaaaatg   -385

-384  ggttcatcatgacagtgtttgatgaggaaaaggactgccggcctacacagcaagtccaca   -325

-324  tggattttctgagccctcctgtgcctgaagcccacggttaatggttctgccttagcagg   -265

-264  tgcttaccacgtgccaggcactgcactgcactggccactggactgcatgttctgtccatg   -205

-204  aggcttggatatccccatcttacagatcaggaagctgaggctatgaaatgtcgacttgct   -145

-144  caatgtcatggaatgactaagtgtggagcctggatttgaacttggctctctggggctcca   -85

 -84  aagctggctttcttggtcagcagtagggtctgggatccaagtatggggtcccagcttgac   -25

 -24  cctgaagtccaccctctttcagctaATGCCCAGGGTAGTTGGACCTGGGGCCAATTTGTG    35
   1                          M  P  R  V  V  G  P  G  A  N  L  C     12

  36  TTTCCAGGTTCGTGAAAGAGGCTCCTGTTGCAGTTCCCGCCTGAGGCTGGCGGCCAACCA    95
  13   F  Q  V  R  E  R  G  S  C  C  S  S  R  L  R  L  A  A  N  H    32

  96  CATCTGGGAGTGGCCTCCCTGTGCCCCTGTCATTACAACGGTGGCTTTGAAGCAGCTGGC   155
  33   I  W  E  W  P  P  C  A  P  V  I  T  T  V  A  L  K  Q  L  A    52

 156  AGCACTGCTGCTTGTCCACGTGGGAGGGGGCTTCCTGGAGCCCCCGCCCCTGGCCGGGTT   215
  53   A  L  L  L  V  H  V  G  G  G  F  L  E  P  P  P  L  A  G  F    72

 216  CTGCCTGACTCCCCTTTCATTCCCTTGCAGGCTGAGCAGTGCAGACGGGCCTGGGGCAGG   275
  73   C  L  T  P  L  S  F  P  C  R  L  S  S  A  D  G  P  G  A  G    92

 276  CATGGCGGATTCCAGCGAAGGCCCCCGCGCGGGGCCCGGGGAGGTGGCTGAGCTCCCCGG   335
  93   M  A  D  S  S  E  G  P  R  A  G  P  G  E  V  A  E  L  P  G   112

 336  GGATGAGAGTGGCACCCCAGGTGGGGAGGCTTTTCCTCTCTCCTCCCTGGCCAATCTGTT   395
 113   D  E  S  G  T  P  G  G  E  A  F  P  L  S  S  L  A  N  L  F   132

 396  TGAGGGGGAGGATGGCTCCCTTTCGCCCTCACCGGCTGATGCCAGTCGCCCTGCTGGCCC   455
 133   E  G  E  D  G  S  L  S  P  S  P  A  D  A  S  R  P  A  G  P   152

 456  AGGCGATGGGCGACCAAATCTGCGCATGAAGTTCCAGGGCGCCTTCCGCAAGGGGGTGCC   515
 153   G  D  G  R  P  N  L  R  M  K  F  Q  G  A  F  R  K  G  V  P   172

 516  CAACCCCATCGATCTGCTGGAGTCCACCCTATATGAGTCCTCGGTGGTGCCTGGGCCCAA   575
 173   N  P  I  D  L  L  E  S  T  L  Y  E  S  S  V  V  P  G  P  K   192
```

```
576  GAAAGCACCCATGGACTCACTGTTTGACTACGGCACCTATCGTCACCACTCCAGTGACAA  635
193   K  A  P  M  D  S  L  F  D  Y  G  T  Y  R  H  H  S  S  D  N   212

636  CAAGAGGTGGAGGAAGAAGATCATAGAGAAGCAGCCGCAGAGCCCCAAAGCCCCTGCCCC  695
213   K  R  W  R  K  K  I  I  E  K  Q  P  Q  S  P  K  A  P  A  P   232

696  TCAGCCGCCCCCCATCCTCAAAGTCTTCAACCGGCCTATCCTCTTTGACATCGTGTCCCG  755
233   Q  P  P  P  I  L  K  V  F  N  R  P  I  L  F  D  I  V  S  R   252

756  GGGCTCCACTGCTGACCTGGACGGGCTGCTCCCATTCTTGCTGACCCACAAGAAACGCCT  815
253   G  S  T  A  D  L  D  G  L  L  P  F  L  L  T  H  K  K  R  L   272

816  AACTGATGAGGAGTTTCGAGAGCCATCTACGGGGAAGACCTGCCTGCCCAAGGCCTTGCT  875
273   T  D  E  E  F  R  E  P  S  T  G  K  T  C  L  P  K  A  L  L   292

876  GAACCTGAGCAATGGCCGCAACGACACCATCCCTGTGCTGCTGGACATCGCGGAGCGCAC  935
293   N  L  S  N  G  R  N  D  T  I  P  V  L  L  D  I  A  E  R  T   312

936  CGGCAACATGCGGGAGTTCATTAACTCGCCCTTCCGTGACATCTACTATCGAGGTCAGAC  995
313   G  N  M  R  E  F  I  N  S  P  F  R  D  I  Y  Y  R  G  Q  T   332

996  AGCCCTGCACATCGCCATTGAGCGTCGCTGCAAACACTACGTGGAACTTCTCGTGGCCCA  1055
333   A  L  H  I  A  I  E  R  R  C  K  H  Y  V  E  L  L  V  A  Q   352

1056 GGGAGCTGATGTCCACGCCCAGGCCCGTGGGCGCTTCTTCCAGCCCAAGGATGAGGGGGG  1115
353   G  A  D  V  H  A  Q  A  R  G  R  F  F  Q  P  K  D  E  G  G   372

1116 CTACTTCTACTTTGGGGAGCTGCCCCTGTCGCTGGCTGCCTGCACCAACCAGCCCCACAT  1175
373   Y  F  Y  F  G  E  L  P  L  S  L  A  A  C  T  N  Q  P  H  I   392

1176 TGTCAACTACCTGACGGAGAACCCCCACAAGAAGGCGGACATGCGGCGCCAGGACTCGCG  1235
393   V  N  Y  L  T  E  N  P  H  K  K  A  D  M  R  R  Q  D  S  R   412

1236 AGGCAACACAGTGCTGCATGCGCTGGTGGCCATTGCTGACAACACCCGTGAGAACACCAA  1295
413   G  N  T  V  L  H  A  L  V  A  I  A  D  N  T  R  E  N  T  K   432

1296 GTTTGTTACCAAGATGTACGACCTGCTGCTGCTCAAGTGTGCCCGCCTCTTCCCCGACAG  1355
433   F  V  T  K  M  Y  D  L  L  L  L  K  C  A  R  L  F  P  D  S   452

1356 CAACCTGGAGGCCGTGCTCAACAACGACGGCCTCTCGCCCCTCATGATGGCTGCCAAGAC  1415
453   N  L  E  A  V  L  N  N  D  G  L  S  P  L  M  M  A  A  K  T   472

1416 GGGCAAGATTGGGATCTTTCAGCACATCATCCGGCGGGAGGTGACGGATGAGGACACACG  1475
473   G  K  I  G  I  F  Q  H  I  I  R  R  E  V  T  D  E  D  T  R   492

1476 GCACCTGTCCCGCAAGTCCAAGGACTGGGCCTATGGGCCAGTGTATTCCTCGCTTTATGA  1535
493   H  L  S  R  K  S  K  D  W  A  Y  G  P  V  Y  S  S  L  Y  D   512

1536 CCTCTCCTCCCTGGACACGTGTGGGGAAGAGGCCTCCGTGCTGGAGATCCTGGTGTACAA  1595
513   L  S  S  L  D  T  C  G  E  E  A  S  V  L  E  I  L  V  Y  N   532

1596 CAGCAAGATTGAGAACCGCCACGAGATGCTGGCTGTGGAGCCCATCAATGAACTGCTGCG  1655
533   S  K  I  E  N  R  H  E  M  L  A  V  E  P  I  N  E  L  L  R   552

1656 GGACAAGTGGCGGAAGTTCGGGGCCGTCTCCTTCTACATCAACGTGGTCTCCTACCTGTG  1715
553   D  K  W  R  K  F  G  A  V  S  F  Y  I  N  V  V  S  Y  L  C   572
```

FIG. 18CONT'D

```
1716  TGCCATGGTTATCTTCACTCTCACCGCCTACTACCAGCCGCTGGAGGGCACACCGCCGTA  1775
 573   A  M  V  I  F  T  L  T  A  Y  Y  Q  P  L  E  G  T  P  P  Y   592

1776  CCCTTACCGCACCACGGTGGACTACCTGCGGCTGGCTGGCGAGGTCATTACGCTCTTCAC  1835
 593   P  Y  R  T  T  V  D  Y  L  R  L  A  G  E  V  I  T  L  F  T   612

1836  TGGGGTCCTGTTCTTCTTCACCAACATCAAAGACTTGTTCATGAAGAAATGCCCTGGAGT  1895
 613   G  V  L  F  F  F  T  N  I  K  D  L  F  M  K  K  C  P  G  V   632

1896  GAATTCTCTCTTCATTGATGGCTCCTTCCAGCTGCTCTACTTCATCTACTCTGTCCTGGT  1955
 633   N  S  L  F  I  D  G  S  F  Q  L  L  Y  F  I  Y  S  V  L  V   652

1956  GATCGTCTCAGCAGCCCTCTACCTGGCAGGGATCGAGGCCTACCTGGCCATGATGGTCTT  2015
 653   I  V  S  A  A  L  Y  L  A  G  I  E  A  Y  L  A  M  M  V  F   672

2016  TGCCCTGGTCCTGGGCTGGATGAATGCCCTTTACTTCACCCGTGGGCTGAAGCTGACGGG  2075
 673   A  L  V  L  G  W  M  N  A  L  Y  F  T  R  G  L  K  L  T  G   692

2076  GACCTATAGCATCATGATCCAGAAGATTCTCTTCAAGGACCTTTTCCGATTCCTGCTCGT  2135
 693   T  Y  S  I  M  I  Q  K  I  L  F  K  D  L  F  R  F  L  L  V   712

2136  CTACTTGCTCTTCATGATCGGCTACGCTTCAGCCCTGGTCTCCCTCCTGAACCCGTGTGC  2195
 713   Y  L  L  F  M  I  G  Y  A  S  A  L  V  S  L  L  N  P  C  A   732

2196  CAACATGAAGGTGTGCAATGAGGACCAGACCAACTGCACAGTGCCCACTTACCCCTCGTG  2255
 733   N  M  K  V  C  N  E  D  Q  T  N  C  T  V  P  T  Y  P  S  C   752

2256  CCGTGACAGCGAGACCTTCAGCACCTTCCTCCTGGACCTGTTTAAGCTGACCATCGGCAT  2315
 753   R  D  S  E  T  F  S  T  F  L  L  D  L  F  K  L  T  I  G  M   772

2316  GGGCGACCTGGAGATGCTGAGCAGCACCAAGTACCCCGTGGTCTTCATCATCCTGCTGGT  2375
 773   G  D  L  E  M  L  S  S  T  K  Y  P  V  V  F  I  I  L  L  V   792

2376  GACCTACATCATCCTCACCTCTGTGCTGCTCCTCAACATGCTCATTGCCCTCATGGGCGA  2435
 793   T  Y  I  I  L  T  S  V  L  L  L  N  M  L  I  A  L  M  G  E   812

2436  GACAGTGGGCCAGGTCTCCAAGGAGAGCAAGCACATCTGGAAGCTGCAGTGGGCCACCAC  2495
 813   T  V  G  Q  V  S  K  E  S  K  H  I  W  K  L  Q  W  A  T  T   832

2496  CATCCTGGACATTGAGCGCTCCTTCCCCGTATTCCTGAGGAAGGCCTTCCGCTCTGGGGA  2555
 833   I  L  D  I  E  R  S  F  P  V  F  L  R  K  A  F  R  S  G  E   852

2556  GATGGTCACCGTGGGCAAGAGCTCGGACGGCACTCCTGACCGCAGGTGGTGCTTCAGGGT  2615
 853   M  V  T  V  G  K  S  S  D  G  T  P  D  R  R  W  C  F  R  V   872

2616  GGATGAGGTGAACTGGTCTCACTGGAACCAGAACTTGGGCATCATCAACGAGGACCCGGG  2675
 873   D  E  V  N  W  S  H  W  N  Q  N  L  G  I  I  N  E  D  P  G   892

2676  CAAGAATGAGACCTACCAGTATTATGGCTTCTCGCATACCGTGGGCCGCCTCCGCAGGGA  2735
 893   K  N  E  T  Y  Q  Y  Y  G  F  S  H  T  V  G  R  L  R  R  D   912

2736  TCGCTGGTCCTCGGTGGTACCCCGCGTGGTGGAACTGAACAAGAACTCGAACCCGGACGA  2795
 913   R  W  S  S  V  V  P  R  V  V  E  L  N  K  N  S  N  P  D  E   932

2796  GGTGGTGGTGCCTCTGGACAGCATGGGGAACCCCCGCTGCGATGGCCACCAGCAGGGTTA  2855
 933   V  V  V  P  L  D  S  M  G  N  P  R  C  D  G  H  Q  Q  G  Y   952
```

FIG. 18CONT'D

```
2856  CCCCCGCAAGTGGAGGACTGATGACGCCCCGCTCtagggactgcagcccagccccagctt  2915
 953   P  R  K  W  R  T  D  D  A  P  L                              963

2916  ctctgcccactcatttctagtccagccgcatttcagcagtgccttctggggtgtccccc   2975

2976  acaccctgctttggccccagaggcgagggaccagtggaggtgccagggaggccccaggac  3035

3036  cctgtggtcccctggctctgcctccccaccctggggtgggggctcccggccacctgtctt  3095

3096  gctcctatggagtcacataagccaacgccagagcccctccacctcaggccccagcccctg  3155

3156  cctctccattatttatttgctctgctctcaggaagcgacgtgacccctgccccagctgga  3215

3216  acctggcagaggccttaggaccccgttccaagtgcactgcccggccaagccccagcctca  3275

3276  gcctgcgcctgagctgcatgcgccaccatttttggcagcgtggcagctttgcaaggggct  3335

3336  ggggccctcggcgtggggccatgccttctgtgtgttctgtagtgtctgggatttgccggt  3395

3396  gctcaataaatgtttattcattgaaaaaaaaaaaaaaa  3433
```

FIG. 18CONT'D

FIG. 19

AMINO ACID SEQUENCE OF hVR3

```
  1  MPRVVGPGAN LCFQVRERGS CCSSRLRLAA NHIWEWPPCA PVITTVALKQ
 51  LAALLLVHVG GGFLEPPPLA GFCLTPLSFP CRLSSADGPG AGMADSSEGP
101  RAGPGEVAEL PGDESGTPGG EAFPLSSLAN LFEGEDGSLS PSPADASRPA
151  GPGDGRPNLR MKFQGAFRKG VPNPIDLLES TLYESSVVPG PKKAPMDSLF
201  DYGTYRHHSS DNKRWRKKII EKQPQSPKAP APQPPPILKV FNRPILFDIV
251  SRGSTADLDG LLPFLLTHKK RLTDEEFREP STGKTCLPKA LLNLSNGRND
301  TIPVLLDIAE RTGNMREFIN SPFRDIYYRG QTALHIAIER RCKHYVELLV
351  AQGADVHAQA RGRFFQPKDE GGYFYFGELP LSLAACTNQP HIVNYLTENP
401  HKKADMRRQD SRGNTVLHAL VAIADNTREN TKFVTKMYDL LLLKCARLFP
451  DSNLEAVLNN DGLSPLMMAA KTGKIGIFQH IIRREVTDED TRHLSRKSKD
501  WAYGPVYSSL YDLSSLDTCG EEASVLEILV YNSKIENRHE MLAVEPINEL
551  LRDKWRKFGA VSEYINVVSY ICAMVIFTIT AYYQPLEGTP PYPYRTTVDY
601  LRLAGEVITL ETGVIETETN IKDLFMKKCP GVNSLFIDGS EQHTVETYSV
651  LVIEVSAALYL AGIEAYLAMM VFALVLGWMN ALYETRGLKL TGTYSIMIQK
701  ILFKDIFRFL IVVILEMIGY ASALVSLLNP CANMKVCNED QTNCTVPTYP
751  SCRDSETFST FLLDLFKLTI GMGDLEMLSS TKYPVVFIIL LVTYIILTSV
801  LLLNMLIAIM GETVGQVSKE SKHIWKLQWA TTILDIERSF PVFLRKAFRS
851  GEMVTVGKSS DGTPDRRWCF RVDEVNWSHW NQNLGIINED PGKNETYQYY
901  GFSHTVGRLR RDRWSSVVPR VVELNKNSNP DEVVVPLDSM GNPRCDGHQQ
951  GYPRKWRTDD APL
```

Key

Transmembrane domains

Ankyrin binding domains

FIG. 20

FULL-LENGTH hVR3 CLONED INTO (A) pBLUESCRIPT SK(+) (hVR3pBSK) AND (B) pCDNA3.1(+) (hVR1pCDNA3.1) VIA NotI/XhoI RESTRICTION SITES.



FIG. 21

A MULTIPLE COMPARISON OF THE AMINO ACID SEQUENCES OF THE RAT VR1 AND THE HUMAN VANILLOID RECEPTORS, hVR1, hVRL-1 AND hRV3

```
                10        20        30        40        50
VR1     ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR1    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVRL-1  ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR3    MPRVVGPGANLCFQVRERGSCCSSRLRLAANHIWEWPPCAPVITTVALKQ

                60        70        80        90        100
VR1     ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR1    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVRL-1  ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR3    LAALLLVHVGGGFLEPPPLAGFCLTPLSFPCRLSSADGPGAGMADSSEGP

                110       120       130       140       150
VR1     ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~MEQRASLDSEESESPPQENSCL
hVR1    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~MKKWSSTDLGAAADPLQKDTCP
hVRL-1  ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR3    RAGPGEVAELPGDESGTPGGEAFPLSSLANLFEGEDGSLSPSPADASRPA

                160       170       180       190       200
VR1     DPPDRDPNCKPPPVKPHIFTTRSRTRLFG....KGDSEEASPLDCPYEEG
hVR1    DPLDGDPNSRPPPAKPQLSTAKSRTRLFG....KGDSEEAFPVDCPHEEG
hVRL-1  ~~~~~~~~~~~~~~~~~~~MTSPSSSPVFRLETLDGGQEDGSEADRGKLDF
hVR3    GPGDGRPNLRMKFQGAFRKGVPNP.....IDLLESTLYESSVVPGPKKAP

                210       220       230       240       250
VR1     GLASCPIITVSSVLTIQRPGDGPASVRPSSQDSVSAG.EKP.PRLYDRRS
hVR1    ELDSCPTITVSPVITIQRPGDGPTGARLLSQDSVAASTEKT.LRLYDRRS
hVRL-1  GSGLPPM..ESQFQGEDRKFAPQIRVNLNYRKGTGASQPDP.NR.FDRDR
hVR3    MDSLFDYGTYRHHSSDNKRWRKKIIEKQPQSPKAPAPQPPPILKVFNRPI

                260       270       280       290       300
VR1     IFDAVAQSNCQELESLLPFLQRSKKRLTDSEFKDPETGKTCLLKAMLNLH
hVR1    IFEAVAQNNCQDLESLLLFLQKSKKHLTDNEFKDPETGKTCLLKAMLNLH
hVRL-1  LENAVSRGVPEDLAGLPEYLSKTSKYLTDSEYTEGSTGKTCLMKAVLNLK
hVR3    LFDIVSRGSTADLDGLLPFLLTHKKRLTDEEFREPSTGKTCLPKALLNLS

                310       320       330       340       350
VR1     NGQNDTIALLLDVARKTDSLKQFVNASYTDSYYKGQTALHIAIERRNMTL
hVR1    DGQNTTIPLLLEIARQTDSLKELVNASYTDSYYKGQTALHIAIERRNMAL
hVRL-1  DGVNACILPLLQIDRDSGNPQPLVNAQCTDDYYRGHSALHIAIEKRSLQC
hVR3    NGRNDTIPVLLDIAERTGNMREFINSPFRDIYYRGQTALHIAIERRCKHY

                360       370       380       390       400
VR1     VTLLVENGADVQAAANGDFFKKTKGRPGFYFGELPLSLAACTNQLAIVKF
hVR1    VTLLVENGADVQAAAHGDFFKKTKGRPGFYFGELPLSLAACTNQLGIVKF
hVRL-1  VKLLVENGANVHARACGRFFQKGQG.TCFYFGELPLSLAACTKQWDVVSY
hVR3    VELLVAQGADVHAQARGRFFQPKDEGGYFYFGELPLSLAACTNQPHIVNY

                410       420       430       440       450
VR1     LLQNSWQPADISARDSVGNTVLHALVEVADNTVDNTKFVTSMYNEILILG
hVR1    LLQNSWQTADISARDSVGNTVLHALVEVADNTADNTKFVTSMYNEILILG
hVRL-1  LLENPHQPASLQATDSQGNTVLHALVMISDNSAENIALVTSMYDGLLQAG
hVR3    LTENPHKKADMRRQDSRGNTVLHALVAIADNTRENTKFVTKMYDLLLLKC

                460       470       480       490       500
VR1     AKLHPTLKLEEITNRKGLTPLALAASSGKIGVLAYILQREIHEPECRHLS
hVR1    AKLHPTLKLEELTNKKGMTPLALAAGTGKIGVLAYILQREIQEPECRHLS
hVRL-1  ARLCPTVQLEDIRNLQDLTPLKLAAKEGKIEIFRHILQREFS..GLSHES
hVR3    ARLFPDSNLEAVLNNDGLSPLMMAAKTGKIGIFQHIIRREVTDEDTRHLS
```

```
                        510       520       530       540       550
VR1        RKFTEWAYGPVHSSLYDLSCIDTC.EKNSVLEVIAYSSSETPNRHDMLLV
hVR1       RKFTEWAYGPVHSSLYDLSCIDTC.EKNSVLEVIAYSSSETPNRHDMLLV
hVRL-1     RKFTEWCYGPVRVSLYDLASVDSC.EENSVLEIIAF.HCKSPHRHRMVVL
hVR3       RKSKDWAYGPVYSSLYDLSSLDTCGEEASVLEILVY.WSKIENRHEMLAV

                        560       570       580       590       600
VR1        EPLNRLLQDKWDRFVKRIFYFNFFVYCLYMIIFTAAAYYRPV..EGLPPY
hVR1       EPLNRLLQDKWDRFVKRIFYFNFLVYCLYMIIFTMAAYYRPV..DGLPPF
hVRL-1     EPLNKLLQAKWDLLIPK.FFLNFLCNLIYMFIFTAVAYHQPTLKKQAAPH
hVR3       EPINELLRDKWRKFGAVSFYINVVSYLCAMVIFTLTAYYQPL..EGTPPY

                        610       620       630       640       650
VR1        KLKNTVGDYFRVTGEILSVSGGVYFFFRGIQ.YFLQRRPSLKSLFVDSYS
hVR1       KMEN.IGDYFRVTGEILSVLGGVYFFFRGIQ.YFLQRRPSMKTLFVDSYS
hVRL-1     .LNAEVGNSMLLTGHILILLGGIYLLVGQLW.YFWRRHVFIWISFIDSYF
hVR3       PYRTTV.DYLRLAGEVITLFTGVLFFFTNIKDLFMKKCPGVNSLFIDGSF

                        660       670       680       690       700
VR1        EILFFVQSLFMLVSVVLYFSQRKEYVASMVFSLAMGWTNMLYYTRGFQQM
hVR1       EMLFFLQSLFMLATVVLYFSHLKEYVASMVFSLALGWTNMLYYTRGFQQM
hVRL-1     EILFLFQALLTVVSQVLCFLAIEWYLPLLVSALVLGWLNLLYYTRGFQHT
hVR3       QLLYFIYSVLVIVSAALYLAGIEAYLAMMVFALVLGWMNALYFTRGLKLT

                        710       720       730       740       750
VR1        GIYAVMIEKMILRDLCRFMFVYLVFLFGFSTAVVTLIEDGKNNSLP....
hVR1       GIYAVMIEKMILRDLCRFMFVYIVFLFGFSTAVVTLIEDGKNDSLP....
hVRL-1     GIYSVMIQKVILRDLLRFLLIYLVFLFGFAVALVSLSQEAWRPEAPTGPN
hVR3       GTYSIMIQKILFKDLFRFLLVYLLFMIGYASALVSLLNPCANMKVCNEDQ

                        760       770       780       790       800
VR1        MESTPHKCRGSACK.PGNSYNSLYSTCLELFKFTIGMGDLEFTENYDFKA
hVR1       SESTSHRWRGPACRPPDSSYNSLYSTCLELFKFTIGMGDLEFTENYDFKA
hVRL-1     ATESVQPMEGQEDEGNGAQYRGILEASLELFKFTIGMGELAFQEQLHFRG
hVR3       TNCTVPTY..PSCR.DSETFSTFL...LDLFKLTIGMGDLEMLSSTKYPV

                        810       820       830       840       850
VR1        VFIILLLAYVILTYILLLNMLIALMGETVNKIAQESKNIWKLQRAITILD
hVR1       VFIILLLAYVILTYILLLNMLIALMGETVNKIAQESKNIWKLQRAITILD
hVRL-1     MVLLLLLAYVLLTYILLLNMLIALMSETVNSVATDSWSIWKLQKAISVLE
hVR3       VFIILLVTYIILTSVLLLNMLIALMGETVGQVSKESKHIWKLQWATTILD

                        860       870       880       890       900
VR1        TEKSFLKCMRKAFRSGKLLQVGFTPDGKDDYRWCFRVDEVNWTTWNTNVG
hVR1       TEKSFLKCMRKAFRSGKLLQVGYTPDGKDDYRWCFRVDEVNWTTWNTNVG
hVRL-1     MENGYWWC.RKKQRAGVMLTVGTKPDGSPDERWCFRVEEVNWASWEQTLP
hVR3       IERSFPVFLRKAFRSGEMVTVGKSSDGTPDRRWCFRVDEVNWSHWNQNLG

                        910       920       930       940       950
VR1        IINEDPGNCE.....GVKRTLSFSLRSG.........RVSGRNWKNFALV
hVR1       IINEDPGNCE.....GVKRTLSFSLRSS.........RVSGRHWKNFALV
hVRL-1     TLCEDPSGA......GVPRTLENPVLAS.....PPKEDEDGASEENYVPV
hVR3       IINEDPGKWETYQYYGFSHTVGRLRRDRWSSVVPRVVELNKNSNPDEVVV

                        960       970       980       990
VR1        PLLRDASTRDRHATQQEEVQLKHYTGSLKPEDAEVFKDSMVPGEN
hVR1       PLLREASARDRQSAQPEEVYLRQFSGSLKPEDAEVFKSPAASGEN
hVRL-1     QLLQSN~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
hVR3       PLDSMGNPRCDGHQQGYPRKWRTDDAPL~~~~~~~~~~~~~~~~~
```

FIG. 21 CONT'D

FIG. 22A

HYBRIDISATION OF A NORTHERN BLOT WITH hVR3



LANE 1: BONE MARROW
LANE 2: ADRENAL GLAND
LANE 3: TRACHEA
LANE 4: LYMPH NODE
LANE 5: SPINAL CORD
LANE 6: THYROID
LANE 7: STOMACH

FIG. 22B

HYBRIDISATION OF NORTHERN BLOT WITH hVR3 PROBE



LANE 1: PERIPHERAL BLOOD LEUKOCYTE
LANE 2: COLON
LANE 3: SMALL INTESTINE
LANE 4: UTERUS
LANE 5: TESTIS
LANE 6: PROSTATE
LANE 7: THYROID
LANE 8: SPLEEN

FIG. 22C

HYBRIDISATION OF A MULTI-TISSUE NORTHERN BLOT WITH THE hVR3 PROBE



LANE 1: HEART
LANE 2: BRAIN
LANE 3: PLACENTA
LANE 4: LUNG
LANE 5: LIVER
LANE 6: SKELETAL MUSCLE
LANE 7: KIDNEY
LANE 8: PANCREAS

SEQUENCE LISTING

<110> Glaxo Group Ltd
Tate, Simon N
Delany, Natalie S
Sanseau, P

<120> Novel Receptors

<130> PG3606

<140>
<141>

<150> GB 9826359.3
<151> 1998-12-01

<160> 40

<170> PatentIn Ver. 2.1

<210> 1
<211> 4365
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (775)..(3294)

<400> 1
ccccccagcca cacacacaca cgcacacaca tacacacaca cacacaggct taaccattca 60

aaggccagaa gcttgacaga tgttgattca taaaaatgca aaagccaaaa tccaaaatct 120

tgtataagct cagtggctgt ggcagcgagg ttgaagagca aaggcaggcc gggcacctgg 180

ctgatgatgt gtggacccgt tgcacagcag ggcccgcagt gcggtgtggg tgtgggtggg 240

ccagtctctg ccgctcaccc tattccaggg acacagtctg cttggctctt ctggactgag 300

ccatcctcat caccgagatc ctccctgaat tcagcccacg acagccaccc cggccgtttt 360

ccttgttctg tgtgggaagg gaggcagcgc ggtggttatc aacctcaccc tgcagaggag 420

gcacctgagg cccagagacg aggagggatg ggtctaaccc agaaccacag atggctctga 480

gccgggggcc tgtccaccct cccaggccga cgtcagtggc cgcaggactg cctgggccct 540

gctaggcctg ctcacctctg aggcctctgg ggtgagaggt tcagtcctgg aaacacttca 600

gttctagggg gctgggggca gcagcaagtt ggagttttgg ggtaccctgc ttcacagggc 660

ccttggcaag gagggcaggt ggggtctaag gacaagcagt ccttactttg ggagtcaacc 720

ccggcgtggt ggctgctgca ggttgcacac tgggccacag aggatccagc aagg atg 777
Met
1

aag aaa tgg agc agc aca gac ttg ggg gca gct gcg gac cca ctc caa 825
Lys Lys Trp Ser Ser Thr Asp Leu Gly Ala Ala Ala Asp Pro Leu Gln
5 10 15

aag gac acc tgc cca gac ccc ctg gat gga gac cct aac tcc agg cca 873
Lys Asp Thr Cys Pro Asp Pro Leu Asp Gly Asp Pro Asn Ser Arg Pro
20 25 30

cct cca gcc aag ccc cag ctc tcc acg gcc aag agc cgc acc cgg ctc 921
Pro Pro Ala Lys Pro Gln Leu Ser Thr Ala Lys Ser Arg Thr Arg Leu
35 40 45

ttt ggg aag ggt gac tcg gag gag gct ttc ccg gtg gat tgc cct cac 969
Phe Gly Lys Gly Asp Ser Glu Glu Ala Phe Pro Val Asp Cys Pro His
50 55 60 65

```
gag gaa ggt gag ctg gac tcc tgc ccg acc atc aca gtc agc cct gtt   1017
Glu Glu Gly Glu Leu Asp Ser Cys Pro Thr Ile Thr Val Ser Pro Val
                70                  75                  80

atc acc atc cag agg cca gga gac ggc ccc acc ggt gcc agg ctg ctg   1065
Ile Thr Ile Gln Arg Pro Gly Asp Gly Pro Thr Gly Ala Arg Leu Leu
            85                  90                  95

tcc cag gac tct gtc gcc gcc agc acc gag aag acc ctc agg ctc tat   1113
Ser Gln Asp Ser Val Ala Ala Ser Thr Glu Lys Thr Leu Arg Leu Tyr
        100                 105                 110

gat cgc agg agt atc ttt gaa gcc gtt gct cag aat aac tgc cag gat   1161
Asp Arg Arg Ser Ile Phe Glu Ala Val Ala Gln Asn Asn Cys Gln Asp
    115                 120                 125

ctg gag agc ctg ctg ctc ttc ctg cag aag agc aag aag cac ctc aca   1209
Leu Glu Ser Leu Leu Leu Phe Leu Gln Lys Ser Lys Lys His Leu Thr
130                 135                 140                 145

gac aac gag ttc aaa gac cct gag aca ggg aag acc tgt ctg ctg aaa   1257
Asp Asn Glu Phe Lys Asp Pro Glu Thr Gly Lys Thr Cys Leu Leu Lys
                150                 155                 160

gcc atg ctc aac ctg cac gac gga cag aac acc acc atc ccc ctg ctc   1305
Ala Met Leu Asn Leu His Asp Gly Gln Asn Thr Thr Ile Pro Leu Leu
            165                 170                 175

ctg gag atc gcg cgg caa acg gac agc ctg aag gag ctt gtc aac gcc   1353
Leu Glu Ile Ala Arg Gln Thr Asp Ser Leu Lys Glu Leu Val Asn Ala
        180                 185                 190

agc tac acg gac agc tac tac aag ggc cag aca gca ctg cac atc gcc   1401
Ser Tyr Thr Asp Ser Tyr Tyr Lys Gly Gln Thr Ala Leu His Ile Ala
    195                 200                 205
```

atc gag aga cgc aac atg gcc ctg gtg acc ctc ctg gtg gag aac gga 1449
Ile Glu Arg Arg Asn Met Ala Leu Val Thr Leu Leu Val Glu Asn Gly
210 215 220 225

gca gac gtc cag gct gcg gcc cat ggg gac ttc ttt aag aaa acc aaa 1497
Ala Asp Val Gln Ala Ala Ala His Gly Asp Phe Phe Lys Lys Thr Lys
230 235 240

ggg cgg cct gga ttc tac ttc ggt gaa ctg ccc ctg tcc ctg gcc gcg 1545
Gly Arg Pro Gly Phe Tyr Phe Gly Glu Leu Pro Leu Ser Leu Ala Ala
245 250 255

tgc acc aac cag ctg ggc atc gtg aag ttc ctg ctg cag aac tcc tgg 1593
Cys Thr Asn Gln Leu Gly Ile Val Lys Phe Leu Leu Gln Asn Ser Trp
260 265 270

cag acg gcc gac atc agc gcc agg gac tcg gtg ggc aac acg gtg ctg 1641
Gln Thr Ala Asp Ile Ser Ala Arg Asp Ser Val Gly Asn Thr Val Leu
275 280 285

cac gcc ctg gtg gag gtg gcc gac aac acg gcc gac aac acg aag ttt 1689
His Ala Leu Val Glu Val Ala Asp Asn Thr Ala Asp Asn Thr Lys Phe
290 295 300 305

gtg acg agc atg tac aat gag att ctg atc ctg ggg gcc aaa ctg cac 1737
Val Thr Ser Met Tyr Asn Glu Ile Leu Ile Leu Gly Ala Lys Leu His
310 315 320

ccg acg ctg aag ctg gag gag ctc acc aac aag aag gga atg acg ccg 1785
Pro Thr Leu Lys Leu Glu Glu Leu Thr Asn Lys Lys Gly Met Thr Pro
325 330 335

ctg gct ctg gca gct ggg acc ggg aag atc ggg gtc ttg gcc tat att 1833
Leu Ala Leu Ala Ala Gly Thr Gly Lys Ile Gly Val Leu Ala Tyr Ile
340 345 350

```
ctc cag cgg gag atc cag gag ccc gag tgc agg cac ctg tcc agg aag   1881
Leu Gln Arg Glu Ile Gln Glu Pro Glu Cys Arg His Leu Ser Arg Lys
    355                 360                 365

ttc acc gag tgg gcc tac ggg ccc gtg cac tcc tcg ctg tac gac ctg   1929
Phe Thr Glu Trp Ala Tyr Gly Pro Val His Ser Ser Leu Tyr Asp Leu
370                 375                 380                 385

tcc tgc atc gac acc tgc gag aag aac tcg gtg ctg gag gtg atc gcc   1977
Ser Cys Ile Asp Thr Cys Glu Lys Asn Ser Val Leu Glu Val Ile Ala
                390                 395                 400

tac agc agc agc gag acc cct aat cgc cac gac atg ctc ttg gtg gag   2025
Tyr Ser Ser Ser Glu Thr Pro Asn Arg His Asp Met Leu Leu Val Glu
            405                 410                 415

ccg ctg aac cga ctc ctg cag gac aag tgg gac aga ttc gtc aag cgc   2073
Pro Leu Asn Arg Leu Leu Gln Asp Lys Trp Asp Arg Phe Val Lys Arg
        420                 425                 430

atc ttc tac ttc aac ttc ctg gtc tac tgc ctg tac atg atc atc ttc   2121
Ile Phe Tyr Phe Asn Phe Leu Val Tyr Cys Leu Tyr Met Ile Ile Phe
    435                 440                 445

acc atg gct gcc tac tac agg ccc gtg gat ggc ttg cct ccc ttt aag   2169
Thr Met Ala Ala Tyr Tyr Arg Pro Val Asp Gly Leu Pro Pro Phe Lys
450                 455                 460                 465

atg gaa aaa att gga gac tat ttc cga gtt act gga gag atc ctg tct   2217
Met Glu Lys Ile Gly Asp Tyr Phe Arg Val Thr Gly Glu Ile Leu Ser
                470                 475                 480

gtg tta gga gga gtc tac ttc ttt ttc cga ggg att cag tat ttc ctg   2265
Val Leu Gly Gly Val Tyr Phe Phe Phe Arg Gly Ile Gln Tyr Phe Leu
            485                 490                 495
```

```
cag agg cgg ccg tcg atg aag acc ctg ttt gtg gac agc tac agt gag   2313
Gln Arg Arg Pro Ser Met Lys Thr Leu Phe Val Asp Ser Tyr Ser Glu
        500                 505                 510

atg ctt ttc ttt ctg cag tca ctg ttc atg ctg gcc acc gtg gtg ctg   2361
Met Leu Phe Phe Leu Gln Ser Leu Phe Met Leu Ala Thr Val Val Leu
    515                 520                 525

tac ttc agc cac ctc aag gag tat gtg gct tcc atg gta ttc tcc ctg   2409
Tyr Phe Ser His Leu Lys Glu Tyr Val Ala Ser Met Val Phe Ser Leu
530                 535                 540                 545

gcc ttg ggc tgg acc aac atg ctc tac tac acc cgc ggt ttc cag cag   2457
Ala Leu Gly Trp Thr Asn Met Leu Tyr Tyr Thr Arg Gly Phe Gln Gln
                550                 555                 560

atg ggc atc tat gcc gtc atg ata gag aag atg atc ctg aga gac ctg   2505
Met Gly Ile Tyr Ala Val Met Ile Glu Lys Met Ile Leu Arg Asp Leu
            565                 570                 575

tgc cgt ttc atg ttt gtc tac atc gtc ttc ttg ttc ggg ttt tcc aca   2553
Cys Arg Phe Met Phe Val Tyr Ile Val Phe Leu Phe Gly Phe Ser Thr
        580                 585                 590

gcg gtg gtg acg ctg att gaa gac ggg aag aat gac tcc ctg ccg tct   2601
Ala Val Val Thr Leu Ile Glu Asp Gly Lys Asn Asp Ser Leu Pro Ser
    595                 600                 605

gag tcc acg tcg cac agg tgg cgg ggg cct gcc tgc agg ccc ccc gat   2649
Glu Ser Thr Ser His Arg Trp Arg Gly Pro Ala Cys Arg Pro Pro Asp
610                 615                 620                 625

agc tcc tac aac agc ctg tac tcc acc tgc ctg gag ctg ttc aag ttc   2697
Ser Ser Tyr Asn Ser Leu Tyr Ser Thr Cys Leu Glu Leu Phe Lys Phe
                630                 635                 640
```

```
acc atc ggc atg ggc gac ctg gag ttc act gag aac tat gac ttc aag   2745
Thr Ile Gly Met Gly Asp Leu Glu Phe Thr Glu Asn Tyr Asp Phe Lys
            645                 650                 655

gct gtc ttc atc atc ctg ctg ctg gcc tat gta att ctc acc tac atc   2793
Ala Val Phe Ile Ile Leu Leu Leu Ala Tyr Val Ile Leu Thr Tyr Ile
        660                 665                 670

ctc ctg ctc aac atg ctc atc gcc ctc atg ggt gag act gtc aac aag   2841
Leu Leu Leu Asn Met Leu Ile Ala Leu Met Gly Glu Thr Val Asn Lys
    675                 680                 685

atc gca cag gag agc aag aac atc tgg aag ctg cag aga gcc atc acc   2889
Ile Ala Gln Glu Ser Lys Asn Ile Trp Lys Leu Gln Arg Ala Ile Thr
690                 695                 700                 705

atc ctg gac acg gag aag agc ttc ctt aag tgc atg agg aag gcc ttc   2937
Ile Leu Asp Thr Glu Lys Ser Phe Leu Lys Cys Met Arg Lys Ala Phe
                710                 715                 720

cgc tca ggc aag ctg ctg cag gtg ggg tac aca cct gat ggc aag gac   2985
Arg Ser Gly Lys Leu Leu Gln Val Gly Tyr Thr Pro Asp Gly Lys Asp
            725                 730                 735

gac tac cgg tgg tgc ttc agg gtg gac gag gtg aac tgg acc acc tgg   3033
Asp Tyr Arg Trp Cys Phe Arg Val Asp Glu Val Asn Trp Thr Thr Trp
        740                 745                 750

aac acc aac gtg ggc atc atc aac gaa gac ccg ggc aac tgt gag ggc   3081
Asn Thr Asn Val Gly Ile Ile Asn Glu Asp Pro Gly Asn Cys Glu Gly
    755                 760                 765

gtc aag cgc acc ctg agc ttc tcc ctg cgg tca agc aga gtt tca ggc   3129
Val Lys Arg Thr Leu Ser Phe Ser Leu Arg Ser Ser Arg Val Ser Gly
770                 775                 780                 785
```

aga cac tgg aag aac ttt gcc ctg gtc ccc ctt tta aga gag gca agt 3177
Arg His Trp Lys Asn Phe Ala Leu Val Pro Leu Leu Arg Glu Ala Ser
790 795 800

gct cga gat agg cag tct gct cag ccc gag gaa gtt tat ctg cga cag 3225
Ala Arg Asp Arg Gln Ser Ala Gln Pro Glu Glu Val Tyr Leu Arg Gln
805 810 815

ttt tca ggg tct ctg aag cca gag gac gct gag gtc ttc aag agt cct 3273
Phe Ser Gly Ser Leu Lys Pro Glu Asp Ala Glu Val Phe Lys Ser Pro
820 825 830

gcc gct tcc ggg gag aag tga ggacgtcacg cagacagcac tgtcaacact 3324
Ala Ala Ser Gly Glu Lys
835

gggccttagg agaccccgtt gccacggggg gctgctgagg gaacaccagt gctctgtcag 3384

cagcctggcc tggtctgtgc ctgcccagca tgttcccaaa tctgtgctgg acaagctgtg 3444

ggaagcgttc ttggaagcat ggggagtgat gtacatccaa ccgtcactgt ccccaagtga 3504

atctcctaac agactttcag gtttttactc actttactaa acagtttgga tggtcagtct 3564

ctactgggac atgttaggcc cttgttttct ttgattttat tcttttctgt gagacagagt 3624

tcactcttgt tgcccaggct ggagtgcagt ggtgtgatct tggctcactg caacctctgc 3684

tcccgggttc aagcgattct tctgcttcag tctcccaagt agcttggatt acaggtgagc 3744

actaccacgc ccggctaatt tttgtatttt taatagagac ggggtttcac catgttggcc 3804

aggctggtct cgaactcttg acctcaggtg atctgcccgc cttggcctcc caaagtgctg 3864

ggattacagg tgtgagccgc tgcgctcggc cttctttgat tttatattat taggagcaaa 3924

agtaaatgaa gcccaggaaa acacctttgg gaacaaactc ttcctttgat ggaaaatgca 3984

gaggcccttc ctctctgtgc cgtgcttgct cctcttacct gcccgggtgg tttgggggtg 4044

ttggtgtttc ctccctggag aagatggggg aggctgtccc actcccagct ctggcagaat 4104

caagctgttg cagcagtgcc ttcttcatcc ttccttacga tcaatcacag tctccagaag 4164

atcagctcaa ttgctgtgca ggttaaaact acagaaccac atcccaaagg tacctggtaa 4224

gaatgtttga aagatcttcc atttctagga accccagtcc tgcttctccg caatggcaca 4284

tgcttccact ccatccatac tggcatcctc aaataaacag atatgtatac aaaaaaaaaa 4344

aaaaaaaaaa aaaaaaaaaa a 4365

<210> 2
<211> 839
<212> PRT
<213> Homo sapiens

<400> 2

Met Lys Lys Trp Ser Ser Thr Asp Leu Gly Ala Ala Ala Asp Pro Leu
1 5 10 15

Gln Lys Asp Thr Cys Pro Asp Pro Leu Asp Gly Asp Pro Asn Ser Arg
20 25 30

Pro Pro Pro Ala Lys Pro Gln Leu Ser Thr Ala Lys Ser Arg Thr Arg
35 40 45

Leu Phe Gly Lys Gly Asp Ser Glu Glu Ala Phe Pro Val Asp Cys Pro
50 55 60

His Glu Glu Gly Glu Leu Asp Ser Cys Pro Thr Ile Thr Val Ser Pro
65 70 75 80

Val Ile Thr Ile Gln Arg Pro Gly Asp Gly Pro Thr Gly Ala Arg Leu
85 90 95

Leu Ser Gln Asp Ser Val Ala Ala Ser Thr Glu Lys Thr Leu Arg Leu
100 105 110

Tyr Asp Arg Arg Ser Ile Phe Glu Ala Val Ala Gln Asn Asn Cys Gln
115 120 125

Asp Leu Glu Ser Leu Leu Leu Phe Leu Gln Lys Ser Lys Lys His Leu
130 135 140

Thr Asp Asn Glu Phe Lys Asp Pro Glu Thr Gly Lys Thr Cys Leu Leu
145 150 155 160

Lys Ala Met Leu Asn Leu His Asp Gly Gln Asn Thr Thr Ile Pro Leu
165 170 175

Leu Leu Glu Ile Ala Arg Gln Thr Asp Ser Leu Lys Glu Leu Val Asn
180 185 190

Ala Ser Tyr Thr Asp Ser Tyr Tyr Lys Gly Gln Thr Ala Leu His Ile
195 200 205

Ala Ile Glu Arg Arg Asn Met Ala Leu Val Thr Leu Leu Val Glu Asn
210 215 220

Gly Ala Asp Val Gln Ala Ala Ala His Gly Asp Phe Phe Lys Lys Thr
225 230 235 240

Lys Gly Arg Pro Gly Phe Tyr Phe Gly Glu Leu Pro Leu Ser Leu Ala
245 250 255

Ala Cys Thr Asn Gln Leu Gly Ile Val Lys Phe Leu Leu Gln Asn Ser
260 265 270

Trp Gln Thr Ala Asp Ile Ser Ala Arg Asp Ser Val Gly Asn Thr Val
275 280 285

Leu His Ala Leu Val Glu Val Ala Asp Asn Thr Ala Asp Asn Thr Lys
290 295 300

Phe Val Thr Ser Met Tyr Asn Glu Ile Leu Ile Leu Gly Ala Lys Leu
305 310 315 320

His Pro Thr Leu Lys Leu Glu Glu Leu Thr Asn Lys Lys Gly Met Thr
325 330 335

Pro Leu Ala Leu Ala Ala Gly Thr Gly Lys Ile Gly Val Leu Ala Tyr
340 345 350

Ile Leu Gln Arg Glu Ile Gln Glu Pro Glu Cys Arg His Leu Ser Arg
355 360 365

Lys Phe Thr Glu Trp Ala Tyr Gly Pro Val His Ser Ser Leu Tyr Asp
370 375 380

Leu Ser Cys Ile Asp Thr Cys Glu Lys Asn Ser Val Leu Glu Val Ile
385 390 395 400

Ala Tyr Ser Ser Ser Glu Thr Pro Asn Arg His Asp Met Leu Leu Val
405 410 415

Glu Pro Leu Asn Arg Leu Leu Gln Asp Lys Trp Asp Arg Phe Val Lys
420 425 430

Arg Ile Phe Tyr Phe Asn Phe Leu Val Tyr Cys Leu Tyr Met Ile Ile
435 440 445

Phe Thr Met Ala Ala Tyr Tyr Arg Pro Val Asp Gly Leu Pro Pro Phe
450 455 460

Lys Met Glu Lys Ile Gly Asp Tyr Phe Arg Val Thr Gly Glu Ile Leu
465 470 475 480

Ser Val Leu Gly Gly Val Tyr Phe Phe Phe Arg Gly Ile Gln Tyr Phe
485 490 495

Leu Gln Arg Arg Pro Ser Met Lys Thr Leu Phe Val Asp Ser Tyr Ser
500 505 510

Glu Met Leu Phe Phe Leu Gln Ser Leu Phe Met Leu Ala Thr Val Val
515 520 525

Leu Tyr Phe Ser His Leu Lys Glu Tyr Val Ala Ser Met Val Phe Ser
530 535 540

Leu Ala Leu Gly Trp Thr Asn Met Leu Tyr Tyr Thr Arg Gly Phe Gln
545 550 555 560

Gln Met Gly Ile Tyr Ala Val Met Ile Glu Lys Met Ile Leu Arg Asp
565 570 575

Leu Cys Arg Phe Met Phe Val Tyr Ile Val Phe Leu Phe Gly Phe Ser
580 585 590

Thr Ala Val Val Thr Leu Ile Glu Asp Gly Lys Asn Asp Ser Leu Pro
595 600 605

Ser Glu Ser Thr Ser His Arg Trp Arg Gly Pro Ala Cys Arg Pro Pro
610 615 620

Asp Ser Ser Tyr Asn Ser Leu Tyr Ser Thr Cys Leu Glu Leu Phe Lys
625 630 635 640

Phe Thr Ile Gly Met Gly Asp Leu Glu Phe Thr Glu Asn Tyr Asp Phe
645 650 655

Lys Ala Val Phe Ile Ile Leu Leu Leu Ala Tyr Val Ile Leu Thr Tyr
660 665 670

Ile Leu Leu Leu Asn Met Leu Ile Ala Leu Met Gly Glu Thr Val Asn
675 680 685

Lys Ile Ala Gln Glu Ser Lys Asn Ile Trp Lys Leu Gln Arg Ala Ile
690 695 700

Thr Ile Leu Asp Thr Glu Lys Ser Phe Leu Lys Cys Met Arg Lys Ala
705 710 715 720

```
Phe Arg Ser Gly Lys Leu Leu Gln Val Gly Tyr Thr Pro Asp Gly Lys
                725                 730                 735

Asp Asp Tyr Arg Trp Cys Phe Arg Val Asp Glu Val Asn Trp Thr Thr
            740                 745                 750

Trp Asn Thr Asn Val Gly Ile Ile Asn Glu Asp Pro Gly Asn Cys Glu
        755                 760                 765

Gly Val Lys Arg Thr Leu Ser Phe Ser Leu Arg Ser Ser Arg Val Ser
    770                 775                 780

Gly Arg His Trp Lys Asn Phe Ala Leu Val Pro Leu Leu Arg Glu Ala
785                 790                 795                 800

Ser Ala Arg Asp Arg Gln Ser Ala Gln Pro Glu Glu Val Tyr Leu Arg
                805                 810                 815

Gln Phe Ser Gly Ser Leu Lys Pro Glu Asp Ala Glu Val Phe Lys Ser
            820                 825                 830

Pro Ala Ala Ser Gly Glu Lys
        835
```

<210> 3
<211> 838
<212> PRT
<213> Rattus norvegicus

<400> 3

```
Met Glu Gln Arg Ala Ser Leu Asp Ser Glu Glu Ser Glu Ser Pro Pro
  1               5                  10                  15

Gln Glu Asn Ser Cys Leu Asp Pro Pro Asp Arg Asp Pro Asn Cys Lys
            20                  25                  30
```

Pro Pro Pro Val Lys Pro His Ile Phe Thr Thr Arg Ser Arg Thr Arg
35 40 45

Leu Phe Gly Lys Gly Asp Ser Glu Glu Ala Ser Pro Leu Asp Cys Pro
50 55 60

Tyr Glu Glu Gly Gly Leu Ala Ser Cys Pro Ile Ile Thr Val Ser Ser
65 70 75 80

Val Leu Thr Ile Gln Arg Pro Gly Asp Gly Pro Ala Ser Val Arg Pro
85 90 95

Ser Ser Gln Asp Ser Val Ser Ala Gly Glu Lys Pro Pro Arg Leu Tyr
100 105 110

Asp Arg Arg Ser Ile Phe Asp Ala Val Ala Gln Ser Asn Cys Gln Glu
115 120 125

Leu Glu Ser Leu Leu Pro Phe Leu Gln Arg Ser Lys Lys Arg Leu Thr
130 135 140

Asp Ser Glu Phe Lys Asp Pro Glu Thr Gly Lys Thr Cys Leu Leu Lys
145 150 155 160

Ala Met Leu Asn Leu His Asn Gly Gln Asn Asp Thr Ile Ala Leu Leu
165 170 175

Leu Asp Val Ala Arg Lys Thr Asp Ser Leu Lys Gln Phe Val Asn Ala
180 185 190

Ser Tyr Thr Asp Ser Tyr Tyr Lys Gly Gln Thr Ala Leu His Ile Ala
195 200 205

Ile Glu Arg Arg Asn Met Thr Leu Val Thr Leu Leu Val Glu Asn Gly
210 215 220

Ala Asp Val Gln Ala Ala Ala Asn Gly Asp Phe Phe Lys Lys Thr Lys
225 230 235 240

Gly Arg Pro Gly Phe Tyr Phe Gly Glu Leu Pro Leu Ser Leu Ala Ala
245 250 255

Cys Thr Asn Gln Leu Ala Ile Val Lys Phe Leu Leu Gln Asn Ser Trp
260 265 270

Gln Pro Ala Asp Ile Ser Ala Arg Asp Ser Val Gly Asn Thr Val Leu
275 280 285

His Ala Leu Val Glu Val Ala Asp Asn Thr Val Asp Asn Thr Lys Phe
290 295 300

Val Thr Ser Met Tyr Asn Glu Ile Leu Ile Leu Gly Ala Lys Leu His
305 310 315 320

Pro Thr Leu Lys Leu Glu Glu Ile Thr Asn Arg Lys Gly Leu Thr Pro
325 330 335

Leu Ala Leu Ala Ala Ser Ser Gly Lys Ile Gly Val Leu Ala Tyr Ile
340 345 350

Leu Gln Arg Glu Ile His Glu Pro Glu Cys Arg His Leu Ser Arg Lys
355 360 365

Phe Thr Glu Trp Ala Tyr Gly Pro Val His Ser Ser Leu Tyr Asp Leu
370 375 380

Ser Cys Ile Asp Thr Cys Glu Lys Asn Ser Val Leu Glu Val Ile Ala
385 390 395 400

Tyr Ser Ser Ser Glu Thr Pro Asn Arg His Asp Met Leu Leu Val Glu
405 410 415

Pro Leu Asn Arg Leu Leu Gln Asp Lys Trp Asp Arg Phe Val Lys Arg
420 425 430

Ile Phe Tyr Phe Asn Phe Phe Val Tyr Cys Leu Tyr Met Ile Ile Phe
435 440 445

Thr Ala Ala Ala Tyr Tyr Arg Pro Val Glu Gly Leu Pro Pro Tyr Lys
450 455 460

Leu Lys Asn Thr Val Gly Asp Tyr Phe Arg Val Thr Gly Glu Ile Leu
465 470 475 480

Ser Val Ser Gly Gly Val Tyr Phe Phe Phe Arg Gly Ile Gln Tyr Phe
485 490 495

Leu Gln Arg Arg Pro Ser Leu Lys Ser Leu Phe Val Asp Ser Tyr Ser
500 505 510

Glu Ile Leu Phe Phe Val Gln Ser Leu Phe Met Leu Val Ser Val Val
515 520 525

Leu Tyr Phe Ser Gln Arg Lys Glu Tyr Val Ala Ser Met Val Phe Ser
530 535 540

Leu Ala Met Gly Trp Thr Asn Met Leu Tyr Tyr Thr Arg Gly Phe Gln
545 550 555 560

Gln Met Gly Ile Tyr Ala Val Met Ile Glu Lys Met Ile Leu Arg Asp
565 570 575

Leu Cys Arg Phe Met Phe Val Tyr Leu Val Phe Leu Phe Gly Phe Ser
580 585 590

Thr Ala Val Val Thr Leu Ile Glu Asp Gly Lys Asn Asn Ser Leu Pro
595 600 605

Met Glu Ser Thr Pro His Lys Cys Arg Gly Ser Ala Cys Lys Pro Gly
610 615 620

Asn Ser Tyr Asn Ser Leu Tyr Ser Thr Cys Leu Glu Leu Phe Lys Phe
625 630 635 640

Thr Ile Gly Met Gly Asp Leu Glu Phe Thr Glu Asn Tyr Asp Phe Lys
645 650 655

Ala Val Phe Ile Ile Leu Leu Leu Ala Tyr Val Ile Leu Thr Tyr Ile
660 665 670

Leu Leu Leu Asn Met Leu Ile Ala Leu Met Gly Glu Thr Val Asn Lys
675 680 685

Ile Ala Gln Glu Ser Lys Asn Ile Trp Lys Leu Gln Arg Ala Ile Thr
690 695 700

Ile Leu Asp Thr Glu Lys Ser Phe Leu Lys Cys Met Arg Lys Ala Phe
705 710 715 720

Arg Ser Gly Lys Leu Leu Gln Val Gly Phe Thr Pro Asp Gly Lys Asp
725 730 735

Asp Tyr Arg Trp Cys Phe Arg Val Asp Glu Val Asn Trp Thr Thr Trp
740 745 750

Asn Thr Asn Val Gly Ile Ile Asn Glu Asp Pro Gly Asn Cys Glu Gly
755 760 765

Val Lys Arg Thr Leu Ser Phe Ser Leu Arg Ser Gly Arg Val Ser Gly
770 775 780

Arg Asn Trp Lys Asn Phe Ala Leu Val Pro Leu Leu Arg Asp Ala Ser
785 790 795 800

Thr Arg Asp Arg His Ala Thr Gln Gln Glu Glu Val Gln Leu Lys His
805 810 815

Tyr Thr Gly Ser Leu Lys Pro Glu Asp Ala Glu Val Phe Lys Asp Ser
820 825 830

Met Val Pro Gly Glu Lys
835

<210> 4

<211> 4118

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (686)..(3577)

<400> 4

ttacgcgtta agaaataccc aagcttatgc atcaagcttg gtaccgagct cggatccact 60

agtaccgccg gccagtgtgc tggaattcaa ggtgaggaga ggagcatgga tcctgggagc 120

gagtgtgtgc aggccaggga gggctttcca gaggagccca gttgagctgg aacaccagtg 180

gggaggagtt gaccagcaaa ggtgcaggga gggatcagca ctttgcactg gggagcagag 240

tttgtgcact ggggaagtca actcaagtat tggagcctca gtttcctgtt ctgtaaaatg 300

ggttcatcat gacagtgttt gatgaggaaa aggactgccg gcctacacag caagtccaca 360

tggattttct gagcccctcc tgtgcctgaa gcccacggtt aatggttctg ccttagcagg 420

tgcttaccac gtgccaggca ctgcactgca ctggccactg gactgcatgt tctgtccatg 480

aggcttggat atccccatct tacagatcag gaagctgagg ctatgaaatg tcgacttgct 540

caatgtcatg gaatgactaa gtgtggagcc tggatttgaa cttggctctc tggggctcca 600

aagctggctt tcttggtcag cagtagggtc tgggatccaa gtatggggtc ccagcttgac 660

cctgaagtcc accctctttc agcta atg ccc agg gta gtt gga cct ggg gcc 712
Met Pro Arg Val Val Gly Pro Gly Ala
1 5

```
aat ttg tgt ttc cag gtt cgt gaa aga ggc tcc tgt tgc agt tcc cgc   760
Asn Leu Cys Phe Gln Val Arg Glu Arg Gly Ser Cys Cys Ser Ser Arg
 10                  15                  20                  25

ctg agg ctg gcg gcc aac cac atc tgg gag tgg cct ccc tgt gcc cct   808
Leu Arg Leu Ala Ala Asn His Ile Trp Glu Trp Pro Pro Cys Ala Pro
                 30                  35                  40

gtc att aca acg gtg gct ttg aag cag ctg gca gca ctg ctg ctt gtc   856
Val Ile Thr Thr Val Ala Leu Lys Gln Leu Ala Ala Leu Leu Leu Val
             45                  50                  55

cac gtg gga ggg ggc ttc ctg gag ccc ccg ccc ctg gcc ggg ttc tgc   904
His Val Gly Gly Gly Phe Leu Glu Pro Pro Pro Leu Ala Gly Phe Cys
         60                  65                  70

ctg act ccc ctt tca ttc cct tgc agg ctg agc agt gca gac ggg cct   952
Leu Thr Pro Leu Ser Phe Pro Cys Arg Leu Ser Ser Ala Asp Gly Pro
     75                  80                  85

ggg gca ggc atg gcg gat tcc agc gaa ggc ccc cgc gcg ggg ccc ggg   1000
Gly Ala Gly Met Ala Asp Ser Ser Glu Gly Pro Arg Ala Gly Pro Gly
 90                  95                  100                 105

gag gtg gct gag ctc ccc ggg gat gag agt ggc acc cca ggt ggg gag   1048
Glu Val Ala Glu Leu Pro Gly Asp Glu Ser Gly Thr Pro Gly Gly Glu
                110                 115                 120

gct ttt cct ctc tcc tcc ctg gcc aat ctg ttt gag ggg gag gat ggc   1096
Ala Phe Pro Leu Ser Ser Leu Ala Asn Leu Phe Glu Gly Glu Asp Gly
            125                 130                 135

tcc ctt tcg ccc tca ccg gct gat gcc agt cgc cct gct ggc cca ggc   1144
Ser Leu Ser Pro Ser Pro Ala Asp Ala Ser Arg Pro Ala Gly Pro Gly
        140                 145                 150
```

```
gat ggg cga cca aat ctg cgc atg aag ttc cag ggc gcc ttc cgc aag    1192
Asp Gly Arg Pro Asn Leu Arg Met Lys Phe Gln Gly Ala Phe Arg Lys
    155                 160                 165

ggg gtg ccc aac ccc atc gat ctg ctg gag tcc acc cta tat gag tcc    1240
Gly Val Pro Asn Pro Ile Asp Leu Leu Glu Ser Thr Leu Tyr Glu Ser
170                 175                 180                 185

tcg gtg gtg cct ggg ccc aag aaa gca ccc atg gac tca ctg ttt gac    1288
Ser Val Val Pro Gly Pro Lys Lys Ala Pro Met Asp Ser Leu Phe Asp
                190                 195                 200

tac ggc acc tat cgt cac cac tcc agt gac aac aag agg tgg agg aag    1336
Tyr Gly Thr Tyr Arg His His Ser Ser Asp Asn Lys Arg Trp Arg Lys
            205                 210                 215

aag atc ata gag aag cag ccg cag agc ccc aaa gcc cct gcc cct cag    1384
Lys Ile Ile Glu Lys Gln Pro Gln Ser Pro Lys Ala Pro Ala Pro Gln
        220                 225                 230

ccg ccc ccc atc ctc aaa gtc ttc aac cgg cct atc ctc ttt gac atc    1432
Pro Pro Pro Ile Leu Lys Val Phe Asn Arg Pro Ile Leu Phe Asp Ile
    235                 240                 245

gtg tcc cgg ggc tcc act gct gac ctg gac ggg ctg ctc cca ttc ttg    1480
Val Ser Arg Gly Ser Thr Ala Asp Leu Asp Gly Leu Leu Pro Phe Leu
250                 255                 260                 265

ctg acc cac aag aaa cgc cta act gat gag gag ttt cga gag cca tct    1528
Leu Thr His Lys Lys Arg Leu Thr Asp Glu Glu Phe Arg Glu Pro Ser
                270                 275                 280

acg ggg aag acc tgc ctg ccc aag gcc ttg ctg aac ctg agc aat ggc    1576
Thr Gly Lys Thr Cys Leu Pro Lys Ala Leu Leu Asn Leu Ser Asn Gly
            285                 290                 295
```

```
cgc aac gac acc atc cct gtg ctg ctg gac atc gcg gag cgc acc ggc   1624
Arg Asn Asp Thr Ile Pro Val Leu Leu Asp Ile Ala Glu Arg Thr Gly
        300                 305                 310

aac atg cgg gag ttc att aac tcg ccc ttc cgt gac atc tac tat cga   1672
Asn Met Arg Glu Phe Ile Asn Ser Pro Phe Arg Asp Ile Tyr Tyr Arg
    315                 320                 325

ggt cag aca gcc ctg cac atc gcc att gag cgt cgc tgc aaa cac tac   1720
Gly Gln Thr Ala Leu His Ile Ala Ile Glu Arg Arg Cys Lys His Tyr
330                 335                 340                 345

gtg gaa ctt ctc gtg gcc cag gga gct gat gtc cac gcc cag gcc cgt   1768
Val Glu Leu Leu Val Ala Gln Gly Ala Asp Val His Ala Gln Ala Arg
                350                 355                 360

ggg cgc ttc ttc cag ccc aag gat gag ggg ggc tac ttc tac ttt ggg   1816
Gly Arg Phe Phe Gln Pro Lys Asp Glu Gly Gly Tyr Phe Tyr Phe Gly
            365                 370                 375

gag ctg ccc ctg tcg ctg gct gcc tgc acc aac cag ccc cac att gtc   1864
Glu Leu Pro Leu Ser Leu Ala Ala Cys Thr Asn Gln Pro His Ile Val
        380                 385                 390

aac tac ctg acg gag aac ccc cac aag aag gcg gac atg cgg cgc cag   1912
Asn Tyr Leu Thr Glu Asn Pro His Lys Lys Ala Asp Met Arg Arg Gln
    395                 400                 405

gac tcg cga ggc aac aca gtg ctg cat gcg ctg gtg gcc att gct gac   1960
Asp Ser Arg Gly Asn Thr Val Leu His Ala Leu Val Ala Ile Ala Asp
410                 415                 420                 425

aac acc cgt gag aac acc aag ttt gtt acc aag atg tac gac ctg ctg   2008
Asn Thr Arg Glu Asn Thr Lys Phe Val Thr Lys Met Tyr Asp Leu Leu
                430                 435                 440
```

```
ctg ctc aag tgt gcc cgc ctc ttc ccc gac agc aac ctg gag gcc gtg   2056
Leu Leu Lys Cys Ala Arg Leu Phe Pro Asp Ser Asn Leu Glu Ala Val
            445                 450                 455

ctc aac aac gac ggc ctc tcg ccc ctc atg atg gct gcc aag acg ggc   2104
Leu Asn Asn Asp Gly Leu Ser Pro Leu Met Met Ala Ala Lys Thr Gly
        460                 465                 470

aag att ggg atc ttt cag cac atc atc cgg cgg gag gtg acg gat gag   2152
Lys Ile Gly Ile Phe Gln His Ile Ile Arg Arg Glu Val Thr Asp Glu
    475                 480                 485

gac aca cgg cac ctg tcc cgc aag tcc aag gac tgg gcc tat ggg cca   2200
Asp Thr Arg His Leu Ser Arg Lys Ser Lys Asp Trp Ala Tyr Gly Pro
490                 495                 500                 505

gtg tat tcc tcg ctt tat gac ctc tcc tcc ctg gac acg tgt ggg gaa   2248
Val Tyr Ser Ser Leu Tyr Asp Leu Ser Ser Leu Asp Thr Cys Gly Glu
                510                 515                 520

gag gcc tcc gtg ctg gag atc ctg gtg tac aac agc aag att gag aac   2296
Glu Ala Ser Val Leu Glu Ile Leu Val Tyr Asn Ser Lys Ile Glu Asn
            525                 530                 535

cgc cac gag atg ctg gct gtg gag ccc atc aat gaa ctg ctg cgg gac   2344
Arg His Glu Met Leu Ala Val Glu Pro Ile Asn Glu Leu Leu Arg Asp
        540                 545                 550

aag tgg cgg aag ttc ggg gcc gtc tcc ttc tac atc aac gtg gtc tcc   2392
Lys Trp Arg Lys Phe Gly Ala Val Ser Phe Tyr Ile Asn Val Val Ser
    555                 560                 565

tac ctg tgt gcc atg gtt atc ttc act ctc acc gcc tac tac cag ccg   2440
Tyr Leu Cys Ala Met Val Ile Phe Thr Leu Thr Ala Tyr Tyr Gln Pro
570                 575                 580                 585
```

```
ctg gag ggc aca ccg ccg tac cct tac cgc acc acg gtg gac tac ctg   2488
Leu Glu Gly Thr Pro Pro Tyr Pro Tyr Arg Thr Thr Val Asp Tyr Leu
                590                 595                 600

cgg ctg gct ggc gag gtc att acg ctc ttc act ggg gtc ctg ttc ttc   2536
Arg Leu Ala Gly Glu Val Ile Thr Leu Phe Thr Gly Val Leu Phe Phe
            605                 610                 615

ttc acc aac atc aaa gac ttg ttc atg aag aaa tgc cct gga gtg aat   2584
Phe Thr Asn Ile Lys Asp Leu Phe Met Lys Lys Cys Pro Gly Val Asn
        620                 625                 630

tct ctc ttc att gat ggc tcc ttc cag ctg ctc tac ttc atc tac tct   2632
Ser Leu Phe Ile Asp Gly Ser Phe Gln Leu Leu Tyr Phe Ile Tyr Ser
    635                 640                 645

gtc ctg gtg atc gtc tca gca gcc ctc tac ctg gca ggg atc gag gcc   2680
Val Leu Val Ile Val Ser Ala Ala Leu Tyr Leu Ala Gly Ile Glu Ala
650                 655                 660                 665

tac ctg gcc atg atg gtc ttt gcc ctg gtc ctg ggc tgg atg aat gcc   2728
Tyr Leu Ala Met Met Val Phe Ala Leu Val Leu Gly Trp Met Asn Ala
                670                 675                 680

ctt tac ttc acc cgt ggg ctg aag ctg acg ggg acc tat agc atc atg   2776
Leu Tyr Phe Thr Arg Gly Leu Lys Leu Thr Gly Thr Tyr Ser Ile Met
            685                 690                 695

atc cag aag att ctc ttc aag gac ctt ttc cga ttc ctg ctc gtc tac   2824
Ile Gln Lys Ile Leu Phe Lys Asp Leu Phe Arg Phe Leu Leu Val Tyr
        700                 705                 710

ttg ctc ttc atg atc ggc tac gct tca gcc ctg gtc tcc ctc ctg aac   2872
Leu Leu Phe Met Ile Gly Tyr Ala Ser Ala Leu Val Ser Leu Leu Asn
    715                 720                 725
```

```
ccg tgt gcc aac atg aag gtg tgc aat gag gac cag acc aac tgc aca   2920
Pro Cys Ala Asn Met Lys Val Cys Asn Glu Asp Gln Thr Asn Cys Thr
730                 735                 740                 745

gtg ccc act tac ccc tcg tgc cgt gac agc gag acc ttc agc acc ttc   2968
Val Pro Thr Tyr Pro Ser Cys Arg Asp Ser Glu Thr Phe Ser Thr Phe
                750                 755                 760

ctc ctg gac ctg ttt aag ctg acc atc ggc atg ggc gac ctg gag atg   3016
Leu Leu Asp Leu Phe Lys Leu Thr Ile Gly Met Gly Asp Leu Glu Met
            765                 770                 775

ctg agc agc acc aag tac ccc gtg gtc ttc atc atc ctg ctg gtg acc   3064
Leu Ser Ser Thr Lys Tyr Pro Val Val Phe Ile Ile Leu Leu Val Thr
        780                 785                 790

tac atc atc ctc acc tct gtg ctg ctc ctc aac atg ctc att gcc ctc   3112
Tyr Ile Ile Leu Thr Ser Val Leu Leu Leu Asn Met Leu Ile Ala Leu
    795                 800                 805

atg ggc gag aca gtg ggc cag gtc tcc aag gag agc aag cac atc tgg   3160
Met Gly Glu Thr Val Gly Gln Val Ser Lys Glu Ser Lys His Ile Trp
810                 815                 820                 825

aag ctg cag tgg gcc acc acc atc ctg gac att gag cgc tcc ttc ccc   3208
Lys Leu Gln Trp Ala Thr Thr Ile Leu Asp Ile Glu Arg Ser Phe Pro
                830                 835                 840

gta ttc ctg agg aag gcc ttc cgc tct ggg gag atg gtc acc gtg ggc   3256
Val Phe Leu Arg Lys Ala Phe Arg Ser Gly Glu Met Val Thr Val Gly
            845                 850                 855

aag agc tcg gac ggc act cct gac cgc agg tgg tgc ttc agg gtg gat   3304
Lys Ser Ser Asp Gly Thr Pro Asp Arg Arg Trp Cys Phe Arg Val Asp
        860                 865                 870
```

gag gtg aac tgg tct cac tgg aac cag aac ttg ggc atc atc aac gag 3352
Glu Val Asn Trp Ser His Trp Asn Gln Asn Leu Gly Ile Ile Asn Glu
875 880 885

gac ccg ggc aag aat gag acc tac cag tat tat ggc ttc tcg cat acc 3400
Asp Pro Gly Lys Asn Glu Thr Tyr Gln Tyr Tyr Gly Phe Ser His Thr
890 895 900 905

gtg ggc cgc ctc cgc agg gat cgc tgg tcc tcg gtg gta ccc cgc gtg 3448
Val Gly Arg Leu Arg Arg Asp Arg Trp Ser Ser Val Val Pro Arg Val
910 915 920

gtg gaa ctg aac aag aac tcg aac ccg gac gag gtg gtg gtg cct ctg 3496
Val Glu Leu Asn Lys Asn Ser Asn Pro Asp Glu Val Val Val Pro Leu
925 930 935

gac agc atg ggg aac ccc cgc tgc gat ggc cac cag cag ggt tac ccc 3544
Asp Ser Met Gly Asn Pro Arg Cys Asp Gly His Gln Gln Gly Tyr Pro
940 945 950

cgc aag tgg agg act gat gac gcc ccg ctc tag ggactgcagc ccagccccag 3597
Arg Lys Trp Arg Thr Asp Asp Ala Pro Leu
955 960

cttctctgcc cactcatttc tagtccagcc gcatttcagc agtgccttct ggggtgtccc 3657

cccacaccct gctttggccc cagaggcgag ggaccagtgg aggtgccagg gaggccccag 3717

gaccctgtgg tcccctggct ctgcctcccc accctggggt gggggctccc ggccacctgt 3777

cttgctccta tggagtcaca taagccaacg ccagagcccc tccacctcag gccccagccc 3837

ctgcctctcc attatttatt tgctctgctc tcaggaagcg acgtgacccc tgccccagct 3897

ggaacctggc agaggcctta ggaccccgtt ccaagtgcac tgcccggcca agccccagcc 3957

tcagcctgcg cctgagctgc atgcgccacc atttttggca gcgtggcagc tttgcaaggg 4017

gctggggccc tcggcgtggg gccatgcctt ctgtgtgttc tgtagtgtct gggatttgcc 4077

ggtgctcaat aaatgtttat tcattgaaaa aaaaaaaaaa a 4118

<210> 5
<211> 963
<212> PRT
<213> Homo sapiens

<400> 5

```
Met Pro Arg Val Val Gly Pro Gly Ala Asn Leu Cys Phe Gln Val Arg
  1               5                  10                  15

Glu Arg Gly Ser Cys Cys Ser Ser Arg Leu Arg Leu Ala Ala Asn His
             20                  25                  30

Ile Trp Glu Trp Pro Pro Cys Ala Pro Val Ile Thr Thr Val Ala Leu
         35                  40                  45

Lys Gln Leu Ala Ala Leu Leu Leu Val His Val Gly Gly Gly Phe Leu
     50                  55                  60

Glu Pro Pro Pro Leu Ala Gly Phe Cys Leu Thr Pro Leu Ser Phe Pro
 65                  70                  75                  80

Cys Arg Leu Ser Ser Ala Asp Gly Pro Gly Ala Gly Met Ala Asp Ser
                 85                  90                  95

Ser Glu Gly Pro Arg Ala Gly Pro Gly Glu Val Ala Glu Leu Pro Gly
            100                 105                 110

Asp Glu Ser Gly Thr Pro Gly Gly Glu Ala Phe Pro Leu Ser Ser Leu
        115                 120                 125

Ala Asn Leu Phe Glu Gly Glu Asp Gly Ser Leu Ser Pro Ser Pro Ala
    130                 135                 140
```

Asp Ala Ser Arg Pro Ala Gly Pro Gly Asp Gly Arg Pro Asn Leu Arg
145 150 155 160

Met Lys Phe Gln Gly Ala Phe Arg Lys Gly Val Pro Asn Pro Ile Asp
165 170 175

Leu Leu Glu Ser Thr Leu Tyr Glu Ser Ser Val Val Pro Gly Pro Lys
180 185 190

Lys Ala Pro Met Asp Ser Leu Phe Asp Tyr Gly Thr Tyr Arg His His
195 200 205

Ser Ser Asp Asn Lys Arg Trp Arg Lys Lys Ile Ile Glu Lys Gln Pro
210 215 220

Gln Ser Pro Lys Ala Pro Ala Pro Gln Pro Pro Pro Ile Leu Lys Val
225 230 235 240

Phe Asn Arg Pro Ile Leu Phe Asp Ile Val Ser Arg Gly Ser Thr Ala
245 250 255

Asp Leu Asp Gly Leu Leu Pro Phe Leu Leu Thr His Lys Lys Arg Leu
260 265 270

Thr Asp Glu Glu Phe Arg Glu Pro Ser Thr Gly Lys Thr Cys Leu Pro
275 280 285

Lys Ala Leu Leu Asn Leu Ser Asn Gly Arg Asn Asp Thr Ile Pro Val
290 295 300

Leu Leu Asp Ile Ala Glu Arg Thr Gly Asn Met Arg Glu Phe Ile Asn
305 310 315 320

Ser Pro Phe Arg Asp Ile Tyr Tyr Arg Gly Gln Thr Ala Leu His Ile
325 330 335

Ala Ile Glu Arg Arg Cys Lys His Tyr Val Glu Leu Leu Val Ala Gln
340 345 350

Gly Ala Asp Val His Ala Gln Ala Arg Gly Arg Phe Phe Gln Pro Lys
355 360 365

Asp Glu Gly Gly Tyr Phe Tyr Phe Gly Glu Leu Pro Leu Ser Leu Ala
370 375 380

Ala Cys Thr Asn Gln Pro His Ile Val Asn Tyr Leu Thr Glu Asn Pro
385 390 395 400

His Lys Lys Ala Asp Met Arg Arg Gln Asp Ser Arg Gly Asn Thr Val
405 410 415

Leu His Ala Leu Val Ala Ile Ala Asp Asn Thr Arg Glu Asn Thr Lys
420 425 430

Phe Val Thr Lys Met Tyr Asp Leu Leu Leu Leu Lys Cys Ala Arg Leu
435 440 445

Phe Pro Asp Ser Asn Leu Glu Ala Val Leu Asn Asn Asp Gly Leu Ser
450 455 460

Pro Leu Met Met Ala Ala Lys Thr Gly Lys Ile Gly Ile Phe Gln His
465 470 475 480

Ile Ile Arg Arg Glu Val Thr Asp Glu Asp Thr Arg His Leu Ser Arg
485 490 495

Lys Ser Lys Asp Trp Ala Tyr Gly Pro Val Tyr Ser Ser Leu Tyr Asp
500 505 510

Leu Ser Ser Leu Asp Thr Cys Gly Glu Glu Ala Ser Val Leu Glu Ile
515 520 525

Leu Val Tyr Asn Ser Lys Ile Glu Asn Arg His Glu Met Leu Ala Val
530 535 540

Glu Pro Ile Asn Glu Leu Leu Arg Asp Lys Trp Arg Lys Phe Gly Ala
545 550 555 560

Val Ser Phe Tyr Ile Asn Val Val Ser Tyr Leu Cys Ala Met Val Ile
565 570 575

Phe Thr Leu Thr Ala Tyr Tyr Gln Pro Leu Glu Gly Thr Pro Pro Tyr
580 585 590

Pro Tyr Arg Thr Thr Val Asp Tyr Leu Arg Leu Ala Gly Glu Val Ile
595 600 605

Thr Leu Phe Thr Gly Val Leu Phe Phe Phe Thr Asn Ile Lys Asp Leu
610 615 620

Phe Met Lys Lys Cys Pro Gly Val Asn Ser Leu Phe Ile Asp Gly Ser
625 630 635 640

Phe Gln Leu Leu Tyr Phe Ile Tyr Ser Val Leu Val Ile Val Ser Ala
645 650 655

Ala Leu Tyr Leu Ala Gly Ile Glu Ala Tyr Leu Ala Met Met Val Phe
660 665 670

Ala Leu Val Leu Gly Trp Met Asn Ala Leu Tyr Phe Thr Arg Gly Leu
675 680 685

Lys Leu Thr Gly Thr Tyr Ser Ile Met Ile Gln Lys Ile Leu Phe Lys
690 695 700

Asp Leu Phe Arg Phe Leu Leu Val Tyr Leu Leu Phe Met Ile Gly Tyr
705 710 715 720

Ala Ser Ala Leu Val Ser Leu Leu Asn Pro Cys Ala Asn Met Lys Val
725 730 735

Cys Asn Glu Asp Gln Thr Asn Cys Thr Val Pro Thr Tyr Pro Ser Cys
740 745 750

Arg Asp Ser Glu Thr Phe Ser Thr Phe Leu Leu Asp Leu Phe Lys Leu
755 760 765

```
Thr Ile Gly Met Gly Asp Leu Glu Met Leu Ser Ser Thr Lys Tyr Pro
    770                 775                 780

Val Val Phe Ile Ile Leu Leu Val Thr Tyr Ile Ile Leu Thr Ser Val
785                 790                 795                 800

Leu Leu Leu Asn Met Leu Ile Ala Leu Met Gly Glu Thr Val Gly Gln
                805                 810                 815

Val Ser Lys Glu Ser Lys His Ile Trp Lys Leu Gln Trp Ala Thr Thr
            820                 825                 830

Ile Leu Asp Ile Glu Arg Ser Phe Pro Val Phe Leu Arg Lys Ala Phe
        835                 840                 845

Arg Ser Gly Glu Met Val Thr Val Gly Lys Ser Ser Asp Gly Thr Pro
    850                 855                 860

Asp Arg Arg Trp Cys Phe Arg Val Asp Glu Val Asn Trp Ser His Trp
865                 870                 875                 880

Asn Gln Asn Leu Gly Ile Ile Asn Glu Asp Pro Gly Lys Asn Glu Thr
                885                 890                 895

Tyr Gln Tyr Tyr Gly Phe Ser His Thr Val Gly Arg Leu Arg Arg Asp
            900                 905                 910

Arg Trp Ser Ser Val Val Pro Arg Val Val Glu Leu Asn Lys Asn Ser
        915                 920                 925

Asn Pro Asp Glu Val Val Val Pro Leu Asp Ser Met Gly Asn Pro Arg
    930                 935                 940

Cys Asp Gly His Gln Gln Gly Tyr Pro Arg Lys Trp Arg Thr Asp Asp
945                 950                 955                 960

Ala Pro Leu
```

<210> 6

<211> 764

<212> PRT

<213> Homo sapiens

<400> 6

Met Thr Ser Pro Ser Ser Ser Pro Val Phe Arg Leu Glu Thr Leu Asp
1 5 10 15

Gly Gly Gln Glu Asp Gly Ser Glu Ala Asp Arg Gly Lys Leu Asp Phe
20 25 30

Gly Ser Gly Leu Pro Pro Met Glu Ser Gln Phe Gln Gly Glu Asp Arg
35 40 45

Lys Phe Ala Pro Gln Ile Arg Val Asn Leu Asn Tyr Arg Lys Gly Thr
50 55 60

Gly Ala Ser Gln Pro Asp Pro Asn Arg Phe Asp Arg Asp Arg Leu Phe
65 70 75 80

Asn Ala Val Ser Arg Gly Val Pro Glu Asp Leu Ala Gly Leu Pro Glu
85 90 95

Tyr Leu Ser Lys Thr Ser Lys Tyr Leu Thr Asp Ser Glu Tyr Thr Glu
100 105 110

Gly Ser Thr Gly Lys Thr Cys Leu Met Lys Ala Val Leu Asn Leu Lys
115 120 125

Asp Gly Val Asn Ala Cys Ile Leu Pro Leu Leu Gln Ile Asp Arg Asp
130 135 140

Ser Gly Asn Pro Gln Pro Leu Val Asn Ala Gln Cys Thr Asp Asp Tyr
145 150 155 160

Tyr Arg Gly His Ser Ala Leu His Ile Ala Ile Glu Lys Arg Ser Leu
165 170 175

Gln Cys Val Lys Leu Leu Val Glu Asn Gly Ala Asn Val His Ala Arg
180 185 190

Ala Cys Gly Arg Phe Phe Gln Lys Gly Gln Gly Thr Cys Phe Tyr Phe
195 200 205

Gly Glu Leu Pro Leu Ser Leu Ala Ala Cys Thr Lys Gln Trp Asp Val
210 215 220

Val Ser Tyr Leu Leu Glu Asn Pro His Gln Pro Ala Ser Leu Gln Ala
225 230 235 240

Thr Asp Ser Gln Gly Asn Thr Val Leu His Ala Leu Val Met Ile Ser
245 250 255

Asp Asn Ser Ala Glu Asn Ile Ala Leu Val Thr Ser Met Tyr Asp Gly
260 265 270

Leu Leu Gln Ala Gly Ala Arg Leu Cys Pro Thr Val Gln Leu Glu Asp
275 280 285

Ile Arg Asn Leu Gln Asp Leu Thr Pro Leu Lys Leu Ala Ala Lys Glu
290 295 300

Gly Lys Ile Glu Ile Phe Arg His Ile Leu Gln Arg Glu Phe Ser Gly
305 310 315 320

Leu Ser His Leu Ser Arg Lys Phe Thr Glu Trp Cys Tyr Gly Pro Val
325 330 335

Arg Val Ser Leu Tyr Asp Leu Ala Ser Val Asp Ser Cys Glu Glu Asn
340 345 350

Ser Val Leu Glu Ile Ile Ala Phe His Cys Lys Ser Pro His Arg His
355 360 365

Arg Met Val Val Leu Glu Pro Leu Asn Lys Leu Leu Gln Ala Lys Trp
370 375 380

```
Asp Leu Leu Ile Pro Lys Phe Phe Leu Asn Phe Leu Cys Asn Leu Ile
385                 390                 395                 400

Tyr Met Phe Ile Phe Thr Ala Val Ala Tyr His Gln Pro Thr Leu Lys
                405                 410                 415

Lys Gln Ala Ala Pro His Leu Lys Ala Glu Val Gly Asn Ser Met Leu
            420                 425                 430

Leu Thr Gly His Ile Leu Ile Leu Leu Gly Gly Ile Tyr Leu Leu Val
        435                 440                 445

Gly Gln Leu Trp Tyr Phe Trp Arg Arg His Val Phe Ile Trp Ile Ser
    450                 455                 460

Phe Ile Asp Ser Tyr Phe Glu Ile Leu Phe Leu Phe Gln Ala Leu Leu
465                 470                 475                 480

Thr Val Val Ser Gln Val Leu Cys Phe Leu Ala Ile Glu Trp Tyr Leu
                485                 490                 495

Pro Leu Leu Val Ser Ala Leu Val Leu Gly Trp Leu Asn Leu Leu Tyr
            500                 505                 510

Tyr Thr Arg Gly Phe Gln His Thr Gly Ile Tyr Ser Val Met Ile Gln
        515                 520                 525

Lys Val Ile Leu Arg Asp Leu Leu Arg Phe Leu Leu Ile Tyr Leu Val
    530                 535                 540

Phe Leu Phe Gly Phe Ala Val Ala Leu Val Ser Leu Ser Gln Glu Ala
545                 550                 555                 560

Trp Arg Pro Glu Ala Pro Thr Gly Pro Asn Ala Thr Glu Ser Val Gln
                565                 570                 575

Pro Met Glu Gly Gln Glu Asp Glu Gly Asn Gly Ala Gln Tyr Arg Gly
            580                 585                 590
```

Ile Leu Glu Ala Ser Leu Glu Leu Phe Lys Phe Thr Ile Gly Met Gly
595 600 605

Glu Leu Ala Phe Gln Glu Gln Leu His Phe Arg Gly Met Val Leu Leu
610 615 620

Leu Leu Leu Ala Tyr Val Leu Leu Thr Tyr Ile Leu Leu Leu Asn Met
625 630 635 640

Leu Ile Ala Leu Met Ser Glu Thr Val Asn Ser Val Ala Thr Asp Ser
645 650 655

Trp Ser Ile Trp Lys Leu Gln Lys Ala Ile Ser Val Leu Glu Met Glu
660 665 670

Asn Gly Tyr Trp Trp Cys Arg Lys Lys Gln Arg Ala Gly Val Met Leu
675 680 685

Thr Val Gly Thr Lys Pro Asp Gly Ser Pro Asp Glu Arg Trp Cys Phe
690 695 700

Arg Val Glu Glu Val Asn Trp Ala Ser Trp Glu Gln Thr Leu Pro Thr
705 710 715 720

Leu Cys Glu Asp Pro Ser Gly Ala Gly Val Pro Arg Thr Leu Glu Asn
725 730 735

Pro Val Leu Ala Ser Pro Pro Lys Glu Asp Glu Asp Gly Ala Ser Glu
740 745 750

Glu Asn Tyr Val Pro Val Gln Leu Leu Gln Ser Asn
755 760

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 7
atttaggtga cactatag 18

<210> 8
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 8
taatacgact cactataggg 20

<210> 9
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 9
ggaaacagct atgaccatg 19

<210> 10
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 10
gtaaaacgac ggccagt 17

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 11
aattaaccct cactaaaggg 20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 12
tctacttcgg tgaactgccc 20

<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 13
acggcaggga gtcattcttc 20

<210> 14
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 14
ctgcagaact cctggcaga 19

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 15
gtcaccaccg ctgtggaaaa 20

<210> 16
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 16
tcctctggct tccaacccgt t 21

<210> 17
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 17
gaactgggca gaaagtgcct 20

<210> 18
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 18
ctggagttag ggtctccatc c 21

<210> 19
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 19
gtcatagcgg ccgcgccgcc accatgaaga aatggagcag cac 43

<210> 20
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 20
aggcccactc ggtgaacttc 20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 21
gacgagcatg tacaatgaga 20

<210> 22
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 22
gtcaccaccg ctgtggaaaa 20

<210> 23
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 23
tgtggacagc tacagtgaga 20

<210> 24
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 24
tgcactgaat tcgagcactg gtgttccctc ag 32

<210> 25
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 25
tgtggacagc tacagtgaga 20

<210> 26
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 26
gtggaaaacc cgaacaaga 19

<210> 27
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sequence

<400> 27
Cys His Ile Phe Thr Thr Arg Ser Arg Thr Arg Leu Phe Gly Lys Gly
1 5 10 15

Asp Ser Glu Glu Ala Ser Cys
20

<210> 28
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sequence

<400> 28
Cys Gly Ser Leu Lys Pro Glu Asp Ala Glu Val Phe Lys Asp Ser Met
1 5 10 15

Val Pro Gly Glu Lys
20

<210> 29
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 29
atggccacca gcagggttac 20

<210> 30
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 30
tctgccaggt tccagctg 18

<210> 31
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 31
gtcatagcgg ccgcgcgcca ccatgcccag ggtagttgga c 41

<210> 32
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 32
cacctcttgt tgtcactgga 20

<210> 33
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 33
caaatctgcg catgaagttc cag 23

<210> 34
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 34
gccacgagaa gttccacgta gtg 23

<210> 35
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 35
gctgctccca ttcttgctga 20

<210> 36
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 36
tgcactctcg agaaatgagt gggcagagaa gc 32

<210> 37
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 37
atggccacca gcagggttac 20

<210> 38
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 38
tctgccaggt tccagctg 18

<210> 39
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<400> 39
acaagaaggc ggacatgcgg 20

<210> 40

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 40

atctcgtggc ggttctcaat 20

ABSTRACT

HUMAN VANILLOID RECEPTORS AND THEIR USES

The invention provides novel human vanilloid receptor (hVR) proteins, in particular hVR1 and hVR3, nucleotide sequences encoding for the novel hVR proteins, and hVR proteins for use in a method for screening for agents useful in the treatment or prophylaxis of disorders which are responsive to modulation of hVR activity in a human patient. The invention also provides expression vectors comprising said nucleotide sequences, stable cell lines comprising said expression vectors, antibodies specific for the novel hVR proteins, methods for the identification of compounds which exhibit hVR modulating activity, compounds identifiable and identified by such methods, and methods of treatment or prophylaxis of disorders which are responsive to modulation of hVR activity in a human patient.

COMBINED DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION WITH POWER OF ATTORNEY

ATTORNEY'S DOCKET PG3606USW
First Names Inventor: **DELANY**
Complete if known: App No.:
Filing Date Concurrently herewith
Group Art Unit:

( ) Declaration submitted with initial filing or

(X)Declaration submitted after initial filing (surcharge required 37CFR1.16(e))

23347

PATENT TRADEMARK OFFICE

As below named inventor. I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

HUMAN VANILLOID RECEPTORS AND THEIR USES

the specification of which (check only one item below):

[ ]is attached hereto.

OR

[X] was filed on _____as United States application Serial No. _____ or **PCT** International

Application Number EP99/09284 filed 11/30/1999 and was amended on (MM/DD/YYYY) _____(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35, U.S.C. §119 (a)-(d) or §365(b) of any foreign applications(s) for patent or inventor's certificate or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or of any PCT international application having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

Prior Foreign Application Number (s)	Country	Foreign Filing Date (MM/DD/YYYY))	PRIORITY CLAIMED
1. GB9826359.3	GB	12/01/1998	x
2.			
3.			
4.			
5.			

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application No.	Filing Date (MM/DD/YYYY)	

COMBINED DECLARATION FOR UTILITY or DESIGN PATENT APPLICATION WITH POWER OF ATTORNEY Continued

ATTORNEY'S DOCKET NUMBER
PG3606USW

I hereby claim the benefit under 35, U.S.C. §120 of any United States application or §365(c) of any PCT international application designating the United States of America that is listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. §1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. PARENT APPLICATION or PCT PARENT APPLICATION

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	STATUS (Check one) PATENTED	PENDING	ABANDONED

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the U.S. Patent and Trademark Office connected therewith. (List name and registration number)

David J. Levy	Reg. No. 27,655	James P. Riek	Reg. No. 39,009	Bonnie L. Deppenbrock	Reg. No. 28,209
Charles E. Dadswell	Reg. No. 35,851	Virginia C. Bennett	Reg. No. 37,092	John L. Lemanowicz	Reg. No. 37,380
Karen L. Prus	Reg. No. 39,337	Frank P.Grassler	Reg. No. 31,164	Amy H. Fix	Reg. No. 42,616
Robert H. Brink	Reg. No. 36,094	Christopher P. Rogers	Reg. No. 36,334		
Elizabeth Selby	Reg. No. 38,298	Lorie Ann Morgan	Reg. No. 38,181		

Send Correspondence to:

David J. Levy, Patent Counsel
Corporate Intellectual Property Department
GlaxoSmithKline,
Five Moore Drive, PO Box 13398
Research Triangle Park, NC 27709

23347
PATENT TRADEMARK OFFICE

Direct Telephone Calls to:

Frank Grassler
919-483-2482

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

FULL NAME OF INVENTOR	FAMILY NAME: **DELANY**	FIRST GIVEN NAME: **Natalie**		SECOND GIVEN NAME/INITIAL: **Samantha**
INVENTOR'S SIGNATURE				DATE: 19/6/01
RESIDENCE & CITIZENSHIP	CITY: **Stevenage**	STATE OR FOREIGN COUNTRY: **Hertfordshire GB**		COUNTRY OF CITIZENSHIP: **GB** GBX
POST OFFICE ADDRESS	POST OFFICE ADDRESS: **GlaxoSmithKline Five Moore Drive, PO Box 13398**	CITY: **Research Triangle Park**		STATE & ZIP CODE/COUNTRY: **NC 27709 US**
FULL NAME OF INVENTOR	FAMILY NAME: **SANSEAU**	FIRST GIVEN NAME: **Philippe**		SECOND GIVEN NAME/INITIAL:
INVENTOR'S SIGNATURE				DATE: 19/6/01
RESIDENCE & CITIZENSHIP	CITY: **Stevenage**	STATE OR FOREIGN COUNTRY: **Hertfordshire GB**		COUNTRY OF CITIZENSHIP: **FR** FRX
POST OFFICE ADDRESS	POST OFFICE ADDRESS: **GlaxoSmithKline, Inc. Five Moore Drive, PO Box 13398**	CITY: **Research Triangle Park**		STATE & ZIP CODE/COUNTRY: **NC 27709 US**
FULL NAME OF INVENTOR	FAMILY NAME: **TATE**	FIRST GIVEN NAME: **Simon**		SECOND GIVEN NAME/INITIAL: **Nicholas**
INVENTOR'S SIGNATURE				DATE: 24/6/01
RESIDENCE & CITIZENSHIP	CITY: **Stevenage**	STATE OR FOREIGN COUNTRY: **Hertfordshire GB**		COUNTRY OF CITIZENSHIP: **GB** GBX
POST OFFICE ADDRESS	POST OFFICE ADDRESS: **GlaxoSmithKline Five Moore Drive, PO Box 13398**	CITY: **Research Triangle Park**		STATE & ZIP CODE/COUNTRY: **NC 27709 US**